



Hak cipta dan penggunaan kembali:

Lisensi ini mengizinkan setiap orang untuk mengubah, memperbaiki, dan membuat ciptaan turunan bukan untuk kepentingan komersial, selama anda mencantumkan nama penulis dan melisensikan ciptaan turunan dengan syarat yang serupa dengan ciptaan asli.

Copyright and reuse:

This license lets you remix, tweak, and build upon work non-commercially, as long as you credit the origin creator and license it on your new creations under the identical terms.

DAFTAR PUSTAKA

- [1] F. Lokananta, *Network-On-Chip Communication Architecture Design, Analysis, Optimization, And Evaluation In A Multi-Processor System-On-Chip, Thesis* 2015.
- [2] M. Rouse, “routing table,” TechTarget, 2017 April. [Online]. Available: <http://searchnetworking.techtarget.com/definition/routing-table>. [Diakses 23 June 2017].
- [3] L.-S. P. Natalie D. Enright Jerger, dalam *On-Chip Networks*, Madison: Morgan & Claypool, 2009.
- [4] W. J. Dally dan H. Aoki, “Deadlock-free adaptive routing in multicomputer network using virtual channels,” *IEEE Transactions on Parallel and Distributed Systems*, vol. 4, no. 4, pp. 466 - 475, 1993.
- [5] A. D. W. J. G. A. K. & T. B. Singh, “GOAL: A load-balanced adaptive routing algorithm for torus networks,” dalam *Proceedings of the International Symposium on Computer Architecture*, 2003, pp. 194-205.
- [6] M. Rouse, “DEFINITION bandwidth,” Tech Target, 2014. [Online]. Available: <http://searchenterprisewan.techtarget.com/definition/bandwidth>. [Diakses 1 August 2017].
- [7] P. Christensson, “Throughput Definition,” Tech Terms, 2006. [Online]. Available: <https://techterms.com/definition/throughput>. [Diakses 1 August 2017].
- [8] Tom Sheldon and Big Sur Multimedia, “Delay, Latency, and Jitter,” Pan America and International, 2001. [Online]. Available: <http://www.linktionary.com/d/delay.html>. [Diakses 1 August 2017].

- [9] W. Liu, J. Xu, X. Wi, Y. Ye, X. Wang, W. Zhang, M. Nikdast dan Z. Wang, “A NoC Traffic Suite Based on Real Applications,” dalam *IEEE Computer Society Annual Symposium on VLSI*, Chennai, 2011.
- [10] C. Grecu, A. Ivanov, P. Pande, A. Jantsch, E. Salminem, U. Ogras dan R. Marculescu, “Towards Open Network-on-Chip Benchmarks,” *Proceedings - NOCS 2007: First International Symposium on Networks-on-Chip*, pp. 205-212, 2007.
- [11] V. Soteriou, H. Wang dan L. Peh, “A Statistical Traffic Model for On-Chip Interconnection Networks,” *Modeling, Analysis, and Simulation of Computer and Telecommunication Systems*, vol. XIV, pp. 104-116, 2006.
- [12] I. Anagnostopoulos, A. Bartzas dan D. Soudris, “Temperature-Aware Platform Optimizations for 2D and 3D Networks-on-Chip”.
- [13] P. Lotfi-kamran, M. Daneshtalab, C. Lucas dan Z. Navabi, “BARP-A Dynamic Routing Protocol for Balanced Distribution of Traffic in NoCs,” dalam *2008 Design, Automation and Test in Europe*, Munich, 2008.
- [14] Hong Kong University of Science and Technology, “MCSL Network-on-Chip Traffic Suite,” January 2014. [Online]. Available: <http://www.ece.ust.hk/~eexu/>. [Diakses 2 July 2017].