DAFTAR PUSTAKA

Akobeng, A. K. (2007). Understanding diagnostic tests 3: receiver operating characteristic curves. *Acta paediatrica*, 644--647.

Bengio, Y. a. (2004). No unbiased estimator of the variance of k-fold cross-validation. *Journal of machine learning research*, 1089--1105.

Fawcett, T. (2006). An introduction to ROC analysis. *Pattern recognition letters*, 861--874.

Ginosar, S. a. (2012). Sentiment Analysis using Naive Bayes.

Greiner, M. a. (2000). Principles and practical application of the receiver-operating characteristic analysis for diagnostic tests. *Preventive veterinary medicine*, 23--41.

Grigorev, A. (2015, January 18). *ROC Analysis*. Dipetik 18 Januari, 2015 dari: mlwiki.org: http://mlwiki.org/index.php/ROC_Analysis

Huang, M. a. (2016). Modeling rich contexs for sentiment classification with lstm. *arXiv preprint arXiv:1605.01478*.

Jiang, L. a. (2011). Target-dependent twitter sentiment classification. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1* (pp. 151--160).

Juan, A. a. (2002). Reversing and Smoothing the Multinomial Naive Bayes Text Classifier. In *PRIS* (pp. 200--212).

Liu, B. (2012). Sentiment Analysis and Opinion Mining. *Synthesis lectures on human language technologies*, 1--167.

Liu, P. a. (2016). Recurrent neural network for text classification with multi-task learning. *arXiv preprint arXiv:1605.05101*.

Maas, A. L. (2011). Learning word vectors for sentiment analysis. In *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1* (pp. 142--150).

National Instruments. (2012, August). *Normalized Frequency.* Dipetik Agustus, 2012 dari: zone.ni: http://zone.ni.com/reference/en-XX/help/370051V-01/cvi/libref/analysisconcepts/normalized_frequency/

Pang, B. a. (2002). Thumbs up?: sentiment classification using machine learning techniques. In *Proceedings of the ACL-02 conference on Empirical methods in natural language processing-Volume 10* (pp. 79--86).

Press, C. U. (2009, 04 07). *The Bernoulli Model*. Dipetik 4 Juli 2009 dari: nlp.stanford.edu: https://nlp.stanford.edu/IR-book/html/htmledition/the-bernoulli-model-1.html

Refaeilzadeh, P. a. (2009). Cross-validation. In *Encyclopedia of database systems* (pp. 532-538). Springer.

Rong, X. (2014). word2vec parameter learning explained. *arXiv preprint arXiv:1411.2738*.

Ruales, J. (2012). Recurrent Neural Network for Sentiment Analysis.

Sethy, A. a. (2008). Bag-of-word normalized N-gram models. In *Ninth Annual Conference of the International Speech Communication Association.*

Tang, D. a. (2015). Effective LSTMs for target-dependent sentiment classification. *arXiv preprint arXiv:1512.01100*.

Tang, D. a. (2015). Target-dependent sentiment classification with long short term memory. *CoRR, abs/1512.01100*.

Timmaraju, A. a. (2015). Sentiment analysis on movie reviews using recursive and recurrent neural network architectures. *Semantic Scholar*.

Tunggawan, E. a. (2016). And the Winner is...: Bayesian Twitter-based Prediction on 2016 US Presidential Election. *arXiv preprint arXiv:1611.00440*.

Vinodhini, G. a. (2012). Sentiment analysis and opinion mining: a survey. *International Journal*, 282--292.

Wang, X. a. (2015). Predicting polarities of tweets by composing word embeddings with long short-term memory. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing* (pp. 1343--1353).

Wang, X. a. (2015). Predicting Polarities of Tweets by Composing Word Embeddings with Long Short-Term Memory. In *ACL (1)* (pp. 1343--1353).

Wang, Y. a. (2016). Attention-based lstm for aspect-level sentiment classification. In *Proceedings of the 2016 Conference on Empirical Methods in Natural Language Processing* (pp. 606--615).

Xuan, J. a. (2017). Automatic bug triage using semi-supervised text classification. *arXiv preprint arXiv:1704.04769*.