



Hak cipta dan penggunaan kembali:

Lisensi ini mengizinkan setiap orang untuk mengubah, memperbaiki, dan membuat ciptaan turunan bukan untuk kepentingan komersial, selama anda mencantumkan nama penulis dan melisensikan ciptaan turunan dengan syarat yang serupa dengan ciptaan asli.

Copyright and reuse:

This license lets you remix, tweak, and build upon work non-commercially, as long as you credit the origin creator and license it on your new creations under the identical terms.

DAFTAR PUSTAKA

- A.Thamizharasi, & Jayasudha, D. (2016). An Illumination Invariant Face Recognition Using 2D Discrete Cosine Transform and Clahe. *International Journal of Computer Science and Information Technology*, 8(3), 45–53. <https://doi.org/10.5121/ijcsit.2016.8304>
- Bhat, A. (2017). Makeup Invariant Face Recognition using Features from Accelerated Segment Test and Eigen Vectors. *International Journal of Image and Graphics*, 17(01), 1750005. <https://doi.org/10.1142/s021946781750005x>
- Campos, N. (2016). RGB to YCbCr Conversion. Retrieved from <https://sistenix.com/rgb2ycbcr.html>
- Carneiro, L. N. V., & Cámera-Chávez, G. (2012). Logarithm discrete cosine transform domain and discrimination power analysis for illumination invariant face recognition. *Proceedings of the 2012 International Conference on Image Processing, Computer Vision, and Pattern Recognition, IPCV 2012*, 2, 554–560.
- Carro, R. C., Larios, J. M. A., Huerta, E. B., Caporal, R. M., & Cruz, F. R. (2015). Face recognition using SURF. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 9225, 316–326. https://doi.org/10.1007/978-3-319-22180-9_31
- Chen, W., Er, M. J., & Wu, S. (2006). Illumination Compensation and Normalization for Robust Face Recognition Using Discrete Cosine Transform in Logarithm Domain. *IEEE Transactions on Man and Cybernetics*, 36(2), 458–466.
- Dabbaghchian, S., Aghagolzadeh, A., & Moin, M. S. (2007). Feature extraction using discrete cosine transform for face recognition. *2007 9th International Symposium on Signal Processing and Its Applications, ISSPA 2007, Proceedings*, (March). <https://doi.org/10.1109/ISSPA.2007.4555358>
- Gemalto. (2018). The top 7 trends for facial recognition in 2019. Retrieved from <https://www.gemalto.com/govt/biometrics/facial-recognition>
- Jing, X. Y., & Zhang, D. (2004). A face and palmprint recognition approach based on discriminant DCT feature extraction. *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, 34(6), 2405–2415. <https://doi.org/10.1109/TSMCB.2004.837586>
- Jain, A. K. (1989). *2-D Discrete Cosine Transform*. NJ: Prentice-Hall, Inc.
- Kaggle. (2016). Facial Keypoints Detection.
- Kusnadi, A., Wella, Winantyo, R., & Pane, I. Z. (2018). Evaluation of Feature Detectors on Repeatability Quality of Facial Keypoints in Triangulation Method. *2018 International Conference on Smart Computing and Electronic Enterprise, ICSCEE 2018*, 3–6. <https://doi.org/10.1109/ICSCEE.2018.8538385>

- Leutenegger Stefan, Margarita Chli, R. Y. S. (2011). "BRISK: Binary robust invariant scalable keypoints." *Computer Vision (ICCV)*. *Iccv*, 2548–2555.
- Ma, J., Fan, X., Yang, S. X., Zhang, X., & Zhu, X. (2018). Contrast Limited Adaptive Histogram Equalization-Based Fusion in YIQ and HSI Color Spaces for Underwater Image Enhancement. *International Journal of Pattern Recognition and Artificial Intelligence*, 32(7), 1–27. <https://doi.org/10.1142/S0218001418540186>
- Makwana, R. M. (2010). Illumination invariant face recognition: A survey of passive methods. *Procedia Computer Science*, 2, 101–110. <https://doi.org/10.1016/j.procs.2010.11.013>
- Manning, C. D., Schütze, H., & Weikurn, G. (2002). Foundations of Statistical Natural Language Processing. *SIGMOD Record*, 31(3), 37–38. <https://doi.org/10.1145/601858.601867>
- Market, A. (2016). Face Recognition Market Overview. Retrieved September 20, 2005, from <https://www.alliedmarketresearch.com/facial-recognition-%0Amarket?facial-recognition-market %0A>
- Mian, A., Bennamoun, M., & Owens, R. (2010). On the repeatability and quality of keypoints for local feature-based 3D object retrieval from cluttered scenes. *International Journal of Computer Vision*, 89(2–3), 348–361. <https://doi.org/10.1007/s11263-009-0296-z>
- Shah, J. H., Sharif, M., Raza, M., Murtaza, M., & Saeed-Ur-rehman. (2015). Robust face recognition technique under varying illumination. *Journal of Applied Research and Technology*, 13(1), 97–105. [https://doi.org/10.1016/S1665-6423\(15\)30008-0](https://doi.org/10.1016/S1665-6423(15)30008-0)
- Sonali, Sahu, S., Singh, A. K., Ghrera, S. P., & Elhoseny, M. (2019). An approach for de-noising and contrast enhancement of retinal fundus image using CLAHE. *Optics and Laser Technology*, 110, 87–98. <https://doi.org/10.1016/j.optlastec.2018.06.061>
- Štruc, V., & C, N. P. (2009). Gabor-Based Kernel Partial-Least-Squares Discrimination Features for Face Recognition. *Informatica*, 20(1), 115–138. Retrieved from <http://iospress.metapress.com/index/173723327G3J5823.pdf>
- Štruc, V., & C, N. P. (2011). *Photometric normalization techniques for illumination invariance Photometric Normalization Techniques for Illumination Invariance AVTOR : Vitomir Štruc INTERNAL REPORT : LUKS*. (November 2015).
- Thamizharasi, A. (2016). An Illumination Invariant Face Recognition by Selection of DCT Coefficients. *Jayasudha J. S International Journal of Image Processing (IJIP)*, (10), 14.
- Thamizharasi, A., & J., J. (2016). A Hybrid Method for Face Recognition using LLS CLAHE Method. *International Journal of Computer Applications*, 152(7), 33–37. <https://doi.org/10.5120/ijca2016911898>

Vinay, A., Aklecha, N., Meghana, Murthy, K. N. B., & Natarajan, S. (2018). On Detectors and Descriptors based Techniques for Face Recognition. *Procedia Computer Science*, 132, 908–917. <https://doi.org/10.1016/j.procs.2018.05.106>

Vinay, A., Deshpande, A. R., Pranathi, B. S., Jha, H., Murthy, K. N. B., & Natarajan, S. (2018). Effective Descriptors based Face Recognition Technique for Robotic Surveillance Systems. *Procedia Computer Science*, 133, 968–975. <https://doi.org/10.1016/j.procs.2018.07.080>