

## **DAFTAR PUSTAKA**

- [1] H. Chen, Q. Xiao, and X. Yin, “Generating music algorithm with deep convolutional generative adversarial networks,” *2019 2nd Int. Conf. Electron. Technol. ICET 2019*, pp. 576–580, 2019, doi: 10.1109/ELTECH.2019.8839521.
- [2] C. K. Puteri and M. I. Irawan, “Analysis of Song Popularity in Business Digital Music Streaming for Increasing Quality Using Kohonen SOM Algorithm,” *IPTEK J. Proc. Ser.*, vol. 0, no. 5, p. 71, Dec. 2019, doi: 10.12962/j23546026.y2019i5.6282.
- [3] I. P. Putri, F. D. P. Liany, and R. Nuraeni, “K-Drama dan Penyebaran Korean Wave di Indonesia,” vol. 3, no. 1, pp. 68–80, 2019.
- [4] X. Wang and S. A. Haque, “Classical Music Clustering Based on Acoustic Features,” *arXiv*, Jun. 2017, [Online]. Available: <http://arxiv.org/abs/1706.08928>.
- [5] Z. Al-Beitawi, M. Salehan, and S. Zhang, “What Makes a Song Trend? Cluster Analysis of Musical Attributes for Spotify Top Trending Songs,” *J. Mark. Dev. Compet.*, vol. 14, no. 3, Sep. 2020, doi: 10.33423/jmdc.v14i3.3065.
- [6] B. Ross and P. Ramakrishnan, “song2vec: Determining song similarity using Deep Unsupervised Learning,” pp. 1–6, 2018, [Online]. Available: <http://cs229.stanford.edu/proj2017/final-reports/5218770.pdf>.

- [7] Q. Yang, Y. Liu, Tianjian Chen, and Yongxin Tong, “Federated Machine Learning: Concept and Applications,” *arXiv*, no. February, 2019.
- [8] H. M. E. Misilmani and T. Naous, “Machine Learning in Antenna Design: An Overview on Machine Learning Concept and Algorithms,” *2019 Int. Conf. High Perform. Comput. Simulation, HPCS 2019*, no. May 2020, pp. 600–607, 2019, doi: 10.1109/HPCS48598.2019.9188224.
- [9] A. G. Jondya and B. H. Iswanto, “Indonesian’s Traditional Music Clustering Based on Audio Features,” *Procedia Comput. Sci.*, vol. 116, pp. 174–181, 2017, doi: 10.1016/j.procs.2017.10.019.
- [10] M. Pichl, E. Zangerle, and G. Specht, “Understanding User-Curated Playlists on Spotify,” *Int. J. Multimed. Data Eng. Manag.*, vol. 8, no. 4, pp. 44–59, Oct. 2017, doi: 10.4018/IJMDEM.2017100103.
- [11] N. A. Melo Riveros, B. A. Cardenas Espitia, and L. E. Aparicio Pico, “Comparison between K-means and Self-Organizing Maps algorithms used for diagnosis spinal column patients,” *Informatics Med. Unlocked*, vol. 16, Jan. 2019, doi: 10.1016/j.imu.2019.100206.
- [12] U. Syaripudin, I. Badruzaman, E. Yani, M. Ramdhani, T. Informatika UIN Sunan Gunung Djati Bandung, and A. Garut, “STUDI KOMPARATIF PENERAPAN METODE HIERARCHICAL, K-MEANS DAN SELF ORGANIZING MAPS (SOM) CLUSTERING PADA BASIS DATA,” vol. VII, no. 1, 2013.
- [13] R. D. Kusumah, B. Warsito, and M. A. Mukid, “PERBANDINGAN

METODE K-MEANS DAN SELF ORGANIZING MAP (STUDI KASUS:  
PENGELOMPOKAN KABUPATEN/KOTA DI JAWA TENGAH  
BERDASARKAN INDIKATOR INDEKS PEMBANGUNAN MANUSIA  
2015),” *J. GAUSSIAN*, vol. 6, no. 3, pp. 429–437, 2017, [Online].

Available: <http://ejournal-s1.undip.ac.id/index.php/gaussian>.

- [14] K. Kim, W. Yun, and R. Kim, “Clustering Music by Genres Using Supervised and Unsupervised Algorithm,” p. 229, 2015.
- [15] Widiarina and R. S. Wahono, “Algoritma Cluster Dinamik untuk Optimasi Cluster pada Algoritma K-Means dalam Pemetaan Nasabah Potensial,” *J. Intell. Syst.*, vol. 1, no. 1, 2015, [Online]. Available: <http://journal.ilmukomputer.org>.
- [16] M. Susino Id and E. Schubert, “Musical emotions in the absence of music: A cross-cultural investigation of emotion communication in music by extra-musical cues,” 2020, doi: 10.1371/journal.pone.0241196.
- [17] M. Y. Setianingrum, “REVIEW OF RELATED LITERATURE A. Theoretical Framework 1. Song Lyrics in Teaching and Language Process,” 2010. [Online]. Available: [www.thefreedictionary.com/lyric](http://www.thefreedictionary.com/lyric).
- [18] R. Fadryona, “The Spotify Effect: Peranan Spotify for Artists dalam Industri Musik 4.0,” *J. InterAct*, vol. 9, no. 2, pp. 96–109, Feb. 2021, doi: 10.25170/interact.v9i2.2188.
- [19] A. S. Sankoh, A. R. Musthafa, M. I. Rosadi, and A. Z. Arifin, “Klasterisasi Jenis Musik Menggunakan Kombinasi Algoritma Neural Network, K-

- Means dan Particle Swarm Optimization,” *J. Buana Inform.*, vol. 6, no. 3, pp. 183–194, 2015, doi: 10.24002/jbi.v6i3.431.
- [20] W. Peng, T. Li, and M. Ogiara, “Music clustering with constraints,” *Proc. 8th Int. Conf. Music Inf. Retrieval, ISMIR 2007*, no. January, pp. 27–32, 2007.
- [21] E. Irfiani and S. S. Rani, “Algoritma K-Means Clustering untuk Menentukan Nilai Gizi Balita,” *J. Sist. dan Teknol. Inf.*, vol. 6, no. 4, p. 161, 2018, doi: 10.26418/justin.v6i4.29024.
- [22] P. Abelairas-Etxebarria and I. Astorkiza, “From exploratory data analysis to exploratory spatial data analysis,” *Math. Stat.*, vol. 8, no. 2, pp. 82–86, 2020, doi: 10.13189/ms.2020.080202.
- [23] K. Sahoo, A. K. Samal, J. Pramanik, and S. K. Pani, “Exploratory data analysis using python,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 12, pp. 4727–4735, 2019, doi: 10.35940/ijitee.L3591.1081219.
- [24] M. Munk, M. Drlik, L. Benko, and J. Reichel, “Quantitative and Qualitative Evaluation of Sequence Patterns Found by Application of Different Educational Data Preprocessing Techniques,” *IEEE Access*, vol. 5, pp. 8989–9004, 2017, doi: 10.1109/ACCESS.2017.2706302.
- [25] I. Eliazar, R. Metzler, and S. Reuveni, “Gumbel central limit theorem for max-min and min-max,” *Phys. Rev. E*, vol. 100, no. 2, 2019, doi: 10.1103/PhysRevE.100.020104.

- [26] Y. Fan, L. Gongshen, M. Kui, and S. Zhaoying, “Neural Feedback Text Clustering with BiLSTM-CNN-Kmeans,” *IEEE Access*, vol. 6, pp. 57460–57469, 2018, doi: 10.1109/ACCESS.2018.2873327.
- [27] A. Pandey and A. K. Malviya, “Enhancing test case reduction by k-means algorithm and elbow method,” *Int. J. Comput. Sci. Eng.*, vol. 6, no. 6, pp. 299–303, 2018, doi: 10.26438/ijcse/v6i6.299303.
- [28] N. Putu, E. Merliana, and A. J. Santoso, “Analisa Penentuan Jumlah Cluster Terbaik pada Metode K-Means,” pp. 978–979, 2014.
- [29] P. Sudheera, V. R. Sajja, S. D. Kumar, and N. G. Rao, “Detection of dental plaque using enhanced K-means and silhouette methods,” *Proc. 2016 Int. Conf. Adv. Commun. Control Comput. Technol. ICACCCT 2016*, no. May 2016, pp. 559–563, 2017, doi: 10.1109/ICACCCT.2016.7831702.
- [30] P. Deekshith and R. P. Singh, “Review on Advanced Machine Learning Model : Scikit-Learn Review on Advanced Machine Learning Model : Scikit-Learn Abstract :,” no. September, 2020.
- [31] D. David, “A basic recommendation system for songs,” no. June, pp. 1–2, 2020, doi: 10.13140/RG.2.2.10456.32005.
- [32] R. S. Oetama, T. T. Heng, and D. Tjahjana, “Sebuah Pola Cluster Geospatial Eksplorasi Kejahatan Narkoba di DKI Jakarta,” *Ultim. InfoSys J. Ilmu Sist. Inf.*, vol. 11, no. 1, Jul. 2020, doi: 10.31937/si.v9i1.1514.
- [33] K. Widjaja and R. S. Oetama, “K-Means Clustering Video Trending di

Youtube Amerika Serikat,” *Ultim. InfoSys J. Ilmu Sist. Inf.*, vol. 11, no. 2, Dec. 2020, doi: 10.31937/si.v11i2.1508.

- [34] D. A. Rusdah and H. Murfi, “XGBoost in handling missing values for life insurance risk prediction,” *SN Appl. Sci.*, vol. 2, no. 8, Aug. 2020, doi: 10.1007/s42452-020-3128-y.