DAFTAR PUSTAKA

[1] Y. Yuliana, “Corona virus diseases (Covid-19): Sebuah tinjauan literatur,” *Wellness Heal. Mag.*, vol. 2, no. 1, pp. 187–192, 2020, doi: 10.30604/well.95212020.

[2] F. A. Hermawati and R. A. Zai, “Konferensi Nasional Ilmu Komputer (KONIK) 2021 Sistem Deteksi Pemakaian Masker Menggunakan Metode Viola-Jones dan Convolutional Neural Networks (CNN),” pp. 182–187, 2021, [Online]. Available: https://www.kaggle.com/prithwirajmitra/covid-face-mask-.

[3] M. S. Ejaz and M. R. Islam, “Masked face recognition using convolutional neural network,” *2019 Int. Conf. Sustain. Technol. Ind. 4.0, STI 2019*, no. December 2019, 2019, doi: 10.1109/STI47673.2019.9068044.

[4] R. Delima, H. B. Santosa, and J. Purwadi, “Development of Dutatani Website Using Rapid Application Development,” *IJITEE (International J. Inf. Technol. Electr. Eng.*, vol. 1, no. 2, pp. 36–44, 2017, doi: 10.22146/ijitee.28362.

[5] G. W. Sasmito, D. S. Wibowo, and D. Dairoh, “Implementation of Rapid Application Development Method in the Development of Geographic Information Systems of Industrial Centers,” *J. Inf. Commun. Converg. Eng.*, vol. 18, no. 3, pp. 194–200, 2020, doi: 10.6109/jicce.2020.18.3.194.

[6] P. Barrett, J. Hunter, J. T. Miller, J.-C. Hsu, and P. Greenfield, “matplotlib -- A Portable Python Plotting Package,” *ASP Conf. Ser.*, vol. 347, no. June, p. 91, 2005, [Online]. Available: http://adsabs.harvard.edu/abs/2005ASPC..347...91B.

[7] S. Shell, “An introduction to Numpy and Scipy,” pp. 1–24, 2012.

[8] “os — Miscellaneous operating system interfaces — Python 3.10.1

documentation.” https://docs.python.org/3/library/os.html (accessed Dec. 18, 2021).

[9] Antonio Guili; Amita Kapoor; Sujit Pal, *Deep Learning with TensorFlow 2 and Keras: Regression, ConvNets, GANs, RNNs, NLP, and More with TensorFlow 2 and the Keras API*. 2019.

[10] M. Gupta, “Cell Identification by Blob Detection,” no. January 2012, pp. 233–236, 2012, doi: 10.3850/978-981-07-1403-1_559.