

## DAFTAR PUSTAKA

- [1] S. R *et al.*, “Assessing nitrogen dioxide (NO<sub>2</sub>) impact on health pre- and post-COVID-19 pandemic using IoT in India,” *Int. J. Pervasive Comput. Commun.*, 2020, doi: 10.1108/IJPCC-08-2020-0115/FULL/HTML.
- [2] A. F. Rendeiro *et al.*, “Metabolic and immune markers for precise monitoring of COVID-19 severity and treatment,” *medRxiv*, p. 2021.09.05.21263141, Sep. 2021, doi: 10.1101/2021.09.05.21263141.
- [3] G. B. R, B. A, K. K. K, S. Maurya, and S. K. Saravana, “Smartphone-based electrochemical sensor for assessing COVID-19 infected patients,” *Int. J. Pervasive Comput. Commun.*, 2020, doi: 10.1108/IJPCC-10-2020-0169/FULL/HTML.
- [4] A. Shahzad *et al.*, “Keputusan Menteri Kesehatan Republik Indonesia,” vol. 4, no. 3, pp. 1–21, 2019.
- [5] Satuan Tugas Penanganan Covid-19, “Analisis Data COVID-19 Indonesia (Update Per 14 Maret 2021) - Berita Terkini | Covid19.go.id,” 2021. <https://covid19.go.id/p/berita/analisis-data-covid-19-indonesia-update-13-juni-2021> (accessed Oct. 06, 2021).
- [6] M. Adi *et al.*, “Penerapan Algoritma Backpropagation Dalam Memprediksi Produksi Tanaman Padi Sawah Menurut Kabupaten/Kota Di Sumatera Utara,” *semantik*, vol. 4, no. 1, pp. 77–86, Jul. 2018, Accessed: Oct. 07, 2021. [Online]. Available: <http://ojs.uho.ac.id/index.php/semantik/article/view/4225>.
- [7] E. Ria, “Badan pusat statistik kabupaten enrekang,” 2020. <https://bandungkab.bps.go.id/publication/2021/09/22/a45e7ec69a9b9e48b91e3945/perilaku-masyarakat-kabupaten-bandung-pada-masa-ppkm-darurat.html> (accessed Oct. 06, 2021).
- [8] P. Nagrath, R. Jain, A. Madan, R. Arora, P. Kataria, and J. Hemanth, “SSDMNV2: A real time DNN-based face mask detection system using single shot multibox detector and MobileNetV2,” *Sustain. Cities Soc.*, vol. 66, p. 102692, Mar. 2021, doi: 10.1016/J.SCS.2020.102692.
- [9] K. Suresh, M. B. Palangappa, and S. Bhuvan, “Face Mask Detection by using Optimistic Convolutional Neural Network,” *Proc. 6th Int. Conf. Inven. Comput. Technol. ICICT 2021*, pp. 1084–1089, Jan. 2021, doi: 10.1109/ICICT50816.2021.9358653.
- [10] M. Iqbal, B. Irawan, and C. Setianingsih, “Detection of Fire with Image Processing using Backpropagation Method,” *2019 Int. Conf. Adv. Mechatronics, Intell. Manuf. Ind. Autom. ICAMIMIA 2019 - Proceeding*, pp. 344–349, 2019, doi: 10.1109/ICAMIMIA47173.2019.9223392.
- [11] T. S. N. P. Putri, M. Al Fikih, and N. Setyawan, “FACE MASK DETECTION COVID-19 USING CONVOLUTIONAL NEURAL NETWORK (CNN),” *Pros. SENTRA (Seminar Teknol. dan Rekayasa)*, vol. 0, no. 6, pp. 27–32, Jan. 2021, Accessed: Oct. 06, 2021. [Online]. Available: <http://research-report.umm.ac.id/index.php/sentra/article/view/3801>.
- [12] M. Loey, G. Manogaran, M. H. N. Taha, and N. E. M. Khalifa, “A hybrid deep transfer learning model with machine learning methods for face mask

- detection in the era of the COVID-19 pandemic,” *Measurement*, vol. 167, p. 108288, Jan. 2021, doi: 10.1016/J.MEASUREMENT.2020.108288.
- [13] M. Meri, K. Khusnul, R. Suhartati, U. Mardiana, and R. Nurpalah, “Pemberdayaan Masyarakat Dalam Penggunaan Hand Sanitizer dan Masker Sebagai Upaya Preventif Terhadap Covid-19,” *BANTENESE J. Pengabd. Masy.*, vol. 2, no. 1, pp. 26–33, Jun. 2020, doi: 10.30656/PS2PM.V2I1.2340.
- [14] “Cara Memakai Masker yang Benar - Masyarakat Umum | Covid19.go.id,” Apr. 03, 2020. <https://covid19.go.id/edukasi/masyarakat-umum/cara-memakai-masker-yang-benar2> (accessed Nov. 17, 2021).
- [15] A. Dewi, “Bagaimana Cara Meningkatkan Efektivitas Masker,” Jul. 16, 2021. <https://www.djkn.kemenu.go.id/kanwil-sumseljambibabel/baca-artikel/14065/Bagaimana-Cara-Meningkatkan-Efektivitas-Masker.html> (accessed Nov. 17, 2021).
- [16] D. L. Ambarwati, “Bagaimana Cara Meningkatkan Efektivitas Masker,” Jul. 16, 2021. <https://www.djkn.kemenu.go.id/kanwil-sumseljambibabel/baca-artikel/14065/Bagaimana-Cara-Meningkatkan-Efektivitas-Masker.html> (accessed Nov. 17, 2021).
- [17] R. Ribeiro, A. Pilastri, C. Moura, F. Rodrigues, R. Rocha, and P. Cortez, “Predicting the tear strength of woven fabrics via automated machine learning: An application of the CRISP-DM methodology,” *ICEIS 2020 - Proc. 22nd Int. Conf. Enterp. Inf. Syst.*, vol. 1, pp. 548–555, 2020, doi: 10.5220/0009411205480555.
- [18] A. Shi-Nash and D. R. Hardoon, “Data analytics and predictive analytics in the era of big data,” *Internet Things Data Anal. Handb.*, pp. 329–345, Feb. 2017, doi: 10.1002/9781119173601.CH19.
- [19] X. Zhang, H. Gao, C. Xue, J. Zhao, and Y. Liu, “Real-time vehicle detection and tracking using improved histogram of gradient features and Kalman filters;,” <https://doi.org/10.1177/1729881417749949>, vol. 15, no. 1, Jan. 2018, doi: 10.1177/1729881417749949.
- [20] A. Susanto, C. A. Sari, I. Utomo, W. Mulyono, and M. Doheir, “Histogram of Gradient in K-Nearest Neighbor for Javanese Alphabet Classification,” *Sci. J. Informatics*, vol. 8, no. 2, pp. 289–296, Nov. 2021, doi: 10.15294/SJI.V8I2.30788.
- [21] A. Chitlangia and G. Malathi, “Handwriting Analysis based on Histogram of Oriented Gradient for Predicting Personality traits using SVM,” *Procedia Comput. Sci.*, vol. 165, pp. 384–390, Jan. 2019, doi: 10.1016/J.PROCS.2020.01.034.
- [22] M. D. Bloice, P. M. Roth, and A. Holzinger, “Biomedical image augmentation using Augmentor,” *Bioinformatics*, vol. 35, no. 21, pp. 4522–4524, Nov. 2019, doi: 10.1093/BIOINFORMATICS/BTZ259.
- [23] C. Han *et al.*, “Combining noise-to-image and image-to-image GANs: Brain MR image augmentation for tumor detection,” *IEEE Access*, vol. 7, pp. 156966–156977, 2019, doi: 10.1109/ACCESS.2019.2947606.
- [24] R. Rosalina and H. Jayanto, “Maximal Overlap Discrete Wavelet Transform, Graph Theory And Backpropagation Neural Network In Stock Market Forecasting,” *IJNMT (International J. New Media Technol.)*, vol. 5, no. 1, pp.

- 41–46, Jun. 2018, doi: 10.31937/IJNMT.V5I1.679.
- [25] N. Hadianto, H. B. Novitasari, and A. Rahmawati, “KLASIFIKASI PEMINJAMAN NASABAH BANK MENGGUNAKAN METODE NEURAL NETWORK,” *Pilar Nusa Mandiri J. Comput. Inf. Syst.*, vol. 15, no. 2, pp. 163–170, Sep. 2019, doi: 10.33480/PILAR.V15I2.658.
- [26] A. Ahmad, “Mengenal Artificial Intelligence, Machine Learning, Neural Network, dan Deep Learning,” Accessed: Oct. 07, 2021. [Online]. Available: [www.teknoindonesia.com](http://www.teknoindonesia.com).
- [27] S. Amirsadri, • Seyed, J. Mousavirad, and • Hossein Ebrahimpour-Komleh, “A Levy flight-based grey wolf optimizer combined with back-propagation algorithm for neural network training,” *Neural Comput. Appl.*, doi: 10.1007/s00521-017-2952-5.
- [28] T. P. Lillicrap, A. Santoro, L. Marris, C. J. Akerman, and G. Hinton, “Backpropagation and the brain,” *Nat. Rev. Neurosci.* 2020 216, vol. 21, no. 6, pp. 335–346, Apr. 2020, doi: 10.1038/s41583-020-0277-3.
- [29] A. R. Heravi and G. Abed Hodtani, “A new correntropy-based conjugate gradient backpropagation algorithm for improving training in neural networks,” *IEEE Trans. Neural Networks Learn. Syst.*, vol. 29, no. 12, pp. 6252–6263, Dec. 2018, doi: 10.1109/TNNLS.2018.2827778.
- [30] F. Pedregosa *et al.*, “Scikit-learn: Machine Learning in Python,” *J. Mach. Learn. Res.*, vol. 12, pp. 2825–2830, 2011.
- [31] T. Journal *et al.*, “Development of video-based emotion recognition using deep learning with Google Colab Cite this paper Development of video-based emotion recognition using deep learning with Google Colab,” vol. 18, no. 5, pp. 2463–2471, 2020, doi: 10.12928/TELKOMNIKA.v18i5.16717.
- [32] “Google Colabatory.” [https://colab.research.google.com/github/Tanu-N-Prabhu/Python/blob/master/Cheat\\_sheet\\_for\\_Google\\_Colab.ipynb](https://colab.research.google.com/github/Tanu-N-Prabhu/Python/blob/master/Cheat_sheet_for_Google_Colab.ipynb) (accessed Jun. 14, 2022).
- [33] A. N. Syahrudin and T. Kurniawan, “INPUT DAN OUTPUT PADA BAHASA PEMROGRAMAN PYTHON,” *J. Dasar Pemrograman Python STMIK*, Jun. 2018, Accessed: Nov. 01, 2021. [Online]. Available: [https://www.researchgate.net/profile/Tedi-Kurniawan-2/publication/338385483\\_INPUT\\_DAN\\_OUTPUT\\_PADA\\_BAHASA\\_PEMROGRAMAN\\_PYTHON/links/5e10643392851c8364b029c3/INPUT-DAN-OUTPUT-PADA-BAHASA-PEMROGRAMAN-PYTHON.pdf](https://www.researchgate.net/profile/Tedi-Kurniawan-2/publication/338385483_INPUT_DAN_OUTPUT_PADA_BAHASA_PEMROGRAMAN_PYTHON/links/5e10643392851c8364b029c3/INPUT-DAN-OUTPUT-PADA-BAHASA-PEMROGRAMAN-PYTHON.pdf).
- [34] H. Davin Christian, “Klasifikasi Status Hidrasi Berdasarkan Warna Urine Menggunakan CNN pada Aplikasi Berbasis Web,” 2021.
- [35] R. Atallah and A. Al-Mousa, “Heart Disease Detection Using Machine Learning Majority Voting Ensemble Method,” *2019 2nd Int. Conf. New Trends Comput. Sci. ICTCS 2019 - Proc.*, Oct. 2019, doi: 10.1109/ICTCS.2019.8923053.
- [36] “GitHub - X-zhangyang/Real-World-Masked-Face-Dataset: Real-World Masked Face Dataset, 口罩人脸数据集.” <https://github.com/X-zhangyang/Real-World-Masked-Face-Dataset> (accessed Jun. 02, 2022).
- [37] R. Mohammed, J. Rawashdeh, and M. Abdullah, “Machine Learning with Oversampling and Undersampling Techniques: Overview Study and

- Experimental Results,” *2020 11th Int. Conf. Inf. Commun. Syst. ICICS 2020*, pp. 243–248, Apr. 2020, doi: 10.1109/ICICS49469.2020.239556.
- [38] J. S. Saltz and N. Hotz, “Identifying the most Common Frameworks Data Science Teams Use to Structure and Coordinate their Projects,” *Proc. - 2020 IEEE Int. Conf. Big Data, Big Data 2020*, pp. 2038–2042, Dec. 2020, doi: 10.1109/BIGDATA50022.2020.9377813.
- [39] D. B. Marcus, “Augmentor — Augmentor 0.2.9 documentation,” 2016. <https://augmentor.readthedocs.io/en/master/> (accessed Jun. 28, 2022).
- [40] C. Shorten and T. M. Khoshgoftaar, “A survey on Image Data Augmentation for Deep Learning,” *J. Big Data*, vol. 6, no. 1, pp. 1–48, Dec. 2019, doi: 10.1186/S40537-019-0197-0/FIGURES/33.
- [41] G. Kang, X. Dong, L. Zheng, and Y. Yang, “PatchShuffle Regularization,” Jul. 2017, doi: 10.48550/arxiv.1707.07103.
- [42] D. Lewy and J. Mańdziuk, “An overview of mixing augmentation methods and augmentation strategies,” Jul. 2021, Accessed: Jun. 29, 2022. [Online]. Available: <http://arxiv.org/abs/2107.09887>.
- [43] T. Chen, C. Zhang, and Eric, “Image Augmentation — mxnet documentation.” [https://mxnet.apache.org/versions/1.5.0/tutorials/gluon/data\\_augmentation.html](https://mxnet.apache.org/versions/1.5.0/tutorials/gluon/data_augmentation.html) (accessed Jun. 29, 2022).
- [44] D. Prasanna and M. Prabhakar, “An efficient human tracking system using Haar-like and hog feature extraction,” *Clust. Comput. 2018 222*, vol. 22, no. 2, pp. 2993–3000, Jan. 2018, doi: 10.1007/S10586-018-1747-5.
- [45] F. Xiao, Y. Chen, and Y. Zhu, “GADF/GASF-HOG:feature extraction methods for hand movement classification from surface electromyography,” *J. Neural Eng.*, vol. 17, no. 4, p. 046016, Jul. 2020, doi: 10.1088/1741-2552/AB9DB9.
- [46] M. S. Ejaz, M. R. Islam, M. Sifatullah, and A. Sarker, “Implementation of Principal Component Analysis on Masked and Non-masked Face Recognition,” *1st Int. Conf. Adv. Sci. Eng. Robot. Technol. 2019, ICASERT 2019*, May 2019, doi: 10.1109/ICASERT.2019.8934543.
- [47] A. Das, M. Wasif Ansari, and R. Basak, “Covid-19 Face Mask Detection Using TensorFlow, Keras and OpenCV,” *2020 IEEE 17th India Counc. Int. Conf. INDICON 2020*, Dec. 2020, doi: 10.1109/INDICON49873.2020.9342585.
- [48] S. Gupta, S. V. N. Sreenivasu, K. Chouhan, A. Shrivastava, B. Sahu, and R. M. Potdar, “Novel Face Mask Detection Technique using Machine Learning to control COVID’19 pandemic,” *Mater. Today. Proc.*, Aug. 2021, doi: 10.1016/J.MATPR.2021.07.368.
- [49] K. Babalyan *et al.*, “LogLoss-BERAF: An ensemble-based machine learning model for constructing highly accurate diagnostic sets of methylation sites accounting for heterogeneity in prostate cancer,” *PLoS One*, vol. 13, no. 11, p. e0204371, Nov. 2018, doi: 10.1371/JOURNAL.PONE.0204371.