

DAFTAR PUSTAKA

- [1] Y. Liu, Q. Lu, L. Zhu, H.-Y. Paik, and M. Staples, “A systematic literature review on blockchain governance,” *Journal of Systems and Software*, vol. 197, p. 111576, 2023.
- [2] F. Schär, “Decentralized finance: On blockchain-and smart contract-based financial markets,” *FRB of St. Louis Review*, 2021.
- [3] M. A. Manolache, S. Manolache, and N. Tapus, “Decision making using the blockchain proof of authority consensus,” *Procedia Computer Science*, vol. 199, pp. 580–588, 2022.
- [4] S. Sayeed, H. Marco-Gisbert, and T. Caira, “Smart contract: Attacks and protections,” *IEEE Access*, vol. 8, pp. 24416–24427, 2020.
- [5] A. J. Wright, “The rise of decentralized autonomous organizations: Opportunities and challenges,” *Stanford Journal of Blockchain Law & Policy*, Jun 2021. <https://stanford-jblp.pubpub.org/pub/rise-of-daos>.
- [6] J. Feist, G. Grieco, and A. Groce, “Slither: a static analysis framework for smart contracts,” dalam *2019 IEEE/ACM 2nd International Workshop on Emerging Trends in Software Engineering for Blockchain (WETSEB)*, pp. 8–15, IEEE, 2019. [Diakses: 14-Nov-2023].
- [7] B. Mueller, “Practical smart contract security analysis and exploitation.” <https://medium.com/hackernoon/practical-smart-contract-security-analysis-and-exploitation-part-1-6c2f2320b0c>, 2019. [Diakses: 24-Oct-2023].
- [8] K. Hu, J. Zhu, Y. Ding, X. Bai, and J. Huang, “Smart contract engineering,” *Electronics*, vol. 9, no. 12, p. 2042, 2020.
- [9] X. Zhao, P. Ai, F. Lai, X. Luo, and J. Benitez, “Task management in decentralized autonomous organization,” *Journal of Operations Management*, vol. 68, no. 6-7, pp. 649–674, 2022.
- [10] C. Santana and L. Albareda, “Blockchain and the emergence of decentralized autonomous organizations (daos): An integrative model and research agenda,” *Technological Forecasting and Social Change*, vol. 182, p. 121806, 2022.
- [11] OpenAI, “Gpt-4 technical report,” *arXiv preprint arXiv:2303.08774*, 2023.

- [12] H. Touvron, L. Martin, K. Stone, P. Albert, A. Almahairi, Y. Babaei, N. Bashlykov, S. Batra, P. Bhargava, S. Bhosale, D. Bikel, L. Blecher, C. C. Ferrer, M. Chen, G. Cucurull, D. Esiobu, J. Fernandes, J. Fu, W. Fu, B. Fuller, C. Gao, V. Goswami, N. Goyal, A. Hartshorn, S. Hosseini, R. Hou, H. Inan, M. Kardas, V. Kerkez, M. Khabsa, I. Kloumann, A. Korenev, P. S. Koura, M.-A. Lachaux, T. Lavril, J. Lee, D. Liskovich, Y. Lu, Y. Mao, X. Martinet, T. Mihaylov, P. Mishra, I. Molybog, Y. Nie, A. Poulton, J. Reizenstein, R. Rungta, K. Saladi, A. Schelten, R. Silva, E. M. Smith, R. Subramanian, X. E. Tan, B. Tang, R. Taylor, A. Williams, J. X. Kuan, P. Xu, Z. Yan, I. Zarov, Y. Zhang, A. Fan, M. Kambadur, S. Narang, A. Rodriguez, R. Stojnic, S. Edunov, and T. Scialom, “Llama 2: Open foundation and fine-tuned chat models,” *arXiv preprint arXiv:2307.09288*, 2023.
- [13] R. Anil, A. M. Dai, O. Firat, M. Johnson, D. Lepikhin, A. Passos, S. Shakeri, E. Taropa, P. Bailey, Z. Chen, E. Chu, J. H. Clark, L. E. Shafey, Y. Huang, K. Meier-Hellstern, G. Mishra, E. Moreira, M. Omernick, K. Robinson, S. Ruder, Y. Tay, K. Xiao, Y. Xu, Y. Zhang, G. H. Abrego, J. Ahn, J. Austin, P. Barham, J. Botha, J. Bradbury, S. Brahma, K. Brooks, M. Catasta, Y. Cheng, C. Cherry, C. A. Choquette-Choo, A. Chowdhery, C. Crepy, S. Dave, M. Dehghani, S. Dev, J. Devlin, M. Díaz, N. Du, E. Dyer, V. Feinberg, F. Feng, V. Fienber, M. Freitag, X. Garcia, S. Gehrmann, L. Gonzalez, G. Gur-Ari, S. Hand, H. Hashemi, L. Hou, J. Howland, A. Hu, J. Hui, J. Hurwitz, M. Isard, A. Ittycheriah, M. Jagielski, W. Jia, K. Kenealy, M. Krikun, S. Kudugunta, C. Lan, K. Lee, B. Lee, E. Li, M. Li, W. Li, Y. Li, J. Li, H. Lim, H. Lin, Z. Liu, F. Liu, M. Maggioni, A. Mahendru, J. Maynez, V. Misra, M. Moussalem, Z. Nado, J. Nham, E. Ni, A. Nystrom, A. Parrish, M. Pellat, M. Polacek, A. Polozov, R. Pope, S. Qiao, E. Reif, B. Richter, P. Riley, A. C. Ros, A. Roy, B. Saeta, R. Samuel, R. Shelby, A. Slone, D. Smilkov, D. R. So, D. Sohn, S. Tokumine, D. Valter, V. Vasudevan, K. Vodrahalli, X. Wang, P. Wang, Z. Wang, T. Wang, J. Wieting, Y. Wu, K. Xu, Y. Xu, L. Xue, P. Yin, J. Yu, Q. Zhang, S. Zheng, C. Zheng, W. Zhou, D. Zhou, S. Petrov, and Y. Wu, “Palm 2 technical report,” *arXiv preprint arXiv:2305.10403*, 2023.

- [14] H. W. Chung, L. Hou, S. Longpre, B. Zoph, Y. Tay, W. Fedus, Y. Li, X. Wang, M. Dehghani, S. Brahma, A. Webson, S. S. Gu, Z. Dai, M. Suzgun, X. Chen, A. Chowdhery, A. Castro-Ros, M. Pellat, K. Robinson, D. Valter, S. Narang, G. Mishra, A. Yu, V. Zhao, Y. Huang, A. Dai, H. Yu, S. Petrov, E. H. Chi, J. Dean, J. Devlin, A. Roberts, D. Zhou, Q. V. Le, and J. Wei, “Scaling instruction-finetuned language models,” *arXiv preprint arXiv:2210.11416*, 2022.
- [15] C. Xu, Q. Sun, K. Zheng, X. Geng, P. Zhao, J. Feng, C. Tao, and D. Jiang, “Wizardlm: Empowering large language models to follow complex instructions,” *arXiv preprint arXiv:2304.12244*, 2023.
- [16] Z. Luo, C. Xu, P. Zhao, Q. Sun, X. Geng, W. Hu, C. Tao, J. Ma, Q. Lin, and D. Jiang, “Wizardcoder: Empowering code large language models with evol-instruct,” *arXiv preprint arXiv:2306.08568*, 2023.
- [17] Y. Wang, W. Wang, S. Joty, and S. C. H. Hoi, “Codet5: Identifier-aware unified pre-trained encoder-decoder models for code understanding and generation,” *arXiv preprint arXiv:2109.00859*, 2021.
- [18] S. Lu, D. Guo, S. Ren, J. Huang, A. Svyatkovskiy, A. Blanco, C. Clement, D. Drain, D. Jiang, D. Tang, G. Li, L. Zhou, L. Shou, L. Zhou, M. Tufano, M. Gong, M. Zhou, N. Duan, N. Sundaresan, S. K. Deng, S. Fu, and S. Liu, “Codexglue: A machine learning benchmark dataset for code understanding and generation,” *arXiv preprint arXiv:2102.04664*, 2021.
- [19] B. Rozière, J. Gehring, F. Gloeckle, S. Sootla, I. Gat, X. E. Tan, Y. Adi, J. Liu, T. Remez, J. Rapin, A. Kozhevnikov, I. Evtimov, J. Bitton, M. Bhatt, C. C. Ferrer, A. Grattafiori, W. Xiong, A. Défossez, J. Copet, F. Azhar, H. Touvron, L. Martin, N. Usunier, T. Scialom, and G. Synnaeve, “Code llama: Open foundation models for code,” *arXiv preprint arXiv:2308.12950*, 2023.
- [20] W. Sun, C. Fang, Y. You, Y. Miao, Y. Liu, Y. Li, G. Deng, S. Huang, Y. Chen, Q. Zhang, et al., “Automatic code summarization via chatgpt: How far are we?,” *arXiv preprint arXiv:2305.12865*, 2023.

- [21] E. Chen, R. Huang, H.-S. Chen, Y.-H. Tseng, and L.-Y. Li, "Gptutor: a chatgpt-powered programming tool for code explanation," *arXiv preprint arXiv:2305.01863*, 2023.
- [22] M. Allouche, M. Mitrea, A. Moreaux, and S.-K. Kim, "Automatic smart contract generation for internet of media things," *ICT Express*, vol. 7, no. 3, pp. 274–277, 2021.
- [23] L. Marchesi, K. Mannaro, M. Marchesi, and R. Tonelli, "Automatic generation of ethereum-based smart contracts for agri-food traceability system," *IEEE Access*, vol. 10, pp. 50363–50383, 2022.
- [24] C. G. Liu, P. Bodorik, and D. Jutla, "Automating smart contract generation on blockchains using multi-modal modeling [j]," *Journal of Advances in Information Technology*, vol. 13, no. 3, 2022.
- [25] R. Karanjai, E. Li, L. Xu, and W. Shi, "Who is smarter? an empirical study of ai-based smart contract creation," *arXiv preprint arXiv:2308.02955*, 2023.
- [26] Z. Zheng, S. Xie, H.-N. Dai, W. Chen, X. Chen, J. Weng, and M. Imran, "An overview on smart contracts: Challenges, advances and platforms," *Future Generation Computer Systems*, vol. 105, pp. 475–491, 2020.
- [27] CoinMarketCap, "Top smart contracts tokens by market capitalization," 2023. [Diakses: 16-Oct-2023].
- [28] J. Jiao, S. Kan, S.-W. Lin, D. Sanan, Y. Liu, and J. Sun, "Semantic understanding of smart contracts: Executable operational semantics of solidity," dalam *2020 IEEE Symposium on Security and Privacy (SP)*, pp. 1695–1712, IEEE, 2020.
- [29] G. Wood et al., "Ethereum: A secure decentralised generalised transaction ledger," *Ethereum project yellow paper*, vol. 151, no. 2014, pp. 1–32, 2014.
- [30] A. Kuhlman, "Generator kontrak cerdas otonom dengan code llama - instruct," 2023.
- [31] A. Ghaleb and K. Pattabiraman, "How effective are smart contract analysis tools? evaluating smart contract static analysis tools using bug injection," dalam *Proceedings of the 29th ACM SIGSOFT International Symposium on Software Testing and Analysis*, pp. 415–427, 2020.

- [32] H. Touvron, T. Lavril, G. Izacard, X. Martinet, M.-A. Lachaux, T. Lacroix, B. Rozière, N. Goyal, E. Hambro, F. Azhar, A. Rodriguez, A. Joulin, E. Grave, and G. Lample, “Llama: Open and efficient foundation language models,” *arXiv preprint arXiv:2302.13971*, 2023.
- [33] J. Ainslie, J. Lee-Thorp, M. de Jong, Y. Zemlyanskiy, F. Lebrón, and S. Sanghai, “Gqa: Training generalized multi-query transformer models from multi-head checkpoints,” *arXiv preprint arXiv:2305.13245*, 2023.
- [34] M. AI, “Introducing code llama, a state-of-the-art large language model for coding,” 2023. [Diakses: 05-Oct-2023].
- [35] M. Chen, J. Tworek, H. Jun, Q. Yuan, H. P. d. O. Pinto, J. Kaplan, H. Edwards, Y. Burda, N. Joseph, G. Brockman, et al., “Evaluating large language models trained on code,” *arXiv preprint arXiv:2107.03374*, 2021.
- [36] E. J. Hu, Y. Shen, P. Wallis, Z. Allen-Zhu, Y. Li, S. Wang, L. Wang, and W. Chen, “Lora: Low-rank adaptation of large language models,” *arXiv preprint arXiv:2106.09685*, 2021.
- [37] T. Dettmers, A. Pagnoni, A. Holtzman, and L. Zettlemoyer, “Qlora: Efficient finetuning of quantized llms,” *arXiv preprint arXiv:2305.14314*, 2023.
- [38] S. M. Jain, “Introduction to remix ide,” dalam *A Brief Introduction to Web3: Decentralized Web Fundamentals for App Development*, pp. 89–126, Springer, 2022.
- [39] S. M. Jain, “Truffle,” dalam *A Brief Introduction to Web3: Decentralized Web Fundamentals for App Development*, pp. 127–145, Springer, 2022.
- [40] M. Mossberg, F. Manzano, E. Hennenfent, A. Groce, G. Grieco, J. Feist, T. Brunson, and A. Dinaburg, “Manticore: A user-friendly symbolic execution framework for binaries and smart contracts,” dalam *2019 34th IEEE/ACM International Conference on Automated Software Engineering (ASE)*, pp. 1186–1189, IEEE, 2019.
- [41] Z. Yuan, J. Liu, Q. Zi, M. Liu, X. Peng, and Y. Lou, “Evaluating instruction-tuned large language models on code comprehension and generation,” *arXiv preprint arXiv:2308.01240*, 2023.

- [42] B. Peng, C. Li, P. He, M. Galley, and J. Gao, “Instruction tuning with gpt-4,” *arXiv preprint arXiv:2304.03277*, 2023.
- [43] S. Zhang and J.-H. Lee, “Smart contract-based secure model for miner registration and block validation,” *IEEE Access*, vol. 7, pp. 132087–132094, 2019.
- [44] S. Tikhomirov, E. Voskresenskaya, I. Ivanitskiy, R. Takhaviev, E. Marchenko, and Y. Alexandrov, “Smartcheck: Static analysis of ethereum smart contracts,” dalam *Proceedings of the 1st international workshop on emerging trends in software engineering for blockchain*, pp. 9–16, 2018.
- [45] J. Ye, M. Ma, T. Peng, Y. Peng, and Y. Xue, “Towards automated generation of bug benchmark for smart contracts,” dalam *2019 IEEE International Conference on Software Testing, Verification and Validation Workshops (ICSTW)*, pp. 184–187, IEEE, 2019.
- [46] M. Almakhour, L. Sliman, A. E. Samhat, and A. Mellouk, “Verification of smart contracts: A survey,” *Pervasive and Mobile Computing*, vol. 67, p. 101227, 2020.
- [47] M. Rossini, “Slither audited smart contracts dataset,” 2022.
- [48] S. Mangrulkar, S. Gugger, L. Debut, Y. Belkada, S. Paul, and B. Bossan, “Peft: State-of-the-art parameter-efficient fine-tuning methods.” <https://github.com/huggingface/peft>, 2022. [Diakses: 24-Oct-2023].
- [49] Eduardo Muñoz, “llama-2-7b-int4-python-coder.” <https://huggingface.co/edumunozsala/llama-2-7b-int4-python-code-20k>, 2023. [Diakses: 24-Oct-2023].