

DAFTAR PUSTAKA

- [1] M. Wongkar and A. Angdresey, "Sentiment Analysis Using Naive Bayes Algorithm Of The Data Crawler: Twitter," *2019 Fourth International Conference on Informatics and Computing (ICIC)*, Semarang, Indonesia, 2019, pp. 1-5, doi: 10.1109/ICIC47613.2019.8985884.
- [2] Li Y, Guan M, Hammond P, Berrey LE. Communicating COVID-19 information on TikTok: a content analysis of TikTok videos from official accounts featured in the COVID-19 information hub. *Health Educ Res* 2021;36:261–71. <https://doi.org/10.1093/her/cyab010>.
- [3] C. Montag, H. Yang and J. D. Elhai, "On the Psychology of TikTok Use: A First Glimpse From Empirical Findings".
- [4] C. M. Annur, "Indonesia Punya Pengguna Tiktok Terbanyak ke-2 di Dunia," *Databoks.Katadata.Co.Id*, 2023
- [5] M. U. Batoebara, "Aplikasi Tik-Tok Seru-Seruan Atau Kebodohan," *Netw. Media*, vol. 3, no. 2, pp. 59–65, 2020, doi: 10.46576/jnm.v3i2.849.
- [6] J. A. Zulqornain and P. P. Adikara, "Analisis Sentimen Tanggapan Masyarakat Aplikasi Tiktok Menggunakan Metode Naïve Bayes dan Categorical Propotional Difference (CPD)," vol. 5, no. 7, pp. 2886–2890, 2021.
- [7] V. S. Virginia, "Perlindungan Hukum Korban Yang Dirugikan Akibat Pencemaran Nama Baik di Media Sosial Tiktok," *Supremasi Jurnal Hukum*, vol. 5, no. 02, pp. 134–143, 2021.
- [8] Andi Saadillah, Andi Haryudi, Muhammad Reskiawan, and Alam Ikhsanul Amanah, "Penggunaan Bahasa Sarkasme Netizen di Media Sosial," *Jurnal Onoma: Pendidikan, Bahasa, dan Sastra*, vol. 9, no. 2, pp. 1437–1447, 2023, doi: 10.30605/onoma.v9i2.2367.
- [9] R. Selgianita and M. N. Antono, "Disfemisme Warganet dalam Kolom Komentar Media Sosial Instagram @Kpipusat (Kajian Semantik)," *Journal of Educational Language and Literature*, vol. 1, no. 1, pp. 9–19, 2023, doi: 10.21107/jell.v1i1.19386.
- [10] C. Dillon. "TikTok Influences on Teenagers and Young Adults Students: The Common Usages of the Application Tiktok". *American Academic Scientific Research Journal for Engineering, Technology, and Sciences*. vol. 68. no. 1. pp. 132-142. May. 2020.

- [11] C. L. Kwek, L. Bi, L. Y. Leong, M. J. A, P. J. Saggayam and Y. X. Peh. "The Impacts of Online Comments and Bandwagon Effect on the Perceived Credibility of the Information in Social Commerce: The Moderating Role of Perceived Acceptance". Jan. 2020. 10.2991/aebmr.k.200626.076.
- [12] E. Noei, F. Zhang and Y. Zou. "Too Many User-Reviews! What Should App Developers Look at First?". IEEE Transactions on Software Engineering. vol. 47. no. 2. pp. 367-378. Feb. 2021. 10.1109/tse.2019.2893171.
- [13] Silitonga, P. D. P., Hasibuan, M., Situmorang, Z., & Purba, D. (2023). Comparison of Tiktok User Sentiment Analysis Accuracy with Naïve Bayes and Support Vector Machine. *International Journal of Advanced Trends in Computer Science and Engineering*, 12(1), 11–15. <https://doi.org/10.30534/ijatcse/2023/031212023>
- [14] C. Montag, H. Yang and J. D. Elhai. "On the Psychology of TikTok Use: A First Glimpse From Empirical Findings". *Frontiers in Public Health*. vol. 9. Mar. 2021. 10.3389/fpubh.2021.641673.
- [15] A. Sari, F. V., & Wibowo, "Analisis Sentimen Pelanggan Toko Online Jd. Id Menggunakan Metode Naïve Bayes Classifier Berbasis Konversi Ikon Emosi," *Simetris J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 2, no. 2, pp. 681–686, 2019.
- [16] H. Sibyan and N. Hasanah, "Analisis Sentimen Ulasan Pada Wisata Dieng Dengan Algoritma K-Nearest Neighbor (K-Nn)," *J. Penelit. dan Pengabd. Kpd. Masy. UNSIQ*, vol. 9, no. 1, pp. 38–47, 2022, doi: 10.32699/ppkm.v9i1.2218.
- [17] M. Iqbal Zakasih, W. Tri Handoko, and J. Tri Lomba Juang No, "ANALISIS SENTIMEN PENGGUNA TWITTER TENTANG NFT (NON FUNGIBLE TOKEN) DENGAN METODE NAIVE BAYES CLASSIFIER," 2022. [Online]. Available: <http://ejournal.stmiklombok.ac.id/index.php/jireISSN.2620-6900>
- [18] A. Sasmito Aribowo, H. Basiron, N. Fazilla, A. Yusof, and S. Khomsah, "Cross-domain sentiment analysis model on Indonesian YouTube comment," *Int. J. Adv. Intell. Informatics*, vol. 7, no. 1, pp. 12–25, 2021, doi: 10.26555/ijain.v7i1.554.
- [19] S. R. K. W. Tommy Rustandi, D. Suhaedi, and Y. Pemasari, "Pemetaan Hyperplane Pada Support Vector Machine," *Bandung Conf. Ser. Math.*, vol. 3, no. 2, pp. 109–119, Aug. 2023, doi: 10.29313/bcsm.v3i2.8187
- [20] A. Sasmito Aribowo, H. Basiron, N. Fazilla, A. Yusof, and S. Khomsah, "Cross-domain sentiment analysis model on Indonesian YouTube comment,"

- Int. J. Adv. Intell. Informatics, vol. 7, no. 1, pp. 12–25, 2021, doi: 10.26555/ijain.v7i1.554.
- [21] V. A. Flores, L. Jasa, and L. Linawati, “Analisis Sentimen untuk Mengetahui Kelemahan dan Kelebihan Pesaing Bisnis Rumah Makan Berdasarkan Komentar Positif dan Negatif di Instagram,” *Maj. Ilm. Teknol. Elektro*, vol. 19, no. 1, p. 49, 2020, doi: 10.24843/mite.2020.v19i01.p07.
- [22] W. Parasati, F. Abdurrachman Bachtiar, and N. Y. Setiawan, “Analisis Sentimen Berbasis Aspek pada Ulasan Pelanggan Restoran Bakso President Malang dengan Metode Naïve Bayes Classifier,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 4, no. 4, pp. 1090–1099, 2020, [Online]. Available: <http://j-ptiik.ub.ac.id>
- [23] P. Aditiya, U. Enri, and I. Maulana, “Analisis Sentimen Ulasan Pengguna Aplikasi Myim3 Pada Situs Google Play Menggunakan Support Vector Machine,” *JURIKOM (Jurnal Riset Komputer)*, vol. 9, no. 4, p. 1020, Aug. 2022, doi: 10.30865/jurikom.v9i4.4673.
- [24] R. Talib, M. K. Hanif, S. Ayesha, and F. Fatima, “Text Mining: Techniques, Applications and Issues,” *IJACSA) Int. J. Adv. Comput. Sci. Appl.*, vol. 7, no. 11, pp. 414–418, 2016, Accessed: Apr. 26, 2024. [Online]. Available: www.ijacsa.thesai.org.
- [25] “Support Vector Machine (SVM) Algorithm - Javatpoint.” <https://www.javatpoint.com/machine-learning-support-vector-machinealgorithm> (accessed Apr. 26, 2024).
- [26] K. D. Chaudhuri, "Building Naive Bayes Classifier from Scratch to Perform Sentiment Analysis," *Analytics Vidhya*, 25 Aug. 2023. [Online]. Available: <https://www.analyticsvidhya.com/blog/2022/03/building-naive-bayes-classifier-from-scratch-to-perform-sentiment-analysis/>. [Accessed: Apr. 26, 2024].
- [27] M. Ahmad, S. Aftab, M. S. Bashir, N. Hameed, I. Ali, and Z. Nawaz, “SVM Optimization for Sentiment Analysis,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 4, pp. 393–398, 2018, doi: 10.14569/IJACSA.2018.090455
- [28] A. Bhandari, “AUC-ROC Curve in Machine Learning Clearly Explained,” 2020. <https://www.analyticsvidhya.com/blog/2020/06/auc-roc-curve-machine-learning/>.
- [29] A. A. Paramitha, Indriati, and Y. A. Sari, “Analisis Sentimen Terhadap Ulasan Pengguna MRT Jakarta Menggunakan Information Gain dan Modified K-Nearest Neighbor,” *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 4, no. 4, p. 1128, 2020.

- [30] J. Enterprise, Python Untuk Programmer Pemula. Jakarta: PT Elex Media Komputindo, 2019.
- [31] A. Nurian and B. Nurina Sari, "ANALISIS SENTIMEN ULASAN PENGGUNA APLIKASI GOOGLE PLAY MENGGUNAKAN NAÏVE BAYES," *Jurnal Informatika dan Teknik Elektro Terapan*, vol. 11, no. 3, pp. 2830–7062, doi: 10.23960/jitet.v11i3%20s1.3348.
- [32] N. Putri Husain, A. Febriana Syam, and R. Mustikosari, "Analisis Sentimen Ulasan Pengguna Tiktok pada Google Play Store Berbasis TF-IDF dan Support Vector Machine," 2024. [Online]. Available: <https://images.app.goo.gl/hC6494uW637VmYVW9>
- [33] Friska Aditia Indriyani, Ahmad Fauzi, and Sutan Faisal, "Analisis sentimen aplikasi tiktok menggunakan algoritma naïve bayes dan support vector machine," *TEKNOSAINS : Jurnal Sains, Teknologi dan Informatika*, vol. 10, no. 2, pp. 176–184, Jul. 2023, doi: 10.37373/tekno.v10i2.419.
- [34] N. N. Wilim and R. S. Oetama, "Sentiment Analysis about Indonesian Lawyers Club Television Program Using K-Nearest Neighbor, Naïve Bayes Classifier, and Decision Tree," *International Journal of New Media Technology*, vol. 8, no. 1, p. 50, 2021, [Online]. Available: www.kriminalberita.com
- [35] D. Apriliani, T. Abidin, E. Sutanta, A. Hamzah, and O. Somantri, "Sentiment Analysis for Assessment of Hotel Services Review using Feature Selection Approach based-on Decision Tree," 2020. [Online]. Available: www.ijacsa.thesai.org
- [36] Kumala Sari and R. Randy Suryono, "KOMPARASI ALGORITMA SUPPORT VECTOR MACHINE DAN RANDOM FOREST UNTUK ANALISIS SENTIMEN METAVERSE," 2024.
- [37] C. Steven, Wella "The Right Sentiment Analysis Method of Indonesian Tourism in Social Media Twitter Case Study: The City of Bali," *102 IJNMT*, vol. VII, no. 2, 2020.
- [38] S. Ferani et al., "Klasifikasi Ulasan Aplikasi TikTok Menggunakan Algoritma K-Nearest Neighbor dan Chi Square."
- [39] Proses Data Mining (KDD)," Bina Nusantara University, 30 Sep. 2021. [Online]. Available: <https://sis.binus.ac.id/2021/09/30/proses-data-mining-kdd/>. [Accessed: Apr. 26 ,2024]

- [40] F. Handayani et al., “Komparasi Support Vector Machine, Logistic Regression Dan Artificial Neural Network dalam Prediksi Penyakit Jantung,” *Jurnal Edukasi dan Penelitian Informatika (JEPIN)*, vol. 7, no. 3, p. 330, 2021.
- [41] E. Eryc, “The Impact of Tik-Tok Use on Self-Expression by Generation-Z users”, doi: 10.52362/jisamar.v6i4.956.
- [42] M. Lestandy, A. Abdurrahim, and L. Syafa’ah, “Analisis Sentimen Tweet Vaksin COVID-19 Menggunakan Recurrent Neural Network dan Naïve Bayes,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 2, pp. 802–805, Aug. 2021, doi: 10.29207/resti.v5i4.3308.
- [43] L. Pertiwi, “Penerapan Algoritma Text Mining, Steaming Dan Texrank Dalam Peringkasan Bahasa Inggris,” *BIMASATI (Bulletin of Multi-Disciplinary Science and Applied Technology)*, vol. 1, no. 3, p. 101, 2022.
- [44] R. Guido, S. Ferrisi, D. Lofaro, and D. Conforti, “An Overview on the Advancements of Support Vector Machine Models in Healthcare Applications: A Review,” *Information (Switzerland)*, vol. 15, no. 4, Apr. 2024, doi: 10.3390/info15040235.
- [45] Alfiah Zulqornain, J., Pandu Adikara, P. (2021). “Analisis Sentimen Tanggapan Masyarakat Aplikasi Tiktok Menggunakan Metode Naïve Bayes dan Categorical Propotional Difference (CPD), Vol. 5, Issue 7. <http://j-ptiik.ub.ac.id>
- [46] Y. Wang, “Humor and camera view on mobile short-form video apps influence user experience and technology-adoption intent, an example of TikTok (DouYin),” *Computers in Human Behavior*, vol. 110, Sep. 2020, doi: 10.1016/j.chb.2020.106373.

