

DAFTAR PUSTAKA

- [1] Z. Lv, A. Tek, F. D. Silva, C. Empereur-mot, M. Chavent, and M. Baaden, “Game on, science - how video game technology may help biologists tackle visualization challenges,” *PLoS ONE*, vol. 8, p. e57990, 3 2013.
- [2] M. Ripà, “Solving the 106 years old 3^k points problem with the clockwise-algorithm,” *Journal of Fundamental Mathematics and Applications (JFMA)*, vol. 3, pp. 84–97, 11 2020.
- [3] J. G. Lu, M. Akinola, and M. F. Mason, ““switching on” creativity: Task switching can increase creativity by reducing cognitive fixation,” *Organizational Behavior and Human Decision Processes*, vol. 139, pp. 63–75, 3 2017.
- [4] M. Fussell, “Continuous line drawing.” [Online]. Available: <https://thevirtualinstructor.com/continuous-line-drawing.html>
- [5] F. F. Duarte, N. Lau, A. Pereira, and L. P. Reis, “A survey of planning and learning in games,” *Applied Sciences*, vol. 10, 2020. [Online]. Available: <https://www.mdpi.com/2076-3417/10/13/4529>
- [6] J. Togelius, A. J. Champandard, P. L. Lanzi, M. Mateas, A. Paiva, M. Preuss, and K. O. Stanley, “Procedural content generation: Goals, challenges and actionable steps,” pp. 61–75, 2013, keywords: procedural content generation, video games. [Online]. Available: <http://drops.dagstuhl.de/opus/volltexte/2013/4336>
- [7] A. Summerville, S. Snodgrass, M. Guzodial, C. Holmgård, A. Hoover, A. Isaksen, A. Nealen, and J. Togelius, “Procedural content generation via machine learning (pcgml),” *IEEE Transactions on Games*, vol. PP, 2 2017.
- [8] R. Linden, R. Lopes, and R. Bidarra, “Designing procedurally generated levels,” *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, vol. 9, pp. 41–47, 6 2021. [Online]. Available: <https://ojs.aaai.org/index.php/AIIDE/article/view/12592>
- [9] B. Kegel and M. Haahr, “Procedural puzzle generation: A survey,” *IEEE Transactions on Games*, vol. PP, p. 1, 2 2019.
- [10] A. Latif, M. F. Zuhairi, F. Q. Khan, P. Randhawa, and A. Patel, “A critical evaluation of procedural content generation approaches for digital twins,” *Journal of Sensors*, vol. 2022, p. 5629645, 2022. [Online]. Available: <https://doi.org/10.1155/2022/5629645>
- [11] A. Koesnaedi and W. Istiono, “Implementation drunkard’s walk algorithm to generate random level in roguelike games,” *International Journal of Multidisciplinary Research and Publications*, vol. 5, pp. 97–103, 2022.

- [12] H. Goandy, “No escape: A 2d top-down shooting roguelike game embedded with drunkard walk algorithm,” *International Journal of Advanced Trends in Computer Science and Engineering*, vol. 9, pp. 1045–1049, 4 2020.
- [13] D. Naußed and R. Sapokaite, “Evaluation of procedural content generators for two-dimensional top-down dungeon levels,” p. 43, 2021.
- [14] J. R. Keebler, W. J. Shelstad, D. C. Smith, B. S. Chaparro, and M. H. Phan, “Validation of the guess-18: a short version of the game user experience satisfaction scale (guess),” *Journal of Usability Studies*, vol. 16, p. 49, 2020.
- [15] M. Phan, J. Keebler, and B. Chaparro, “The development and validation of the game user experience satisfaction scale (guess),” *Human Factors: The Journal of the Human Factors and Ergonomics Society*, vol. 58, 2 2016.
- [16] H. Zhang, X. Zeng, and L. Duan, “Procedural content generation for room maze.” Atlantis Press, 2018.
- [17] D. Bhaumik, A. Khalifa, M. Green, and J. Togelius, “Tree search versus optimization approaches for map generation,” *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, vol. 16, pp. 24–30, 10 2020. [Online]. Available: <https://ojs.aaai.org/index.php/AIIDE/article/view/7403>
- [18] T. Fullerton, *Game Design Workshop: A Playcentric Approach to Creating Innovative Games*, 4th ed. CRC Press, 2019.
- [19] L. Nacke, “The formal systems of games,” 9 2014. [Online]. Available: <https://www.gamedeveloper.com/design/the-formal-systems-of-games>
- [20] J. K. Haas, “A history of the unity game engine,” *Diss. Worcester Polytechnic Institute*, vol. 483, p. 484, 2014.
- [21] M. González-Hermida, E. Costa-Montenegro, B. Legerén-Lago, and A. Pena-Giménez, “Study of artificial intelligent algorithms applied in procedural content generation in video games,” *Eludamos: Journal for Computer Game Culture*, vol. 10, pp. 39–54, 4 2020. [Online]. Available: <https://eludamos.org/index.php/eludamos/article/view/vol10no1-4>
- [22] H. Taherdoost, “What is the best response scale for survey and questionnaire design; review of different lengths of rating scale / attitude scale / likert scale,” *International Journal of Academic Research in Management*, vol. 8, pp. 1–10, 2019.
- [23] E. Suwandi, “Analisis tingkat kepuasan menggunakan skala likert pada layanan speedy yang bermigrasi ke indihome,” *Jurnal Teknik Elektro Universitas Tanjungpura*, vol. 1, 2019.

- [24] V. H. Pranatawijaya, W. Widiatry, R. Priskila, and P. Putra, “Pengembangan aplikasi kuesioner survey berbasis web menggunakan skala likert dan guttman,” *Jurnal Sains dan Informatika*, vol. 5, pp. 128–137, 2019.
- [25] S. R. Widyastuti, “Pengembangan skala likert untuk mengukur sikap terhadap penerapan penilaian autentik siswa sekolah menengah pertama,” *Jendela ASWAJA*, vol. 3, pp. 57–75, 9 2022. [Online]. Available: <https://journal.unucirebon.ac.id/index.php/jeas/article/view/393>
- [26] P. D. Sugiyono, *Metode Penelitian kuantitatif, kualitatif dan R D. Alfabeta*, 2013.

