

DAFTAR PUSTAKA

- [1] “Hepatitis data and statistics in the Western Pacific,” *World Health Organization*, 2021. <https://www.who.int/westernpacific/health-topics/hepatitis/regional-hepatitis-data>
- [2] AhdiatAdi, “Kematian akibat Hepatitis Akut RI Tertinggi di ASEAN,” *databoks*, 2022. <https://databoks.katadata.co.id/datapublish/2022/05/05/kematian-akibat-hepatitis-akut-ri-tertinggi-di-asean>
- [3] M. 156, “Tanggal 28 Juli diperingati sebagai hari hepatitis sedunia,” <https://www.kemkes.go.id/>, 2023. <https://www.kemkes.go.id/id/rilis-kesehatan/mediakom-156>
- [4] Rokom, “Upaya Kemenkes Antisipasi Penyebaran Hepatitis Akut di Indonesia,” <https://sehatnegeriku.kemkes.go.id/>, 2022. <https://sehatnegeriku.kemkes.go.id/baca/umum/20220513/5039824/upaya-kemenkes-antisipasi-penyebaran-hepatitis-akut-di-indonesia/>
- [5] D. Chicco and G. Jurman, “An ensemble learning approach for enhanced classification of patients with hepatitis and cirrhosis,” *IEEE Access*, vol. 9, pp. 24485–24498, 2021, doi: 10.1109/ACCESS.2021.3057196.
- [6] N. N. Susanto Susanto, “KLASIFIKASI HEPATITIS C VIRUS MENGGUNAKAN ALGORITMA C4.5,” *J. DISPROTEK*, vol. Vol 13, No, pp. 131–136, 2022, doi: 10.34001/jdpt.v12i2.
- [7] S. Vijayarani, C. Sivamathi, and P. Tamilarasi, “A Hybrid Classification Algorithm for Abdomen Disease Prediction,” *ASEAN J. Sci. Eng.*, vol. 3, no. 3, pp. 207–218, 2023, doi: 10.17509/ajse.v3i3.45677.
- [8] H. Mamdouh Farghaly, M. Y. Shams, and T. Abd El-Hafeez, “Hepatitis C Virus prediction based on machine learning framework: a real-world case study in Egypt,” *Knowl. Inf. Syst.*, vol. 65, no. 6, pp. 2595–2617, 2023, doi: 10.1007/s10115-023-01851-4.
- [9] R. Safdari, A. Deghatipour, M. Gholamzadeh, and K. Maghooli, “Applying data mining techniques to classify patients with suspected hepatitis C virus infection,” *Intell. Med.*, vol. 2, no. 4, pp. 193–198, 2022, doi: 10.1016/j.imed.2021.12.003.
- [10] J. E. Aurelia, Z. Rustam, I. Wirasati, S. Hartini, and G. S. Saragih, “Hepatitis classification using support vector machines and random forest,” *IAES Int. J. Artif. Intell.*, vol. 10, no. 2, 2021, doi: 10.11591/IJAI.V10.I2.PP446-451.
- [11] I. Muhamad Malik Matin, “Hyperparameter Tuning Menggunakan GridsearchCV pada Random Forest untuk Deteksi Malware,” *Multinetics*, vol. 9, no. 1, pp. 43–50, 2023, doi: 10.32722/multinetics.v9i1.5578.

- [12] N. D. Saputri, K. Khalid, and D. Rolliawati, “Komparasi Penerapan Metode Bagging dan Adaboost pada Algoritma C4 . 5 untuk Prediksi Penyakit Stroke,” *Sist. J. Sist. Inf.*, vol. 11, no. September, pp. 567–577, 2022.
- [13] A. Desiani *et al.*, “IMPLEMENTASI ALGORITMA ADAPTIVE BOOSTING (ADABOOST) DAN SINGLE LAYER PERCEPTRON (SLP) PADA KLASIFIKASI PENYAKIT HEPATITIS-C Implementation of Adaptive Boosting (Adaboost) and Single Layer Perceptron (SLP) Algorithm in Hepatitis-C Disease Classification,” *Sci. Comput. Sci. Informatics J.*, vol. 6, no. 2, 2023, [Online]. Available: <https://www.kaggle.com/datasets/fedesoriano/hepatitis-c-dataset/code>
- [14] M. Ghosh *et al.*, “A comparative analysis of machine learning algorithms to predict liver disease,” *Intell. Autom. Soft Comput.*, vol. 30, no. 3, pp. 917–928, 2021, doi: 10.32604/iasc.2021.017989.
- [15] V. N. Chilaka and J. C. Konje, “Viral Hepatitis in pregnancy,” *Eur. J. Obstet. Gynecol. Reprod. Biol.*, vol. 256, 2021, doi: 10.1016/j.ejogrb.2020.11.052.
- [16] N. N. Mishabatuz Zolam, “MODELING CLASSIFICATION OF HEPATITIS C VIRUS USING NAIVE BAYES METHOD,” *Appl. Informastion Technol.*, vol. Vol 1, No, 2022, [Online]. Available: <http://publikasi.dinus.ac.id/index.php/apit/article/view/5650>
- [17] R. K. TANGERANG, “RSUD Kota Tangerang,” <https://rsud.tangerangkota.go.id/>. <https://rsud.tangerangkota.go.id/>
- [18] L. Schroeder, M. R. Veronez, E. M. de Souza, D. Brum, L. Gonzaga, and V. F. Rofatto, “Respiratory diseases, malaria and leishmaniasis: Temporal and spatial association with fire occurrences from knowledge discovery and data mining,” *Int. J. Environ. Res. Public Health*, vol. 17, no. 10, 2020, doi: 10.3390/ijerph17103718.
- [19] M. Schonlau and R. Y. Zou, “The random forest algorithm for statistical learning,” *Stata J.*, vol. 20, no. 1, pp. 3–29, 2020, doi: 10.1177/1536867X20909688.
- [20] J. Sanjaya, E. Renata, V. E. Budiman, F. Anderson, and M. Ayub, “Prediksi Kelalaian Pinjaman Bank Menggunakan Random Forest dan Adaptive Boosting,” *J. Tek. Inform. dan Sist. Inf.*, vol. 6, no. 1, Apr. 2020, doi: 10.28932/jutisi.v6i1.2313.
- [21] P. V. Ngoc, C. V. T. Ngoc, T. V. T. Ngoc, and D. N. Duy, “A C4.5 algorithm for english emotional classification,” *Evol. Syst.*, vol. 10, no. 3, 2019, doi: 10.1007/s12530-017-9180-1.
- [22] R. A. Siallagan and Fitriyani, “PREDIKSI PENYAKIT DIABETES MELLITUS MENGGUNAKAN ALGORITMA C4.5,” *J. Responsif Ris. Sains dan Inform.*, vol. 3, no. 1, 2021, doi: 10.51977/jti.v3i1.407.
- [23] Y. Ding, H. Zhu, R. Chen, and R. Li, “An Efficient AdaBoost Algorithm with the Multiple Thresholds Classification,” *Appl. Sci.*, vol. 12, no. 12,

2022, doi: 10.3390/app12125872.

- [24] A. F. Sallaby and A. Azlan, “Analysis of Missing Value Imputation Application with K-Nearest Neighbor (K-NN) Algorithm in Dataset,” *IJICS (International J. Informatics Comput. Sci.)*, vol. 5, no. 2, p. 141, 2021, doi: 10.30865/ijics.v5i2.3185.
- [25] Miraati Laia, “Analisis Kinerja Algoritma K-Nearest Neighbor Imputation (KNNI) Untuk Missing Value Pada Klasifikasi Data Mining,” *J. Informatics, Electr. Electron. Eng.*, vol. 2, no. 3, pp. 92–98, 2023, doi: 10.47065/jieee.v2i3.891.
- [26] E. Elgeldawi, A. Sayed, A. R. Galal, and A. M. Zaki, “Hyperparameter tuning for machine learning algorithms used for arabic sentiment analysis,” *Informatics*, vol. 8, no. 4, pp. 1–21, 2021, doi: 10.3390/informatics8040079.
- [27] M. Hasnain, M. F. Pasha, I. Ghani, M. Imran, M. Y. Alzahrani, and R. Budiarso, “Evaluating Trust Prediction and Confusion Matrix Measures for Web Services Ranking,” *IEEE Access*, vol. 8, 2020, doi: 10.1109/ACCESS.2020.2994222.
- [28] H. Yun, “Prediction model of algal blooms using logistic regression and confusion matrix,” *Int. J. Electr. Comput. Eng.*, vol. 11, no. 3, 2021, doi: 10.11591/ijece.v11i3.pp2407-2413.
- [29] D. M. W. Powers, “EVALUATION: FROM PRECISION, RECALL AND F-MEASURE TO ROC, INFORMEDNESS, MARKEDNESS & CORRELATION,” *Inf. Markedness Correl.*, pp. 37–63, 2020, doi: <http://arxiv.org/abs/2010.16061>.
- [30] T. S. Gunawan *et al.*, “Development of video-based emotion recognition using deep learning with Google Colab,” *Telkomnika (Telecommunication Comput. Electron. Control.)*, vol. 18, no. 5, pp. 2463–2471, 2020, doi: 10.12928/TELKOMNIKA.v18i5.16717.
- [31] P. Virtanen *et al.*, “SciPy 1.0: fundamental algorithms for scientific computing in Python,” *Nat. Methods*, vol. 17, no. 3, 2020, doi: 10.1038/s41592-019-0686-2.
- [32] dr. A. W. Setiawan, “SGOT dan SGPT Tinggi, Pastikah Menandakan Penyakit Hati?,” <https://hellosehat.com/>, 2022. <https://hellosehat.com/pencernaan/hati/sgot-dan-sgpt-tinggi-apakah-karena-liver/>
- [33] M. Firmansyah, M. Masrun, and I. D. K. Yudha S, “ESENSI PERBEDAAN METODE KUALITATIF DAN KUANTITATIF,” *Elastisitas - J. Ekon. Pembang.*, vol. 3, no. 2, 2021, doi: 10.29303/e-jep.v3i2.46.