

## DAFTAR PUSTAKA

- [1] I. Wickramasinghe and H. Kalutarage, “Naive bayes: applications, variations and vulnerabilities: a review of literature with code snippets for implementation,” *Soft Computing*, vol. 25, no. 3, pp. 2277–2293, 2021.
- [2] M. Panda and M. R. Patra, “Network intrusion detection using naive bayes,” *International journal of computer science and network security*, vol. 7, no. 12, pp. 258–263, 2007.
- [3] F. Greco, G. Desolda, A. Esposito, and A. Carelli, “David versus goliath: Can machine learning detect llm-generated text? a case study in the detection of phishing emails.”
- [4] “Naive bayes classification — detect ai-generated text — by keerthichowdary — medium.” [Online]. Available: <https://medium.com/@keerthichowdary400/naive-bayes-classification-detect-ai-generated-text-5b7cf48b251b>
- [5] C. Dewi, R.-C. Chen, H. J. Christanto, and F. Cauteruccio, “Multinomial naïve bayes classifier for sentiment analysis of internet movie database,” *Vietnam Journal of Computer Science*, vol. 10, no. 04, pp. 485–498, 2023.
- [6] T.-T. Wong and H.-C. Tsai, “Multinomial naïve bayesian classifier with generalized dirichlet priors for high-dimensional imbalanced data,” *Knowledge-Based Systems*, vol. 228, p. 107288, 2021.
- [7] “Llm - detect ai generated text dataset.” [Online]. Available: <https://www.kaggle.com/datasets/sunilthite/llm-detect-ai-generated-text-dataset/data>
- [8] K. Mallikharjuna Rao, G. Saikrishna, and K. Supriya, “Data preprocessing techniques: emergence and selection towards machine learning models-a practical review using hpa dataset,” *Multimedia Tools and Applications*, pp. 1–20, 2023.
- [9] W. Bourequat and H. Mourad, “Sentiment analysis approach for analyzing iphone release using support vector machine,” *International Journal of Advances in Data and Information Systems*, vol. 2, no. 1, pp. 36–44, 2021.
- [10] J. Plisson, N. Lavrac, D. Mladenic *et al.*, “A rule based approach to word lemmatization,” in *Proceedings of IS*, vol. 3. Citeseer, 2004, pp. 83–86.
- [11] M. S. Shelke, P. R. Deshmukh, and V. K. Shandilya, “A review on imbalanced data handling using undersampling and oversampling technique,” *Int. J. Recent Trends Eng. Res.*, vol. 3, no. 4, pp. 444–449, 2017.
- [12] K. Chowdhary and K. Chowdhary, “Natural language processing,” *Fundamentals of artificial intelligence*, pp. 603–649, 2020.

- [13] D. Khurana, A. Koli, K. Khatter, and S. Singh, “Natural language processing: State of the art, current trends and challenges,” *Multimedia tools and applications*, vol. 82, no. 3, pp. 3713–3744, 2023.
- [14] J. Marques-Silva, T. Gerspacher, M. Cooper, A. Ignatiev, and N. Narodytska, “Explaining naive bayes and other linear classifiers with polynomial time and delay,” *Advances in Neural Information Processing Systems*, vol. 33, pp. 20 590–20 600, 2020.
- [15] S. Chen, G. I. Webb, L. Liu, and X. Ma, “A novel selective naïve bayes algorithm,” *Knowledge-Based Systems*, vol. 192, p. 105361, 2020.
- [16] N. Hidayah, S. Sahibu *et al.*, “Algoritma multinomial naïve bayes untuk klasifikasi sentimen pemerintah terhadap penanganan covid-19 menggunakan data twitter,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 4, pp. 820–826, 2021.
- [17] A. Rahman and A. Doewes, “Online news classification using multinomial naïve bayes.” [Online]. Available: [www.kompas.com](http://www.kompas.com)
- [18] M. Abbas, K. A. Memon, A. A. Jamali, S. Memon, and A. Ahmed, “Multinomial naïve bayes classification model for sentiment analysis,” *IJCSNS Int. J. Comput. Sci. Netw. Secur*, vol. 19, no. 3, p. 62, 2019.
- [19] Y. HaCohen-Kerner, D. Miller, and Y. Yigal, “The influence of preprocessing on text classification using a bag-of-words representation,” *PloS one*, vol. 15, no. 5, p. e0232525, 2020.
- [20] W. A. Qader, M. M. Ameen, and B. I. Ahmed, “An overview of bag of words; importance, implementation, applications, and challenges,” in *2019 international engineering conference (IEC)*. IEEE, 2019, pp. 200–204.
- [21] D. Sugiarto, E. Utami, A. Yaqin *et al.*, “Perbandingan kinerja model tf-idf dan bow untuk klasifikasi opini publik tentang kebijakan blt minyak goreng,” *JURNAL TEKNIK INDUSTRI*, vol. 12, no. 3, pp. 272–277, 2022.
- [22] A. Kadriu, L. Abazi, and H. Abazi, “Albanian text classification: Bag of words model and word analogies,” *Business Systems Research Journal*, vol. 10, pp. 74 – 87, 2019. [Online]. Available: <https://api.semanticscholar.org/CorpusID:128357673>
- [23] S. Akuma, T. Lubem, and I. T. Adom, “Comparing bag of words and tf-idf with different models for hate speech detection from live tweets,” *International Journal of Information Technology*, vol. 14, no. 7, pp. 3629–3635, 2022.
- [24] A. Diera, B. X. Lin, B. Khera, T. Meuser, T. Singhal, L. Galke, and A. Scherp, “Bag-of-words vs. sequence vs. graph vs. hierarchy for single-and multi-label text classification,” *arXiv preprint arXiv*, vol. 2204, no. 10.48550, 2022.

- [25] K. Chong and N. Shah, “Comparison of naive bayes and svm classification in grid-search hyperparameter tuned and non-hyperparameter tuned healthcare stock market sentiment analysis,” *International Journal of Advanced Computer Science and Applications*, vol. 13, no. 12, 2022.
- [26] R. Lapid and M. Sipper, “Evolution of activation functions for deep learning-based image classification,” in *Proceedings of the genetic and evolutionary computation conference companion*, 2022, pp. 2113–2121.
- [27] D. A. Anggoro and S. S. Mukti, “Performance comparison of grid search and random search methods for hyperparameter tuning in extreme gradient boosting algorithm to predict chronic kidney failure.” *International Journal of Intelligent Engineering & Systems*, vol. 14, no. 6, 2021.
- [28] D. Valero-Carreras, J. Alcaraz, and M. Landete, “Comparing two svm models through different metrics based on the confusion matrix,” *Computers & Operations Research*, vol. 152, p. 106131, 2023.
- [29] S. Haghghi, M. Jasemi, S. Hessabi, and A. Zolanvari, “Pycm: Multiclass confusion matrix library in python,” *J. Open Source Softw.*, vol. 3, p. 729, 2018. [Online]. Available: <https://api.semanticscholar.org/CorpusID:53244053>
- [30] B. Gaye and A. Wulamu, “Sentiment analysis of text classification algorithms using confusion matrix,” in *Cyberspace Data and Intelligence, and Cyber-Living, Syndrome, and Health: International 2019 Cyberspace Congress, CyberDI and CyberLife, Beijing, China, December 16–18, 2019, Proceedings, Part I 3*. Springer, 2019, pp. 231–241.

