

DAFTAR PUSTAKA

- [1] T. Tãm, N. C. Ú U. V à, C. Ê N. Giao, C. Ngh, and Â N B U I Chu, *Pengenalan Tentang Farmasi Dan Kefarmasian*, vol. 01, no. July. 2016.
- [2] KBBI, “Farmasi,” 2024. <https://kbbi.web.id/farmasi>
- [3] B. Panjaitan, J. Martua, and A. Arbiah, “Peranan Badan Pengawas Obat Dan Makanan Dalam Memberikan Perlindungan Studi Di Kantor Cabang Badan Pengawas Obat Dan Makanan Badan Pengawas Obat Makanan (BPOM) Tanjungbalai,” *LEGA LATA J. Ilmu Huk.*, vol. 5, no. 2, pp. 183–192, 2020, doi: 10.30596/dll.v5i2.3577.
- [4] Dataindonesia.id, “Kinerja Industri Farmasi Tumbuh Tipis 0,69% pada 2022,” 2023. <https://dataindonesia.id/industri-perdagangan/detail/kinerja-industri-farmasi-tumbuh-tipis-069-pada-2022>
- [5] Z. Fayyaz, M. Ebrahimian, D. Nawara, A. Ibrahim, and R. Kashef, “Recommendation systems: Algorithms, challenges, metrics, and business opportunities,” *Appl. Sci.*, vol. 10, no. 21, pp. 1–20, 2020, doi: 10.3390/app10217748.
- [6] N. M. S. Iswari, Wella, and A. Rusli, “Product Recommendation for e-Commerce System based on Ontology,” *2019 1st Int. Conf. Cybern. Intell. Syst. ICORIS 2019*, vol. 1, no. August, pp. 105–109, 2019, doi: 10.1109/ICORIS.2019.8874916.
- [7] M. Hahsler, “recommenderlab: An R Framework for Developing and Testing Recommendation Algorithms,” 2022, [Online]. Available: <http://arxiv.org/abs/2205.12371>
- [8] W. Yue, Z. Wang, W. Liu, B. Tian, S. Lauria, and X. Liu, “An optimally weighted user- and item-based collaborative filtering approach to predicting baseline data for Friedreich’s Ataxia patients,” *Neurocomputing*, vol. 419, pp. 287–294, 2021, doi: 10.1016/j.neucom.2020.08.031.
- [9] I. Schoinas and C. Tjortjis, “MuSIF: A Product Recommendation System

- Based on Multi-source Implicit Feedback,” in *IFIP International Federation for Information Processing*, 2019, pp. 660–672. doi: 10.1007/978-3-030-19823-7_55.
- [10] M. Slokom and R. Ayachi, “A Hybrid User and Item Based Collaborative Filtering Approach by Possibilistic Similarity Fusion,” in *Advances in Combining Intelligent Methods*, 2017. doi: 10.1007/978-3-319-46200-4_7.
- [11] Y. Chen, “Exploring the Impact of Similarity Model to Identify the Most Similar Image from a Large Image Database,” *J. Phys. Conf. Ser.*, vol. 1693, no. 1, 2020, doi: 10.1088/1742-6596/1693/1/012139.
- [12] M. Faisal, E. M. Zamzami, and Sutarman, “Comparative Analysis of Inter-Centroid K-Means Performance using Euclidean Distance, Canberra Distance and Manhattan Distance,” *J. Phys. Conf. Ser.*, vol. 1566, no. 1, 2020, doi: 10.1088/1742-6596/1566/1/012112.
- [13] M. T R, V. K. V, D. K. V, O. Geman, M. Margala, and M. Guduri, “The stratified K-folds cross-validation and class-balancing methods with high-performance ensemble classifiers for breast cancer classification,” *Healthc. Anal.*, vol. 4, no. September, p. 100247, 2023, doi: 10.1016/j.health.2023.100247.
- [14] F. Gao *et al.*, “Multi-class fruit-on-plant detection for apple in SNAP system using Faster R-CNN,” *Comput. Electron. Agric.*, vol. 176, no. July, p. 105634, 2020, doi: 10.1016/j.compag.2020.105634.
- [15] H. X. Huynh, V. Q. Dam, L. Van Nguyen, and N. Q. Phan, “A Lasso-based Collaborative Filtering Recommendation Model,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 13, no. 4, pp. 509–514, 2022, doi: 10.14569/IJACSA.2022.0130458.
- [16] V. L. Jaja, B. Susanto, and L. R. Sasongko, “Penerapan Metode Item-Based Collaborative Filtering Untuk Sistem Rekomendasi Data MovieLens,” *d’ARTESIAN*, vol. 9, no. 2, p. 78, 2020, doi: 10.35799/dc.9.2.2020.28274.

- [17] A. Rotondo and F. Quilligan, "Evolution Paths for Knowledge Discovery and Data Mining Process Models," *SN Comput. Sci.*, vol. 1, no. 2, pp. 1–19, 2020, doi: 10.1007/s42979-020-0117-6.
- [18] S. Salloum and D. Rajamanthri, "Implementation and evaluation of movie recommender systems using collaborative filtering," *J. Adv. Inf. Technol.*, vol. 12, no. 3, pp. 189–196, 2021, doi: 10.12720/jait.12.3.189-196.
- [19] D. Ruskar, S. Hastuti, H. Wahyudi, I. Dewa Ketut Kerta Widana, and R. Khoirudin Apriyadi, "LAFIAL: Pandemi COVID-19 Sebagai Momentum Kemandirian Industri Farmasi Menuju Ketahanan Kesehatan Nasional," *PENDIPA J. Sci. Educ.*, vol. 5, no. 3, pp. 300–308, 2021, doi: 10.33369/pendipa.5.3.300-308.
- [20] J. Jacky, D. Arisandi, and M. D. Lauro, "Perancangan Aplikasi E-Commerce Dengan Metode Collaborative Filtering Dan Apriori," *J. Ilmu Komput. dan Sist. Inf.*, vol. 8, no. 1, p. 92, 2020, doi: 10.24912/jiksi.v8i1.11475.
- [21] A. Alwendi, "Penerapan E-Commerce Dalam Meningkatkan Daya Saing Usaha," *Manaj. Bisnis*, vol. 17, no. 3, pp. 317–325, 2020, [Online]. Available: <http://journal.undiknas.ac.id/index.php/magister-manajemen/>
- [22] N. M. Widani, A. P. Abiyasa, G. Sri Darma, and A. Fredy Maradona, "Menguji Ketajaman Implementasi E-Commerce Dalam Penjualan Kamar Hotel di Bali," *J. Manaj. Bisnis*, vol. 16, no. 2, p. 79, 2019, doi: 10.38043/jmb.v16i2.2042.
- [23] N. I. Purnama, L. P. Putri, and R. Bahagia, "Analisis e-commerce dalam membantu penjualan umkm di tengah pandemi," *Ekon. J. Ilmu Ekon. dan Stud. Pembang.*, vol. 21, no. 2, pp. 194–200, 2021, [Online]. Available: <http://jurnal.umsu.ac.id/index.php/ekawan/article/view/8503>
- [24] A. Singh and S. Shaw, "Optimizing Approach of Recommendation System using Web Usage Mining and Social Media for E-commerce," *Int. J.*

Comput. Appl., vol. 176, no. 40, pp. 34–38, 2020, doi:
10.5120/ijca2020920510.

- [25] K. Telaumbanua and L. Nababan, “Implementasi Metode Cosine Similarity Dalam Mendeteksi Kemiripan Dan Perbedaan Gambar Hasil Scan Berbasis Android Article Info,” *J. IEED (Informatics Eng. Electron. Data)*, vol. 1, no. 1, pp. 2963–6310, 2022.
- [26] A. Aziz, D. Pamungkas, and A. Setiawan, “Analisa Perbandingan Algoritma Euclidean Dan Manhattan Distance Dalam Identifikasi Wajah,” *Semin. Nas. Inov. Teknol.*, pp. 219–224, 2021.
- [27] Ş. Öztürk, “Comparison of Pairwise Similarity Distance Methods for Effective Hashing,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1099, no. 1, p. 012072, 2021, doi: 10.1088/1757-899x/1099/1/012072.
- [28] A. Wahyudi and R. Utami, “Penggunaan Metode Euclidean Distance Pada Aplikasi Pencarian Lokasi Rumah Sakit di Kota Medan,” *Informatics Eng. Electron. Data*, vol. 1, no. 1, pp. 47–58, 2022, doi: 10.59840/ieed.v1i1.193.
- [29] C. Schröer, F. Kruse, and J. M. Gómez, “A systematic literature review on applying CRISP-DM process model,” *Procedia Comput. Sci.*, vol. 181, no. 2019, pp. 526–534, 2021, doi: 10.1016/j.procs.2021.01.199.
- [30] Y. A. Suwitono and F. J. Kaunang, “Implementasi Algoritma Convolutional Neural Network (CNN) Untuk Klasifikasi Daun Dengan Metode Data Mining SEMMA Menggunakan Keras,” *J. Komtika (Komputasi dan Inform.)*, vol. 6, no. 2, pp. 109–121, 2022, doi: 10.31603/komtika.v6i2.8054.
- [31] Y. Koren, S. Rendle, and R. Bell, *Advances in Collaborative Filtering*. 2022. doi: 10.1007/978-1-0716-2197-4_3.
- [32] A. N. Nikolakopoulos, X. Ning, C. Desrosiers, and G. Karypis, *Trust Your Neighbors: A Comprehensive Survey of Neighborhood-Based Methods for Recommender Systems*. 2022. doi: 10.1007/978-1-0716-2197-4_2.

- [33] M. Rafał, “Cross validation methods: Analysis based on diagnostics of thyroid cancer metastasis,” *ICT Express*, vol. 8, no. 2, pp. 183–188, 2022, doi: 10.1016/j.ict.2021.05.001.
- [34] S. Developers, “Cross-validation: evaluating estimator performance.” https://scikit-learn.org/stable/modules/cross_validation.html
- [35] H&M, “H&M Personalized Fashion Recommendations,” *Kaggle*, 2022. <https://www.kaggle.com/competitions/h-and-m-personalized-fashion-recommendations>
- [36] H. Ali, S. Hosain, and A. Hossain, “Big Data Analysis using BigQuery on Cloud Computing Platform,” *Aust. J. Eng. Innov. Technol.*, vol. 3, no. 1, pp. 1–9, 2021, doi: 10.34104/ajeit.021.0109.
- [37] G. Van Rossum and F. L. Drake, *An introduction to Python : release 2.2.2*. 2003.
- [38] S. Raschka, J. Patterson, and C. Nolet, “Machine learning in python: Main developments and technology trends in data science, machine learning, and artificial intelligence,” *Inf.*, vol. 11, no. 4, 2020, doi: 10.3390/info11040193.
- [39] Muhammad Romzi and B. Kurniawan, “Pembelajaran Pemrograman Python Dengan Pendekatan Logika Algoritma,” *JTIM J. Tek. Inform. Mahakarya*, vol. 03, no. 2, pp. 37–44, 2020.
- [40] M. R. S. Alfarizi, M. Z. Al-farish, M. Taufiqurrahman, G. Ardiansah, and M. Elgar, “Penggunaan Python Sebagai Bahasa Pemrograman untuk Machine Learning dan Deep Learning,” *Karya Ilm. Mhs. Bertauhid (KARIMAH TAUHID)*, vol. 2, no. 1, pp. 1–6, 2023.
- [41] F. Voron, *Building Data Science Applications with FastAPI*. Packt Publishing Ltd., 2023. [Online]. Available: <https://books.google.co.id/books?hl=id&lr=&id=NCXMEAAAQBAJ&oi=fnd&pg=PP1&dq=fastapi+python&ots=rNo0M7UnKq&sig=I6OCxhg75ac>

SMGDcyvFulKUaf8&redir_esc=y#v=onepage&q=fastapi python&f=false

- [42] N. K. Akmal and M. N. Dasaprawira, "Rancang bangun Application Programming Interface (API) menggunakan gaya arsitektur GraphQL untuk pembuatan sistem informasi pendataan anggota Unit Kegiatan Mahasiswa (UKM) studi kasus UKM Starlabs," *J. SITECH Sist. Inf. dan Teknol.*, vol. 5, no. 1, pp. 37–40, 2022, doi: 10.24176/sitech.v5i1.7937.
- [43] S. S. Drs. Danang sunyoto, *Metodologi Penelitian Akuntansi Indonesia*, no. December. 2016.
- [44] C. Andrade, "The Inconvenient Truth About Convenience and Purposive Samples," *Indian J. Psychol. Med.*, vol. 43, no. 1, pp. 86–88, 2021, doi: 10.1177/0253717620977000.
- [45] Y. Bin Cho, Y. H. Cho, and S. H. Kim, "Mining changes in customer buying behavior for collaborative recommendations," *Expert Syst. Appl.*, vol. 28, no. 2, pp. 359–369, 2005, doi: 10.1016/j.eswa.2004.10.015.

UMMN

UNIVERSITAS
MULTIMEDIA
NUSANTARA