

DAFTAR PUSTAKA

- [1] X. Wang, W. Yuan, C.-J. Lin, and X. Feng, “Mercury cycling and isotopic fractionation in global forests,” *Crit. Rev. Environ. Sci. Technol.*, vol. 52, pp. 3763–3786, 2021, doi: 10.1080/10643389.2021.1961505.
- [2] Y. Reygadas, S. A. Spera, and D. S. Salisbury, “Effects of deforestation and forest degradation on ecosystem service indicators across the Southwestern Amazon,” *Ecol. Indic.*, vol. 147, 2023, doi: 10.1016/j.ecolind.2023.109996.
- [3] W. Francesconi, M. Vanegas-Cubillos, and V. Bax, “Carbon footprints of forest degradation and deforestation by ‘basic-needs populations’: a review,” *Carbon Footprints*, 2022, doi: 10.20517/cf.2022.10.
- [4] M. Singh and S. Yan, “Spatial–temporal variations in deforestation hotspots in Sumatra and Kalimantan from 2001–2018,” *Ecol. Evol.*, vol. 11, pp. 7302–7314, 2021, doi: 10.1002/ece3.7562.
- [5] “Forest Monitoring, Land Use & Deforestation Trends | Global Forest Watch.” <https://www.globalforestwatch.org/> (accessed Jan. 24, 2024).
- [6] F. Pendrill, U. M. Persson, J. Godar, and T. Kastner, “Deforestation displaced: trade in forest-risk commodities and the prospects for a global forest transition,” *Environ. Res. Lett.*, vol. 14, 2019, doi: 10.1088/1748-9326/ab0d41.
- [7] A. Fadli, A. Kosugo, K. Ichii, and R. Ramli, “Satellite-based monitoring of forest cover change in indonesia using google earth engine from 2000 to 2016,” *J. Phys. Conf. Ser.*, vol. 1317, p. 12046, 2019, doi: 10.1088/1742-6596/1317/1/012046.
- [8] O. Sommervold, M. Gazzea, and R. Arghandeh, “A Survey on SAR and Optical Satellite Image Registration,” *Remote. Sens.*, vol. 15, p. 850, 2023, doi: 10.3390/rs15030850.
- [9] D. Kushardono and R. Arief, “Pemanfaatan Data Satelit Radar untuk Wilayah Darat di Indonesia: Peluang dan Tantangan,” *Penerbit BRIN*, Sep. 2020, doi: 10.14203/PRESS.243.
- [10] A. Zubaidah, S. Sulma, S. Suwarsono, and I. Prasasti, “Pemanfaatan Citra VIIRS untuk Deteksi Asap Kebakaran Hutan dan Lahan di Indonesia,” *J. Pengelolaan Sumberd. Alam dan Lingkung. (Journal Nat. Resour. Environ. Manag.*, vol. 9, no. 4, 2019, doi: 10.29244/jpsl.9.4.929-945.
- [11] F. Pendrill *et al.*, “Agricultural and forestry trade drives large share of tropical deforestation emissions,” *Glob. Environ. Chang.*, 2019, doi: 10.1016/J.GLOENVCHA.2019.03.002.
- [12] T. Santika *et al.*, “Community forest management in Indonesia: Avoided deforestation in the context of anthropogenic and climate complexities,” *Glob. Environ. Chang. Policy Dimens.*, vol. 46, pp. 60–71, 2017, doi:

10.1016/J.GLOENVCHA.2017.08.002.

- [13] A. Svechkina, B. Portnov, and T. Trop, "The impact of artificial light at night on human and ecosystem health: a systematic literature review," *Landsc. Ecol.*, vol. 35, pp. 1725–1742, 2020, doi: 10.1007/s10980-020-01053-1.
- [14] S. A. Sanjaya and M. I. Fianty, "Time-based Geospatial Analysis of Night-Time Light Data and Citizen Movement Restriction During Covid-19 Period," *G-Tech J. Teknol. Terap.*, vol. 7, no. 2, 2023, doi: 10.33379/gtech.v7i2.2397.
- [15] J. G. C. Ball, K. Petrova, D. A. Coomes, and S. Flaxman, "Using deep convolutional neural networks to forecast spatial patterns of Amazonian deforestation," *Methods Ecol. Evol.*, vol. 13, no. 11, 2022, doi: 10.1111/2041-210X.13953.
- [16] W. Huacani, N. P. Meza, F. Aguirre, D. D. Sanchez, and E. N. Luque, "Analysis of Deforested Area Using Google Earth Engine in The Period 2001-2020 In the Apurimac Region," *J. Internet E-bus. Stud.*, 2022, doi: 10.5171/2022.988227.
- [17] I. W. Mustika, H. N. Adi, and F. Najib, "Comparison of Keras Optimizers for Earthquake Signal Classification Based on Deep Neural Networks," in *ICOIACT 2021 - 4th International Conference on Information and Communications Technology: The Role of AI in Health and Social Revolution in Turbulence Era*, 2021. doi: 10.1109/ICOIACT53268.2021.9563990.
- [18] S. Zahara, Sugianto, and M. B. Ilmiddaviq, "Consumer price index prediction using Long Short Term Memory (LSTM) based cloud computing," in *Journal of Physics: Conference Series*, 2020. doi: 10.1088/1742-6596/1456/1/012022.
- [19] C. Jörges, C. Berkenbrink, and B. Stumpe, "Prediction and reconstruction of ocean wave heights based on bathymetric data using LSTM neural networks," *Ocean Eng.*, vol. 232, 2021, doi: 10.1016/j.oceaneng.2021.109046.
- [20] A. Nilsen, "Perbandingan Model RNN, Model LSTM, dan Model GRU dalam Memprediksi Harga Saham-Saham LQ45," *J. Stat. dan Apl.*, vol. 6, no. 1, 2022, doi: 10.21009/jsa.06113.
- [21] D. A. Kristiyanti and Sri Hardani, "Sentiment Analysis of Public Acceptance of Covid-19 Vaccines Types in Indonesia using Naïve Bayes, Support Vector Machine, and Long Short-Term Memory (LSTM)," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 7, no. 3, 2023, doi: 10.29207/resti.v7i3.4737.
- [22] Z. Cen and J. Wang, "Crude oil price prediction model with long short term memory deep learning based on prior knowledge data transfer," *Energy*, 2019, doi: 10.1016/J.ENERGY.2018.12.016.
- [23] R. Hesananda, *Algoritma Klasifikasi Bibit Terbaik untuk Tanaman Keladi*

Tikus. Penerbit NEM, 2021. [Online]. Available: <https://books.google.co.id/books?id=c2pbEAAAQBAJ>

- [24] R. Sharma *et al.*, “Impact of Land Cover Change on Ecosystem Services in a Tropical Forested Landscape,” *Resources*, 2019, doi: 10.3390/RESOURCES8010018.
- [25] M. Löf, P. Madsen, M. Metslaid, J. Witzell, and D. Jacobs, “Restoring forests: regeneration and ecosystem function for the future,” *New For.*, vol. 50, pp. 139–151, 2019, doi: 10.1007/s11056-019-09713-0.
- [26] K. Austin, A. M. Schwantes, Y. Gu, and P. Kasibhatla, “What causes deforestation in Indonesia?,” *Environ. Res. Lett.*, vol. 14, 2019, doi: 10.1088/1748-9326/aaf6db.
- [27] A. H. Putra, F. Oktari, and A. M. Putriana, “Deforestasi dan Pengaruhnya terhadap Tingkat Bahaya Kebakaran Hutan di Kabupaten Agam Provinsi Sumatera Barat,” *J. Dialog Penanggulangan Bencana*, vol. 10, no. 2, 2019.
- [28] N. Galiatsatos *et al.*, “An Assessment of Global Forest Change Datasets for National Forest Monitoring and Reporting,” *Remote. Sens.*, vol. 12, p. 1790, 2020, doi: 10.3390/rs12111790.
- [29] D. Zhang, H. Wang, X. Wang, and Z. Lü, “Accuracy assessment of the global forest watch tree cover 2000 in China,” *Int. J. Appl. Earth Obs. Geoinf.*, vol. 87, 2020, doi: 10.1016/j.jag.2019.102033.
- [30] H. Chen *et al.*, “Large Uncertainty on Forest Area Change in the Early 21st Century among Widely Used Global Land Cover Datasets,” *Remote. Sens.*, vol. 12, p. 3502, 2020, doi: 10.3390/rs12213502.
- [31] T. Wilson and X. Xiong, “Spatial Registration Assessments for the SNPP and N20 VIIRS Reflective Solar Bands Using Unscheduled Lunar Observations,” *IEEE Trans. Geosci. Remote Sens.*, vol. 60, pp. 1–12, 2022, doi: 10.1109/TGRS.2021.3078693.
- [32] B. yafitra Pandji, Indwiarti, and A. A. Rohmawati, “Perbandingan Prediksi Harga Saham Dengan Model Arima Dan Artificial Neural Network,” *Ind. Comput.*, vol. 4, no. 2, 2019.
- [33] F. Martinez-Plumed *et al.*, “CRISP-DM Twenty Years Later: From Data Mining Processes to Data Science Trajectories,” *IEEE Trans. Knowl. Data Eng.*, vol. 33, no. 8, 2021, doi: 10.1109/TKDE.2019.2962680.
- [34] A. A. Ali and M. Ghareb, “Knowledge Discovery in Health Domain using Deep Neural Network Algorithms,” *Passer J. Basic Appl. Sci.*, 2022, doi: 10.24271/psr.2022.161644.
- [35] C. Fan, M. Chen, X. Wang, J. Wang, and B. Huang, “A Review on Data Preprocessing Techniques Toward Efficient and Reliable Knowledge Discovery From Building Operational Data,” *Frontiers in Energy Research*, vol. 9, 2021. doi: 10.3389/fenrg.2021.652801.

- [36] N. Hasanati, Q. Aini, and A. Nuri, "Implementation of Support Vector Machine with Lexicon Based for Sentiment Analysis on Twitter," *2022 10th Int. Conf. Cyber IT Serv. Manag.*, pp. 1–4, 2022, doi: 10.1109/CITSM56380.2022.9935887.
- [37] H. I. Tariq, A. Sohail, U. Aslam, and N. K. Batcha, "Loan Default Prediction Model Using Sample, Explore, Modify, Model, and Assess (SEMMA)," *J. Comput. Theor. Nanosci.*, 2019, doi: 10.1166/jctn.2019.8313.
- [38] C. Choi, "Time Series Forecasting with Recurrent Neural Networks in Presence of Missing Data," *Master thesis-UiT Artic Univ. Norw.*, 2018, [Online]. Available: <https://munin.uit.no/handle/10037/14887>
- [39] R. Arifan Juanda and A. Atiqi Rohmawati, "Prediksi Harga Bitcoin Dengan Menggunakan Recurrent Neural Network," *e-Proceeding Eng.*, vol. 5, no. 2, 2018.
- [40] Y. Qi, "CNNs and RNNs in aspect-level sentiment analysis and comparison," *Appl. Comput. Eng.*, 2023, doi: 10.54254/2755-2721/6/20230417.
- [41] Y. Zhang, P. Hutchinson, N. A. J. Lieven, and J. Nunez-Yanez, "Remaining useful life estimation using long short-term memory neural networks and deep fusion," *IEEE Access*, vol. 8, 2020, doi: 10.1109/ACCESS.2020.2966827.
- [42] M. W. P. Aldi, Jondri, and A. Aditsania, "Analisis dan Implementasi Long Short Term Memory Neural Network untuk Prediksi Harga Bitcoin," *e-Proceeding Eng. Vol.5 No.2*, vol. 5, no. 2, 2018.
- [43] A. Bode, "K-NEAREST NEIGHBOR DENGAN FEATURE SELECTION MENGGUNAKAN BACKWARD ELIMINATION UNTUK PREDIKSI HARGA KOMODITI KOPI ARABIKA," *Ilk. J. Ilm.*, vol. 9, no. 2, 2017, doi: 10.33096/ilkom.v9i2.139.188-195.
- [44] N. Gorelick, M. Hancher, M. Dixon, S. Ilyushchenko, D. Thau, and R. Moore, "Google Earth Engine: Planetary-scale geospatial analysis for everyone," *Remote Sens. Environ.*, vol. 202, pp. 18–27, 2017, doi: 10.1016/J.RSE.2017.06.031.
- [45] M. Butwall, P. Ranka, and S. Shah, "Python in Field of Data Science: A Review," *Int. J. Comput. Appl.*, 2019, doi: 10.5120/ijca2019919404.
- [46] A. B. Pulungan, Z. Nafis, M. Anwar, Hastuti, Hamdani, and D. E. M. -, "Object Detection with a Webcam Using the Python Programming Language," *J. Appl. Eng. Technol. Sci.*, vol. 2, no. 2, 2021, doi: 10.37385/jaets.v2i2.247.
- [47] "About Anaconda | Anaconda." <https://www.anaconda.com/about-us> (accessed Jan. 25, 2024).
- [48] "Pengenalan dan Panduan Jupyter Notebook untuk Pemula – Belajar

Pembelajaran Mesin Indonesia.”
<https://indoml.com/2019/09/29/pengenalan-dan-panduan-jupyter-notebook-untuk-pemula/> (accessed Nov. 06, 2022).

- [49] L. Beard and N. Aghassibake, “Tableau (version 2020.3),” *J. Med. Libr. Assoc.*, vol. 109, pp. 159–161, 2021, doi: 10.5195/jmla.2021.1135.
- [50] F. Liang and T. Zhang, “Research on Chemical Process Optimization Based on Artificial Neural Network Algorithm,” *Asian J. Res. Comput. Sci.*, 2021, doi: 10.9734/ajrcos/2021/v12i430291.
- [51] E. R. Abraham *et al.*, “Time series prediction with artificial neural networks: An analysis using Brazilian soybean production,” *Agric.*, vol. 10, no. 10, 2020, doi: 10.3390/agriculture10100475.

A large, light blue watermark logo of Universitas Multimedia Nusantara (UMMN) is centered on the page. It features a stylized 'U' with a grid of squares inside, followed by the letters 'M' and 'N'.

U N I V E R S I T A S
M U L T I M E D I A
N U S A N T A R A