

## DAFTAR PUSTAKA

- [1] P. S. Adithya, R. Tejas, V. Sai Varun, and B. N. Prashanth, "Design and development of automatic cleaning and mopping robot," *IOP Conference Series: Materials Science and Engineering*, vol. 577, no. 1, p. 012126, 2019. doi:10.1088/1757-899x/577/1/012126
- [2] W. Wiliam, B. Kartadinata, and L. Wijayanti, "Pengendalian Lengan Robot Untuk Proses pemindahan barang," *TESLA: Jurnal Teknik Elektro*, vol. 21, no. 1, p. 69, 2019. doi:10.24912/tesla.v21i1.3252
- [3] Q. S. Ghani Hashim, Ganesh Babu Loganathan, "Evaluation of Robot Professor Technology in teaching and business," *INFORMATION TECHNOLOGY IN INDUSTRY*, vol. 9, no. 1, pp. 1182–1194, 2021. doi:10.17762/itii.v9i1.255
- [4] J. Arents and M. Greitans, "Smart Industrial Robot Control Trends, challenges and opportunities within manufacturing," *Applied Sciences*, vol. 12, no. 2, p. 937, 2022. doi:10.3390/app12020937
- [5] R. Goel and P. Gupta, "Robotics and Industry 4.0," *A Roadmap to Industry 4.0: Smart Production, Sharp Business and Sustainable Development*, pp. 157–169, Nov. 2019, doi: [https://doi.org/10.1007/978-3-030-14544-6\\_9](https://doi.org/10.1007/978-3-030-14544-6_9).
- [6] R. Galin and R. Meshcheryakov, "Automation and robotics in the context of industry 4.0: The shift to collaborative robots," *IOP Conference Series: Materials Science and Engineering*, vol. 537, no. 3, p. 032073, 2019. doi:10.1088/1757-899x/537/3/032073
- [7] S. Gowtham, K. M. A. Krishna, T. Srinivas, R. G. P. Raj, and A. Joshuva, "EMG-based control of a 5 DOF robotic manipulator," *2020 International Conference on Wireless Communications Signal Processing and Networking (WiSPNET)*, 2020. doi:10.1109/wispnet48689.2020.9198439

- [8] A. G. Feleke, L. Bi, and W. Fei, “EMG-based 3D hand motor intention prediction for information transfer from human to Robot,” *Sensors*, vol. 21, no. 4, p. 1316, 2021. doi:10.3390/s21041316
- [9] R. Martinek et al., “Advanced bioelectrical signal processing methods: Past, present, and future approach—part III: Other biosignals,” *Sensors*, vol. 21, no. 18, 2021. doi:10.3390/s21186064
- [10] M. G. Antonelli, P. Beomonte Zobel, F. Durante, and M. Zeer, “Modeling-based EMG Signal (mbes) classifier for robotic remote-control purposes,” *Actuators*, vol. 11, no. 3, 2022. doi:10.3390/act11030065
- [11] N. Ashriyah, T. A. Sardjono, and M. Nuh, “Pengembangan Instrumentasi Dan Analisis Sinyal Emg Pada Otot Leher,” *Jurnal Teknik ITS*, vol. 9, no. 1, 2020. doi:10.12962/j23373539.v9i1.44787
- [12] R. T. Yunardi, E. I. Agustin, R. Latifah, and W. Winarno, “Application of EMG and force signals of elbow joint on robot-assisted arm training,” *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, vol. 16, no. 6, p. 2913, 2018. doi:10.12928/telkomnika.v16i6.11707
- [13] A. Rahagiyanto, “Identifikasi ekstraksi FITUR untuk Gerakan Tangan dalam Bahasa isyarat (SIBI) Menggunakan Sensor Myo Armband,” *MATRIK : Jurnal Manajemen, Teknik Informatika dan Rekayasa Komputer*, vol. 19, no. 1, pp. 127–137, 2019. doi:10.30812/matrik.v19i1.510
- [14] L. McManus, G. De Vito, and M. M. Lowery, “Analysis and biophysics of surface EMG for physiotherapists and kinesiologists: Toward a common language with rehabilitation engineers,” *Frontiers in Neurology*, vol. 11, 2020. doi:10.3389/fneur.2020.576729
- [15] H. ElMohandes, S. Eldawlatly, J. M. Audí, R. Ruff, and K.-P. Hoffmann, “A multi-kalman filter-based approach for decoding arm kinematics from EMG Recordings,” *BioMedical Engineering OnLine*, vol. 21, no. 1, 2022. doi:10.1186/s12938-022-01030-6

- [16] T. Bao et al., “A Deep Kalman filter network for hand kinematics estimation using SEMG,” *Pattern Recognition Letters*, vol. 143, pp. 88–94, 2021. doi:10.1016/j.patrec.2021.01.001
- [17] T. Roland, S. Amsuess, M. Russold, and W. Baumgartner, “Ultra-Low-Power digital filtering for insulated EMG Sensing,” *Sensors*, vol. 19, no. 4, p. 959, 2019. doi:10.3390/s19040959
- [18] A. Yulianto and F. D. Putra, “Perancangan Pendeteksi sinyal EMG Pada Gerak Lengan Menggunakan wavelet transform,” *Telcomatics*, vol. 6, no. 2, p. 56, 2021. doi:10.37253/telcomatics.v6i2.4994
- [19] P. Gopal, A. Gesta, and A. Mohebbi, “A systematic study on electromyography-based hand gesture recognition for assistive robots using Deep Learning and machine learning models,” *Sensors*, vol. 22, no. 10, p. 3650, 2022. doi:10.3390/s22103650
- [20] T. Triwiyanto, W. Caesarendra, V. Abdullayev, A. A. Ahmed, and H. Herianto, “Single lead EMG Signal to control an upper limb exoskeleton using embedded machine learning on Raspberry Pi,” *Journal of Robotics and Control (JRC)*, vol. 4, no. 1, pp. 35–45, 2023. doi:10.18196/jrc.v4i1.17364
- [21] S. H. Tay, W. H. Choong, and H. P. Yoong, “A review of Scara Robot Control System,” *2022 IEEE International Conference on Artificial Intelligence in Engineering and Technology (IICAJET)*, 2022. doi:10.1109/iicaiet55139.2022.9936755
- [22] H. F. Hassan, S. J. Abou-Loukh, and I. K. Ibraheem, “Teleoperated robotic arm movement using electromyography signal with wearable myo armband,” *Journal of King Saud University - Engineering Sciences*, vol. 32, no. 6, pp. 378–387, 2020. doi:10.1016/j.jksues.2019.05.001
- [23] A. F. Ruiz-Olaya, C. A. Quinayas Burgos, and L. T. Londono, “A low-cost arm robotic platform based on Myoelectric Control for Rehabilitation

Engineering,” *2019 IEEE 10th Annual Ubiquitous Computing, Electronics & Mobile Communication Conference (UEMCON)*, 2019. doi:10.1109/uemcon47517.2019.8993080

- [24] P. W. Laksono et al., “Mapping three electromyography signals generated by human elbow and shoulder movements to two degree of Freedom Upper-Limb Robot Control,” *Robotics*, vol. 9, no. 4, p. 83, 2020. doi:10.3390/robotics9040083
- [25] M. Chen and H. Liu, “Robot arm control method using forearm EMG signals,” *MATEC Web of Conferences*, vol. 309, 2020. doi:10.1051/mateconf/202030904007
- [26] Tankisi, H. *et al.* (2020) “Standards of instrumentation of EMG”, *Clinical Neurophysiology*, vol. 131, no. 1, pp. 243–258. doi:10.1016/j.clinph.2019.07.025.
- [27] Zompanti, A. *et al.* (2021) “Development and test of a portable ECG device with dry capacitive electrodes and driven right leg circuit”, *Sensors*, vol. 21, no. 8, p. 2777. doi:10.3390/s21082777.
- [28] Dashkov, D. and Liashenko, O. (2023) “Motion capture with MEMS sensors”, *Advanced Information Systems*, vol. 7, no. 2, pp. 57–62. doi:10.20998/2522-9052.2023.2.08.

