

DAFTAR PUSTAKA

- [1] S. Skendžić, M. Zovko, I. P. Živković, V. Lešić, and D. Lemić, “The Impact of Climate Change on Agricultural Insect Pests,” *Insects*, vol. 12, no. 5, p. 440, May 2021, doi: 10.3390/insects12050440.
- [2] Suputa, “Dinamika populasi organisme pengganggu tumbuhan (OPT) pada tanaman salak pondoh,” Data penelitian mandiri Fakultas Pertanian, UGM.
- [3] K. K. Gill, K. Bhatt, B. Kaur, and S. S. Sandhu, “ARIMA approach for temperature and rainfall time series prediction in Punjab,” *Journal of Agrometeorology*, vol. 25, no. 4, pp. 571–576, Nov. 2023, doi: 10.54386/jam.v25i4.2250.
- [4] S. B. Nuthalapati and A. Nuthalapati, “Accurate weather forecasting with dominant gradient boosting using machine learning,” *International Journal of Science and Research Archive*, vol. 12, no. 2, pp. 408–422, Jul. 2024, doi: 10.30574/ijrsra.2024.12.2.1246.
- [5] A. D. Hartanto, Y. Nur Kholik, and Y. Pristyanto, “Stock Price Time Series Data Forecasting Using the Light Gradient Boosting Machine (LightGBM) Model,” *JOIV : International Journal on Informatics Visualization*, vol. 7, no. 4, p. 2270, Dec. 2023, doi: 10.62527/joiv.7.4.1740.
- [6] P. Pokhrel, “A LightGBM based Forecasting of Dominant Wave Periods in Oceanic Waters,” *arXiv.org*. [Online]. Available: <https://arxiv.org/abs/2105.08721>
- [7] A. G. Salman and B. Kanigoro, “Visibility Forecasting Using Autoregressive Integrated Moving Average (ARIMA) Models,” *Procedia Computer Science*, vol. 179, pp. 252–259, 2021, doi: 10.1016/j.procs.2021.01.004.
- [8] X. Ma, C. Fang, and J. Ji, “Prediction of outdoor air temperature and humidity using Xgboost,” *IOP Conference Series: Earth and Environmental Science*,

vol. 427, no. 1, p. 012013, Jan. 2020, doi: 10.1088/1755-1315/427/1/012013.

- [9] F. X. Diebold, L. Kilian, and M. Nerlove, "Time series analysis," in *Macroeconometrics and Time Series Analysis*, London: Palgrave Macmillan UK, 2010, pp. 317–342. Accessed: Jan. 20, 2025. [Online]. Available: https://doi.org/10.1057/9780230280830_35
- [10] S. Kotsiantis, D. Kanellopoulos, and P. Pintelas, "Data Preprocessing for Supervised Learning," *International Journal of Computer Science*, vol. 1, pp. 111–117, Jan. 2006.
- [11] J. M. A. C. Permata and M. Habibi, "Autoregressive Integrated Moving Average (ARIMA) Models For Forecasting Sales Of Jeans Products," *Telematika*, vol. 20, no. 1, Mar. 2023, doi: 10.31315/telematika.v20i1.
- [12] V. I. Kontopoulou, A. D. Panagopoulos, I. Kakkos, and G. K. Matsopoulos, "A Review of ARIMA vs. Machine Learning Approaches for Time Series Forecasting in Data Driven Networks," *Future Internet*, vol. 15, no. 8, p. 255, Jul. 2023, doi: 10.3390/fi15080255.
- [13] I. Rizkya, K. Syahputri, R. M. Sari, I. Siregar, and J. Utaminingrum, "Autoregressive Integrated Moving Average (ARIMA) Model of Forecast Demand in Distribution Centre," *IOP Conference Series: Materials Science and Engineering*, vol. 598, no. 1, p. 012071, Aug. 2019, doi: 10.1088/1757-899x/598/1/012071.
- [14] G. M. Tinungki, "The analysis of partial autocorrelation function in predicting maximum wind speed," *IOP Conference Series: Earth and Environmental Science*, vol. 235, p. 012097, Feb. 2019, doi: 10.1088/1755-1315/235/1/012097.

- [15] G. Bektemyssova, A. R. Ahmad, S. Mirzakulova, and Z. Ibraeva, "TIME SERIES FORECASTING BY THE ARIMA METHOD," Scientific Journal of Astana IT University, no. 11, pp. 14–23, Sep. 2022, doi: 10.37943/hfch4395.
- [16] H. Liu, C. Chen, Y. Li, Z. Duan, and Y. Li, Smart Metro Station Systems: Data Science and Engineering. Elsevier, 2022, pp. 269–290.
- [17] A. F. Jadama, B. Jobarteh, M. M. Islam, and M. K. Toray, "Ensemble Learning: Methods, Techniques, Application," Jun. 2024, doi: 10.13140/RG.2.2.28017.08802.
- [18] Z. He, D. Lin, T. Lau, and M. Wu, "Gradient Boosting Machine: A Survey," arXiv.org. [Online]. Available: <https://arxiv.org/abs/1908.06951>
- [19] F. Imam, P. Musilek, and M. Z. Reformat, "Parametric and Nonparametric Machine Learning Techniques for Increasing Power System Reliability: A Review," Information, vol. 15, no. 1, p. 37, Jan. 2024, doi: 10.3390/info15010037.
- [20] C. Bentéjac, A. Csörgő, and G. Martínez-Muñoz, "A Comparative Analysis of XGBoost," arXiv.org. [Online]. Available: <https://arxiv.org/abs/1911.01914>
- [21] A. Ahmed Soomro et al., "Analysis of machine learning models and data sources to forecast burst pressure of petroleum corroded pipelines: A comprehensive review," Engineering Failure Analysis, vol. 155, p. 107747, Jan. 2024, doi: 10.1016/j.engfailanal.2023.107747.
- [22] H. Deng, Y. Zhou, L. Wang, and C. Zhang, "Ensemble learning for the early prediction of neonatal jaundice with genetic features," BMC Medical Informatics and Decision Making, vol. 21, no. 1, Dec. 2021, doi: 10.1186/s12911-021-01701-9.

- [23] T. Chai and R. R. Draxler, “Root mean square error (RMSE) or mean absolute error (MAE)?,” Copernicus GmbH, Feb. 2014. Accessed: Jul. 26, 2024. [Online]. Available: <http://dx.doi.org/10.5194/gmdd-7-1525-2014>
- [24] S. Kim and H. Kim, “A new metric of absolute percentage error for intermittent demand forecasts,” *International Journal of Forecasting*, vol. 32, no. 3, pp. 669–679, Jul. 2016, doi: 10.1016/j.ijforecast.2015.12.003.



UMN
UNIVERSITAS
MULTIMEDIA
NUSANTARA