


DAFTAR PUSTAKA

- [1] R. Tolosana, S. Romero-Tapiador, R. Vera-Rodriguez, E. Gonzalez-Sosa, and J. Fierrez, "Deepfakes detection across generations: Analysis of facial regions, fusion, and performance evaluation," *Engineering Applications of Artificial Intelligence*, vol. 110, p. 104673, 2022.
- [2] S. Hero, "The state of deepfakes 2023," 2023. [Online]. Available: <https://www.securityhero.io/state-of-deepfakes/>
- [3] S. ST, M. U. A. Ayoobkhan, K. K. V. N. Bacanin, V. K. H. Štěpán, and T. Pavel, "Deep learning model for deep fake face recognition and detection," *PeerJ Computer Science*, vol. 8, p. e881, 2022.
- [4] I. Amerini, L. Galteri, R. Caldelli, and A. D. Bimbo, "Deepfake video detection through optical flow based cnn," *2019 IEEE/CVF International Conference on Computer Vision Workshop (ICCVW)*, pp. 1205–1207, 2019.
- [5] S. Kolagati, T. Priyadharshini, and V. M. A. Rajam, "Exposing deepfakes using a deep multilayer perceptron – convolutional neural network model," *International Journal of Information Management Data Insights*, vol. 2, p. 100054, 2022.
- [6] J. Sathuragiri, S. Saraswathi, R. Scholar, and B. Student, "Deep fake video detection using res- next cnn and lstm," 04 2023.
- [7] P. Patil, "Deepfake detection system," *International Journal for Research in Applied Science and Engineering Technology*, vol. 12, pp. 5271–5277, 4 2024.
- [8] M. F. Sohan, M. Solaiman, and A. Hasan, "A survey on deepfake video detection datasets," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 32, pp. 1168–1176, 9 2023.
- [9] A. Ajoy, C. Mahindrakar, D. Gowrish, and V. .A, "Deepfake detection using a frame based approach involving cnn," 9 2021, pp. 1329–1333.
- [10] H. C. N, N. S. Naik, and S. A. B, "Deepfake creation and detection of multimedia data," *International Journal of Advanced Research in Science, Communication and Technology*, 2024.
- [11] M. Shaikh, L. Nirankari, V. Pardeshi, R. Sharma, and S. Kale, "Deepfake detection using deep learning (cnn+lstm)," *INTERANTIONAL JOURNAL OF SCIENTIFIC RESEARCH IN ENGINEERING AND MANAGEMENT*, vol. 07, pp. 1–11, 11 2023.
- [12] M. Falaleev, N. Sitdikova, and E. Nechay, "Deepfake as a phenomenon of political communication," *Transbaikal State University Journal*, 2021.

- [13] M. Efremova and E. Russkevich, "Deepfake and criminal law," *Bulletin of the Kazan Law Institute of MIA Russia*, 2024.
- [14] R. Bharadwaj, S. Ratnaparkhi, R. Rajpurohit *et al.*, "Deepfake detection for preventing audio and video frauds using advanced deep learning techniques," in *2023 International Conference on Integrated Intelligence and Communication Systems (ICIICS)*, 2023, pp. 1–7.
- [15] S. Patel, S. Chandra, and A. Jain, "Deepfake videos detection and classification using resnext and lstm neural network," 12 2023, pp. 1–5.
- [16] M. Panda, A. Sharma, V. Bajpai, B. Subudhi, V. Thangaraj, and V. Jakhetiya, "Encoder and decoder network with resnet-50 and global average feature pooling for local change detection," *Computer Vision and Image Understanding*, vol. 222, p. 103501, 2022.
- [17] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778, 2016.
- [18] S. Xie, R. B. Girshick, P. Dollár, Z. Tu, and K. He, "Aggregated residual transformations for deep neural networks," *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 5987–5995, 2017.
- [19] W. der Vaart and K. Lambers, "Learning to look at lidar: The use of r-cnn in the automated detection of archaeological objects in lidar data from the netherlands," vol. 2, pp. 31–40, 11 2019.
- [20] S. Abdulwahab, H. Rashwan, M. García, A. Masoumian, and D. Puig, "Monocular depth map estimation based on a multi-scale deep architecture and curvilinear saliency feature boosting," *Neural Computing and Applications*, vol. 34, 08 2022.
- [21] A. Zafar, M. Aamir, N. M. Nawi, A. Arshad, S. Riaz, A. Alruban, A. K. Dutta, and S. Almotairi, "A comparison of pooling methods for convolutional neural networks," *Applied Sciences*, vol. 12, 2022.
- [22] R. Hassan and A. M. Abdulazeez, "Deep learning convolutional neural network for face recognition: A review," *International Journal of Science and Business*, 11 2021.
- [23] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 25, pp. 1097–1105, 2012.
- [24] B. Song, P. Lu, and L. Xu, "Human face recognition based on convolutional neural network and augmented dataset," *Systems Science & Control Engineering*, vol. 9, pp. 29–37, 2021.

- [25] K. Smagulova, O. Krestinskaya, and A. James, "A memristor-based long short term memory circuit," *Analog Integrated Circuits and Signal Processing*, vol. 95, 6 2018.
- [26] G. Van Houdt, C. Mosquera, and G. Nápoles, "A review on the long short-term memory model," *Artificial Intelligence Review*, vol. 53, 12 2020.
- [27] Q. Lyu and J. Zhu, "Revisit long short-term memory: An optimization perspective," 2015.
- [28] J. Rokui and R. Adachi, "Cell-expanded long short-term memory," 11 2022, pp. 1–6.
- [29] D. Guera and E. J. Delp, "Deepfake video detection using recurrent neural networks," in *2018 15th IEEE International Conference on Advanced Video and Signal Based Surveillance (AVSS)*. IEEE, 2018, pp. 1–6.
- [30] E. Sabir, Y. Cheng, A. Jaiswal, W. AbdAlmageed, I. Masi, and P. Natarajan, "Recurrent convolutional strategies for face manipulation detection in videos," *arXiv preprint arXiv:1905.00582*, 2019.
- [31] M. Schuster and K. K. Paliwal, "Bidirectional recurrent neural networks," in *IEEE Transactions on Signal Processing*, vol. 45, no. 11. IEEE, 1997, pp. 2673–2681.
- [32] K. Cho, B. van Merriënboer, C. Gulcehre, D. Bahdanau, F. Bougares, H. Schwenk, and Y. Bengio, "Learning phrase representations using rnn encoder-decoder for statistical machine translation," *arXiv preprint arXiv:1406.1078*, 2014.
- [33] K. Khalil, T. Mohaidat, and M. Bayoumi, "Low-cost hardware design approach for long short-term memory (lstm)," 5 2023, pp. 1–5.
- [34] Y. He, B. Gan, S. Chen, Y. Zhou, G. Yin, L. Song, L. Sheng, J. Shao, and Z. Liu, "ForgeryNet: A versatile benchmark for comprehensive forgery analysis," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2021, pp. 4360–4369.
- [35] K. Greff, R. K. Srivastava, J. Koutník, B. R. Steunebrink, and J. Schmidhuber, "Lstm: A search space odyssey," *IEEE transactions on neural networks and learning systems*, vol. 28, no. 10, pp. 2222–2232, 2017.
- [36] S. Bai, J. Z. Kolter, and V. Koltun, "An empirical evaluation of generic convolutional and recurrent networks for sequence modeling," *arXiv preprint arXiv:1803.01271*, 2018.
- [37] W. Zaremba, I. Sutskever, and O. Vinyals, "Recurrent neural network regularization," in *arXiv preprint arXiv:1409.2329*, 2014.

- [38] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: A simple way to prevent neural networks from overfitting," *The journal of machine learning research*, vol. 15, no. 1, pp. 1929–1958, 2014.
- [39] L. N. Smith, "A disciplined approach to neural network hyper-parameters: Part 1 – learning rate, batch size, momentum, and weight decay," *arXiv preprint arXiv:1803.09820*, 2018.
- [40] D. Masters and C. Lusch, "Revisiting small batch training for deep neural networks," *arXiv preprint arXiv:1804.07612*, 2018.
- [41] A. Krogh and J. A. Hertz, "A simple weight decay can improve generalization," *Advances in neural information processing systems*, pp. 950–957, 1992.
- [42] N. S. Keskar, D. Mudigere, J. Nocedal, M. Smelyanskiy, and P. T. P. Tang, "On large-batch training for deep learning: Generalization gap and sharp minima," *arXiv preprint arXiv:1609.04836*, 2017.
- [43] T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, "Focal loss for dense object detection," in *Proceedings of the IEEE international conference on computer vision*, 2017, pp. 2980–2988.
- [44] L. Liu, H. Jiang, P. He, W. Chen, X. Liu, J. Gao, and J. Han, "On the variance of the adaptive learning rate and beyond," *arXiv preprint arXiv:1908.03265*, 2019.
- [45] J. Bergstra and Y. Bengio, "Random search for hyper-parameter optimization," in *Journal of Machine Learning Research*, vol. 13, no. 2, 2012, pp. 281–305.
- [46] J. Snoek, H. Larochelle, and R. P. Adams, "Practical bayesian optimization of machine learning algorithms," in *Advances in neural information processing systems*, vol. 25, 2012.
- [47] M. Feurer and F. Hutter, "Hyperparameter optimization," *Automated Machine Learning*, pp. 3–33, 2019.
- [48] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*. Morgan Kaufmann, 2022.
- [49] D. M. Powers, "Evaluation: From precision, recall and f-measure to roc, informedness, markedness and correlation," *Journal of Machine Learning Technologies*, vol. 2, no. 1, pp. 37–63, 2020.
- [50] W. Zhang and M. Li, "A comprehensive review on deep learning-based object detection," *Artificial Intelligence Review*, 2023.
- [51] D. Kilichev and W. Kim, "Hyperparameter optimization for 1d-cnn-based network intrusion detection using ga and pso," *Mathematics*, 2023.

- 
- [52] T. A. Mir, D. Banerjee, D. Upadhyay, and R. S. Rawat, “Analytical framework for stage-based classification of female alopecia: Cnn-svm,” in *2024 IEEE International Conference on Information Technology, Electronics and Intelligent Communication Systems (ICITEICS)*, 2024.
- [53] A. Suryavanshi, S. Mehta, A. Jain, S. Thapliyal, and S. Hariharan, “Deep learning dermoscopy: Unveiling cnn-svm synergy in skin lesion detection,” in *2023 4th International Conference on Intelligent Technologies (CONIT)*, 2024.

