

DAFTAR PUSTAKA

- [1] S. Minaee *et al.*, “Deep learning–based text classification: A comprehensive review,” *ACM Comput. Surv.*, vol. 54, no. 3, Apr. 2021. [Online]. Available: <https://doi.org/10.1145/3439726>
- [2] X. Qiu *et al.*, “Pre-trained models for natural language processing: A survey,” *Science China Technological Sciences*, vol. 63, no. 10, pp. 1872–1897, 2020. [Online]. Available: <https://doi.org/10.1007/s11431-020-1647-3>
- [3] C. Zhou *et al.*, “A comprehensive survey on pretrained foundation models: a history from bert to chatgpt,” *International Journal of Machine Learning and Cybernetics*, 2024. [Online]. Available: <https://doi.org/10.1007/s13042-024-02443-6>
- [4] W. Medhat *et al.*, “Sentiment analysis algorithms and applications: A survey,” *Ain Shams Engineering Journal*, vol. 5, no. 4, pp. 1093–1113, 2014. [Online]. Available: <https://doi.org/10.1016/j.asej.2014.04.011>
- [5] N. Chintalapudi *et al.*, “Sentimental analysis of covid-19 tweets using deep learning models,” *Infectious Disease Reports*, vol. 13, no. 2, pp. 329–339, 2021. [Online]. Available: <https://doi.org/10.3390/idr13020032>
- [6] I. Bigoulaeva *et al.*, “Cross-lingual transfer learning for hate speech detection,” in *Proceedings of the First Workshop on Language Technology for Equality, Diversity and Inclusion (LT-EDI)*. Kyiv: Association for Computational Linguistics, 2021, pp. 15–25.
- [7] M. Mozafari *et al.*, “Hate speech detection and racial bias mitigation in social media based on bert model,” *PLOS ONE*, vol. 15, no. 8, pp. 1–26, 08 2020. [Online]. Available: <https://doi.org/10.1371/journal.pone.0237861>
- [8] D. Ippolito *et al.*, “Human and automatic detection of generated text,” *CoRR*, vol. abs/1911.00650, 2019. [Online]. Available: <https://doi.org/10.48550/arXiv.1911.00650>
- [9] Y. Chen *et al.*, “Gpt-sentinel: Distinguishing human and chatgpt generated content,” *arXiv preprint arXiv:2305.07969*, May 2023, arXiv:2305.07969 [cs.CL]. [Online]. Available: <https://doi.org/10.48550/arXiv.2305.07969>
- [10] T. Brown *et al.*, “Language models are few-shot learners,” in *Advances in Neural Information Processing Systems*, vol. 33. Curran Associates, Inc., 2020, pp. 1877–1901.
- [11] M. S. Rahaman, M. M. T. Ahsan, N. Anjum, H. J. Terano, and M. Rahman, “From chatgpt-3 to gpt-4: A significant advancement in ai-driven nlp tools,” *Journal of Engineering and Emerging Technologies*, vol. 1, pp. 50–60, 05 2023.

- [12] W. X. Zhao *et al.*, “A survey of large language models,” *arXiv preprint arXiv:2303.18223*, Mar. 2023, arXiv:2303.18223 [cs.CL]. [Online]. Available: <https://doi.org/10.48550/arXiv.2303.18223>
- [13] R. Bommasani *et al.*, “On the opportunities and risks of foundation models,” *CoRR*, vol. abs/2108.07258, 2021. [Online]. Available: <https://doi.org/10.48550/arXiv.2108.07258>
- [14] L. Leng, “Challenge, integration, and change: Chatgpt and future anatomical education,” *Medical Education Online*, vol. 29, no. 1, p. 2304973, 2024, epub 2024 Jan 13. [Online]. Available: <https://doi.org/10.1080/10872981.2024.2304973>
- [15] R. Zellers *et al.*, “Defending against neural fake news,” in *Advances in Neural Information Processing Systems*, vol. 32. Curran Associates, Inc., 2019.
- [16] A. Uchendu *et al.*, “TURINGBENCH: A benchmark environment for turing test in the age of neural text generation,” *CoRR*, vol. abs/2109.13296, 2021. [Online]. Available: <https://doi.org/10.48550/arXiv.2109.13296>
- [17] C. S. Eze and L. Shamir, “Analysis and prevention of ai-based phishing email attacks,” *Electronics*, vol. 13, no. 10, 2024. [Online]. Available: <https://doi.org/10.3390/electronics13101839>
- [18] H. M. Nguyen and D. Goto, “Unmasking academic cheating behavior in the artificial intelligence era: Evidence from vietnamese undergraduates,” *Education and Information Technologies*, vol. 29, pp. 15 999–16 025, 2024. [Online]. Available: <https://doi.org/10.1007/s10639-024-12495-4>
- [19] G. Jawahar *et al.*, “Automatic detection of machine generated text: A critical survey,” *arXiv preprint arXiv:2011.01314*, 2020. [Online]. Available: <https://doi.org/10.48550/arXiv.2011.01314>
- [20] E. Mitchell *et al.*, “Detectgpt: Zero-shot machine-generated text detection using probability curvature,” in *International Conference on Machine Learning*. PMLR, 2023, pp. 24 950–24 962.
- [21] I. Solaiman *et al.*, “Release strategies and the social impacts of language models,” *arXiv preprint arXiv:1908.09203*, 2019. [Online]. Available: <https://doi.org/10.48550/arXiv.1908.09203>
- [22] C. A. Gao *et al.*, “Comparing scientific abstracts generated by chatgpt to real abstracts with detectors and blinded human reviewers,” *npj Digital Medicine*, vol. 6, no. 1, p. 75, 2023. [Online]. Available: <https://doi.org/10.1038/s41746-023-00819-6>
- [23] G. Levin *et al.*, “Identifying chatgpt-written obgyn abstracts using a simple tool,” *American Journal of Obstetrics & Gynecology MFM*, vol. 5, no. 6,

- p. 100936, June 2023, epub 2023 Mar 15. PMID: 36931435. [Online]. Available: <https://doi.org/10.1016/j.ajogmf.2023.100936>
- [24] B. Guo *et al.*, “How close is chatgpt to human experts? comparison corpus, evaluation, and detection,” *arXiv preprint arXiv:2301.07597*, 2023. [Online]. Available: <https://doi.org/10.48550/arXiv.2301.07597>
 - [25] Y. Liu *et al.*, “Roberta: A robustly optimized bert pretraining approach,” *arXiv preprint arXiv:1907.11692*, 2019. [Online]. Available: <https://doi.org/10.48550/arXiv.1907.11692>
 - [26] M. Maktab Dar Oghaz, K. Dhame, G. Singaram, and L. Babu Saheer, “Detection and classification of chatgpt generated contents using deep transformer models,” *Frontiers in Artificial Intelligence*, 2023.
 - [27] S. Mitrović *et al.*, “Chatgpt or human? detect and explain. explaining decisions of machine learning model for detecting short chatgpt-generated text,” *arXiv preprint arXiv:2301.13852*, 2023. [Online]. Available: <https://doi.org/10.48550/arXiv.2301.13852>
 - [28] A. Aghajanyan *et al.*, “Muppet: Massive multi-task representations with pre-finetuning,” *arXiv preprint arXiv:2101.11038*, 2021. [Online]. Available: <https://doi.org/10.48550/arXiv.2101.11038>
 - [29] K. R. Chowdhary, “Natural language processing,” in *Fundamentals of Artificial Intelligence*. Springer India, 2020, pp. 603–649.
 - [30] K. S. Jones, “Natural language processing: A historical review,” in *Springer Science & Business Media*, vol. 9, 1994, pp. 3–16.
 - [31] D. W. Otter, J. R. Medina, and J. Kalita, “A survey of the recent architectures of deep convolutional neural networks,” *Artificial Intelligence Review*, vol. 54, pp. 2183–2243, 2021.
 - [32] D. Khurana, A. Koli, K. Khatter, and S. Singh, “Natural language processing: State of the art, current trends and challenges,” *Multimedia Tools and Applications*, vol. 82, no. 3, pp. 3713–3744, 2023.
 - [33] L. Ouyang *et al.*, “Training language models to follow instructions with human feedback,” in *Advances in Neural Information Processing Systems*, vol. 35. Curran Associates, Inc., 2022, pp. 27 730–27 744.
 - [34] A. Kurniasih and L. P. Manik, “On the role of text preprocessing in bert embedding-based dnns for classifying informal texts,” *International Journal of Advanced Computer Science and Applications*, vol. 13, 2022.
 - [35] C. Mugisha and I. Paik, “Comparison of neural language modeling pipelines for outcome prediction from unstructured medical text notes,” *IEEE Access*, vol. 10, pp. 16 489–16 498, 2022.

- [36] C. Oktarina, K. A. Notodiputro, and I. Indahwati, "Comparison of k-means clustering method and k-medoids on twitter data," *Indonesian Journal of Statistics and Its Applications*, vol. 4, pp. 189–202, Feb 2020.
- [37] W. A. Luqyana *et al.*, "Analisis sentimen cyberbullying pada komentar instagram dengan metode klasifikasi support vector machine," *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 2, no. 11, pp. 4704–4713, 2018. [Online]. Available: <https://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/3051>
- [38] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Kaiser, and I. Polosukhin, "Attention is all you need," in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 30, Long Beach, CA, USA, 2017.
- [39] A. Wang, A. Singh, J. Michael, F. Hill, O. Levy, and S. R. Bowman, "Glue: A multi-task benchmark and analysis platform for natural language understanding," *arXiv preprint arXiv:1804.07461*, 2018. [Online]. Available: <https://doi.org/10.48550/arXiv.1804.07461>
- [40] N. B. Harikrishnan, "Confusion matrix, accuracy, precision, recall, f1 score," 2019. [Online]. Available: <https://medium.com/analytics-vidhya/confusion-matrix-accuracy-precision-recall-f1-score-ade299cf63cd>
- [41] H. Bichri, A. Chergui, and M. Hain, "Investigating the impact of train / test split ratio on the performance of pre-trained models with custom datasets," *International Journal of Advanced Computer Science and Applications (IJACSA)*, vol. 15, no. 2, 2024. [Online]. Available: <http://dx.doi.org/10.14569/IJACSA.2024.0150235>
- [42] M. Sivakumar, S. Parthasarathy, and T. Padmapriya, "Trade-off between training and testing ratio in machine learning for medical image processing," *PeerJ Computer Science*, vol. 10, p. e2245, Sep 2024.

U N I V E R S I T A S
M U L T I M E D I A
N U S A N T A R A