

DAFTAR PUSTAKA

- [1] J. Devlin, M. W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of deep bidirectional transformers for language understanding,” in NAACL HLT 2019 - 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference, 2019.
- [2] K. Baba, N. eddine Elfaddouli, and N. Cheimanoff, “The role of information and communication technologies in developing a smart campus with its four pillars’ architectural sketch,” Educ. Inf. Technol., 2024, doi: 10.1007/s10639-023-12445-6.
- [3] P. Lewis et al., “Retrieval-augmented generation for knowledge-intensive NLP tasks,” in Advances in Neural Information Processing Systems, 2020.
- [4] C. Raffel et al., “Exploring the limits of transfer learning with a unified text-to-text transformer,” Journal of Machine Learning Research, vol. 21, 2020.
- [5] Z. Yang, Z. Dai, Y. Yang, J. Carbonell, R. Salakhutdinov, and Q. v. Le, “XLNet: Generalized autoregressive pretraining for language understanding,” in Advances in Neural Information Processing Systems, 2019.
- [6] A. Wang, A. Singh, J. Michael, F. Hill, O. Levy, and S. R. Bowman, “GLUE: A Multi-Task Benchmark and Analysis Platform for Natural Language Understanding,” in EMNLP 2018 - 2018 EMNLP Workshop BlackboxNLP: Analyzing and Interpreting Neural Networks for NLP, Proceedings of the 1st Workshop, 2018. doi: 10.18653/v1/w18-5446.

- [7] S. Borgeaud et al., “Improving Language Models by Retrieving from Trillions of Tokens,” in Proceedings of Machine Learning Research, 2022.
- [8] Y. Guo, W. Qiu, G. Leroy, S. Wang, and T. Cohen, “Retrieval augmentation of large language models for lay language generation,” Journal of Biomedical Informatics, vol. 149, 2024, doi: 10.1016/j.jbi.2023.104580.
- [9] M. Glass, G. Rossiello, M. F. M. Chowdhury, and A. Gliozzo, “Robust Retrieval Augmented Generation for Zero-shot Slot Filling,” in EMNLP 2021 - 2021 Conference on Empirical Methods in Natural Language Processing, Proceedings, 2021. doi: 10.18653/v1/2021.emnlp-main.148.
- [10] O. Ram et al., “In-Context Retrieval-Augmented Language Models,” Transactions of the Association for Computational Linguistics, vol. 11, 2023, doi: 10.1162/tacl_a_00605.
- [11] V. Karpukhin et al., “Dense passage retrieval for open-domain question answering,” in EMNLP 2020 - 2020 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference, 2020. doi: 10.18653/v1/2020.emnlp-main.550.
- [12] G. Izacard and E. Grave, “DISTILLING KNOWLEDGE FROM READER TO RETRIEVER FOR QUESTION ANSWERING,” in ICLR 2021 - 9th International Conference on Learning Representations, 2021.
- [13] A. Radford et al., “Learning Transferable Visual Models From Natural Language Supervision,” in Proceedings of Machine Learning Research, 2021.

- [14] T. B. Brown et al., “Language models are few-shot learners,” in Advances in Neural Information Processing Systems, 2020.
- [15] X. Ma, Y. Gong, P. He, H. Zhao, and N. Duan, “Query Rewriting for Retrieval-Augmented Large Language Models,” in EMNLP 2023 - 2023 Conference on Empirical Methods in Natural Language Processing, Proceedings, 2023. doi: 10.18653/v1/2023.emnlp-main.322.
- [16] Z. Shao, Y. Gong, Y. Shen, M. Huang, N. Duan, and W. Chen, “Enhancing Retrieval-Augmented Large Language Models with Iterative Retrieval-Generation Synergy,” in Findings of the Association for Computational Linguistics: EMNLP 2023, 2023. doi: 10.18653/v1/2023.findings-emnlp.620.
- [17] E. Kasneci et al., “ChatGPT for good? On opportunities and challenges of large language models for education,” Learning and Individual Differences, vol. 103, 2023. doi: 10.1016/j.lindif.2023.102274.
- [18] S. Zhang, R. Fan, Y. Liu, S. Chen, Q. Liu, and W. Zeng, “Applications of transformer-based language models in bioinformatics: A survey,” Bioinformatics Advances, vol. 3, no. 1. 2023. doi: 10.1093/bioadv/vbad001.
- [19] Y. Wang, P. Li, M. Sun, and Y. Liu, “Self-Knowledge Guided Retrieval Augmentation for Large Language Models,” in Findings of the Association for Computational Linguistics: EMNLP 2023, 2023. doi: 10.18653/v1/2023.findings-emnlp.691.
- [20] Z. Lin, Q. Yuan, J. Liu, P. Pasupat, and J. Shang, “Retrieval-Augmented Parsing for Complex Graphs by Exploiting Structure

- and Uncertainty,” in Findings of the Association for Computational Linguistics: EMNLP 2023, 2023. doi: 10.18653/v1/2023.findings-emnlp.419.
- [21] Y. Qu et al., “RocketQA: An Optimized Training Approach to Dense Passage Retrieval for Open-Domain Question Answering,” in NAACL-HLT 2021 - 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Proceedings of the Conference, 2021. doi: 10.18653/v1/2021.nacl-main.466.
- [22] K. Alsubhi, A. Jamal, and A. Alhothali, “Deep learning-based approach for Arabic open domain question answering,” PeerJ Computer Science, vol. 8, 2022, doi: 10.7717/peerj-cs.952.
- [23] C. Wang, J. Ong, C. Wang, H. Ong, R. Cheng, and D. Ong, “Potential for GPT Technology to Optimize Future Clinical Decision-Making Using Retrieval-Augmented Generation,” Annals of Biomedical Engineering, vol. 52, no. 5. 2024. doi: 10.1007/s10439-023-03327-6.
- [24] D. Bratić, M. Šapina, D. Jurečić, and J. Žiljak Gršić, “Centralized Database Access: Transformer Framework and LLM/Chatbot Integration-Based Hybrid Model,” Applied System Innovation, vol. 7, no. 1, 2024, doi: 10.3390/asi7010017.
- [25] H. Decker et al., “Large Language Model-Based Chatbot vs Surgeon-Generated Informed Consent Documentation for Common Procedures,” JAMA Network Open, 2023, doi: 10.1001/jamanetworkopen.2023.36997.
- [26] T. T. Nguyen, A. D. Le, H. T. Hoang, and T. Nguyen, “NEU-

- chatbot: Chatbot for admission of National Economics University,” Computers and Education: Artificial Intelligence, vol. 2, 2021, doi: 10.1016/j.caeari.2021.100036.
- [27] S. Sakulwichitsintu, “ParichartBOT: a chatbot for automatic answering for postgraduate students of an open university,” International Journal of Information Technology (Singapore), vol. 15, no. 3, 2023, doi: 10.1007/s41870-023-01176-z.
- [28] W. Yu, “Retrieval-augmented Generation across Heterogeneous Knowledge,” in NAACL 2022 - 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Proceedings of the Student Research Workshop, 2022. doi: 10.18653/v1/2022.nacl-srw.7.
- [29] Joan Figuerola Hurtado, “Harnessing Retrieval-Augmented Generation (RAG) for Uncovering Knowledge Gaps,” arXiv, 2023.
- [30] N. Goyal, S. R. Hong, R. L. Mandryk, T. J. J. Li, K. Luther, and D. Wang, “SHAI 2023: Workshop on Designing for Safety in Human-AI Interactions,” in International Conference on Intelligent User Interfaces, Proceedings IUI, 2023. doi: 10.1145/3581754.3584169.
- [31] J. D. Zamfirescu-Pereira, R. Y. Wong, B. Hartmann, and Q. Yang, “Why Johnny Can’t Prompt: How Non-AI Experts Try (and Fail) to Design LLM Prompts,” in Conference on Human Factors in Computing Systems - Proceedings, 2023. doi: 10.1145/3544548.3581388.

- [32] U. Shukla, S. Singh, A. Pundir, and G. J. Saxena, “Large language model based framework for knowledgebase coverage and correctness using chatbot and human feedback,” in 2023 IEEE 7th Conference on Information and Communication Technology, CICT 2023, 2023. doi: 10.1109/CICT59886.2023.10455408.