

DAFTAR PUSTAKA

- [1] “Jumlah Penduduk Pertengahan Tahun - Tabel Statistik - Badan Pusat Statistik Indonesia.” <https://www.bps.go.id/id/statistics-table/2/MTk3NSMy/jumlah-penduduk-pertengahan-tahun--ribu-jiwa-.html> (accessed May 12, 2025).
- [2] “Sekretariat Kabinet Republik Indonesia | Pemerintah Anugerahkan Satyalancana Kebaktian Sosial Bagi 1.591 Pendorong Darah Sukarela 100 Kali - Sekretariat Kabinet Republik Indonesia.” <https://setkab.go.id/pemerintah-anugerahkan-satyalancana-kebaktian-sosial-bagi-1-591-pendorong-darah-sukarela-100-kali/> (accessed May 12, 2025).
- [3] T. Triyono and D. Pratiwi, “Analysis of donor characteristics in a Tertiary Hospital Blood Center in Indonesia,” *J. Med. Pharm. Chem. Res.*, vol. 7, no. 3, pp. 507–515, Mar. 2025, doi: 10.48309/JMPCR.2025.466324.1319.
- [4] “Stok Darah - UDD PMI Kota Tangerang Selatan.” <https://uddpmitangsel.id/stok-darah/> (accessed May 12, 2025).
- [5] A. Ekaputri and R. D. Kusumastuti, “Article 4 12-31-2022 Part of the Medicine and Health Sciences Commons Recommended Citation Recommended Citation Ekaputri,” *J. Environ. Sci. Sustain. Dev.*, vol. 5, no. 2, pp. 280–298, 2022, doi: 10.7454/jessd.v5i2.1144.
- [6] S. Suprpto, D. Arda, M. K. Menga, H. Hartaty, A. Halis, and B. Adji, “Jurnal Pengabdian Masyarakat Edukasi Indonesia (JPMEI),” *J. Pengabdian Masy. Edukasi Indones.*, vol. 1, no. 3, pp. 93–99, 2024, doi: 10.61099/jpmei.v1i3.55.
- [7] H. J. Kwon, S. Park, Y. H. Park, S. M. Baik, and D. J. Park, “Development of blood demand prediction model using artificial intelligence based on national public big data,” *Digit. Heal.*, vol. 10, p. 20552076231224244, Jan. 2024, doi: 10.1177/20552076231224245.
- [8] A. B. Wiratman and Wella, “Personalized Learning Models Using Decision Tree and Random Forest Algorithms in Telecommunication Company,” *JOIV Int. J. Informatics Vis.*, vol. 8, no. 1, pp. 318–325, Mar. 2024, doi: 10.62527/JOIV.8.1.1905.
- [9] R. Irfannandhy, L. B. Handoko, and N. Ariyanto, “Edumatic : Jurnal Pendidikan Informatika Analisis Performa Model Random Forest dan CatBoost dengan Teknik SMOTE dalam Prediksi Risiko Diabetes,” vol. 8, no. 2, pp. 714–723, 2024, doi: 10.29408/edumatic.v8i2.27990.
- [10] S. P. Nainggolan and A. Sinaga, “Comparative Analysis of Accuracy of Random Forest and Gradient Boosting Classifier Algorithm for Diabetes Classification,” *Sebatik*, vol. 27, no. 1, pp. 97–102, 2023, doi: 10.29408/edumatic.v8i2.27990.

10.46984/sebatik.v27i1.2157.

- [11] M. B. Nafouanti, J. Li, E. E. Nyakilla, G. C. Mwakipunda, and A. Mulashani, "A novel hybrid random forest linear model approach for forecasting groundwater fluoride contamination," *Environ. Sci. Pollut. Res.*, vol. 30, no. 17, pp. 50661–50674, 2023, doi: 10.1007/s11356-023-25886-w.
- [12] E. K. Sahin, "Assessing the predictive capability of ensemble tree methods for landslide susceptibility mapping using XGBoost, gradient boosting machine, and random forest," *SN Appl. Sci.*, vol. 2, no. 7, pp. 1–17, 2020, doi: 10.1007/s42452-020-3060-1.
- [13] C. Kauten, A. Gupta, X. Qin, and G. Richey, "Predicting Blood Donors Using Machine Learning Techniques," *Inf. Syst. Front.*, vol. 24, no. 5, pp. 1547–1562, Oct. 2022, doi: 10.1007/S10796-021-10149-1/FIGURES/5.
- [14] A. Datumaya, W. Sumari, A. K. Febrianto, and Y. Pramitarini, "Sistem Prediksi Permintaan Darah Menggunakan Metode Regresi Linier (Studi Kasus Pada UTD PMI Kabupaten Bojonegoro)," *JIP (Jurnal Inform. Polinema)*, vol. 7, pp. 85–90, 2021, doi: <https://doi.org/10.33795/jip.v7i2.495>.
- [15] H. N. 'Ainika Rani, T. Rismawan, and C. Suhery, "PREDIKSI JUMLAH PERMINTAAN DARAH MENGGUNAKAN METODE TRIPLE EXPONENTIAL SMOOTHING (STUDI KASUS: UTD PMI KOTA SINGKAWANG)," *J. Komput. dan Apl.*, vol. 10, no. 03, pp. 77–86, 2022, doi: <https://doi.org/10.26418/coding.v10i03.56013>.
- [16] C. Twumasi and J. Twumasi, "Machine learning algorithms for forecasting and backcasting blood demand data with missing values and outliers: A study of Tema General Hospital of Ghana," *Int. J. Forecast.*, vol. 38, no. 3, pp. 1258–1277, 2022, doi: 10.1016/j.ijforecast.2021.10.008.
- [17] X. Ding, X. Zhang, X. Li, and J. Du, "A hybrid neural network based model for blood donation forecasting," *J. Biomed. Inform.*, vol. 146, no. September, p. 104488, 2023, doi: 10.1016/j.jbi.2023.104488.
- [18] Y. Wang *et al.*, "Forecasting demands of blood components based on prediction models," *Transfus. Clin. Biol.*, vol. 31, no. 3, pp. 141–148, Aug. 2024, doi: 10.1016/J.TRACLI.2024.04.003.
- [19] Y. Feng, Z. Xu, X. Sun, D. Wang, and Y. Yu, "Machine learning for predicting preoperative red blood cell demand," *Transfus. Med.*, vol. 31, no. 4, pp. 262–270, Aug. 2021, doi: 10.1111/TME.12794.
- [20] J. Song *et al.*, "The random forest model has the best accuracy among the four pressure ulcer prediction models using machine learning algorithms," *Risk Manag. Healthc. Policy*, vol. 14, pp. 1175–1187, 2021, doi: 10.2147/RMHP.S297838.

- [21] N. K. M. Astuti, N. W. Utami, and I. G. P. K. Juliharta, "Classification of Blood Donor Data Using C4.5 and K-Nearest Neighbor Methods (Case Study: Utd Pmi Bali Province)," *J. Pilar Nusa Mandiri*, vol. 18, no. 1, pp. 9–16, 2022, doi: 10.33480/pilar.v18i1.2790.
- [22] C. Roussel *et al.*, "Rapid clearance of storage-induced microerythrocytes alters transfusion recovery," *Blood*, vol. 137, no. 17, pp. 2285–2298, 2021, doi: 10.1182/blood.2020008563.
- [23] V. Plotnikova, M. Dumas, A. Nolte, and F. Milani, "Designing a data mining process for the financial services domain," *J. Bus. Anal.*, vol. 6, no. 2, pp. 140–166, 2023, doi: 10.1080/2573234X.2022.2088412.
- [24] S. Tripathi, D. Muhr, M. Brunner, H. Jodlbauer, M. Dehmer, and F. Emmert-Streib, "Ensuring the Robustness and Reliability of Data-Driven Knowledge Discovery Models in Production and Manufacturing," *Front. Artif. Intell.*, vol. 4, no. June, pp. 1–20, 2021, doi: 10.3389/frai.2021.576892.
- [25] K. C. Hong *et al.*, "Generative AI-Powered Synthetic Data for Enhancing Predictive Analytics in Blood Donation Supply Management: A Comparative Study of Machine Learning Models," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 15, no. 1, pp. 9–19, 2025, doi: 10.18517/ijaseit.15.1.20498.
- [26] D. Nurdiansyah, R. S. Oetama, and I. Prasetiawan, "Enhancing Sales Strategies In Prime Market Retail Business Using Tuned Gradient Boosting," *Ultim. InfoSys J. Ilmu Sist. Inf.*, vol. 15, no. 1, pp. 61–66, 2024, doi: 10.31937/si.v15i1.3595.
- [27] A. Sumayli and S. M. Alshahrani, "Modeling and prediction of biodiesel production by using different artificial intelligence methods: Multi-layer perceptron (MLP), Gradient boosting (GB), and Gaussian process regression (GPR)," *Arab. J. Chem.*, vol. 16, no. 7, p. 104801, 2023, doi: 10.1016/j.arabjc.2023.104801.
- [28] S. E. Suryana, B. Warsito, and S. Suparti, "Penerapan Gradient Boosting Dengan Hyperopt Untuk Memprediksi Keberhasilan Telemarketing Bank," *J. Gaussian*, vol. 10, no. 4, pp. 617–623, 2021, doi: 10.14710/j.gauss.v10i4.31335.
- [29] Y. Ali A., E. M. Awwad, M. Al-Razgan, and A. Maarouf, "Hyperparameter Search for Machine Learning Algorithms for Optimizing the Computational Complexity," *Processes*, vol. 11, no. 2, 2023, doi: 10.1007/s11063-023-11339-5.
- [30] T. A. E. Putri, T. Widiharih, and R. Santoso, "Penerapan Tuning Hyperparameter Randomsearchcv Pada Adaptive Boosting Untuk Prediksi Kelangsungan Hidup Pasien Gagal Jantung," *J. Gaussian*, vol. 11, no. 3, pp. 397–406, 2023, doi: 10.14710/j.gauss.11.3.397-406.

- [31] A. Jierula, S. Wang, T. M. Oh, and P. Wang, "Study on Accuracy Metrics for Evaluating the Predictions of Damage Locations in Deep Piles Using Artificial Neural Networks with Acoustic Emission Data," *Appl. Sci.* 2021, Vol. 11, Page 2314, vol. 11, no. 5, p. 2314, Mar. 2021, doi: 10.3390/APP11052314.
- [32] S. T. Simaremare, L. Atika, and R. Siregar, "Effectivity of the Microsoft Excel Application on Student Understanding in Statistics Courses," *Indones. J. Educ. Soc. Humanit.*, vol. 1, no. 2, pp. 9–19, 2024, doi: <https://doi.org/10.62945/ijesh.v1i2.60>.
- [33] J. Bascuñana, S. León, M. González-Miquel, E. J. González, and J. Ramírez, "Impact of Jupyter Notebook as a tool to enhance the learning process in chemical engineering modules," *Educ. Chem. Eng.*, vol. 44, no. June, pp. 155–163, 2023, doi: 10.1016/j.ece.2023.06.001.
- [34] J. Karnando, M. Muskhir, and A. Luthfi, "Exploring Python Programming: A Project Based Learning-Centric Learning Experience," *J. Educ. Technol.*, vol. 8, no. 2, pp. 306–314, 2024, doi: 10.23887/jet.v8i2.68694.
- [35] A. Bhor, U. Sangale, A. Sinha, A. Shewale, and P. A. Gaidhani, "Enhancing Data Insightsthrough LIDA-Streamlit Integration," *Ijarcce*, vol. 13, no. 4, pp. 337–344, 2024, doi: 10.17148/ijarcce.2024.13447.
- [36] J. A. Solano, D. J. Lancheros Cuesta, S. F. Umaña Ibáñez, and J. R. Coronado-Hernández, "Predictive models assessment based on CRISP-DM methodology for students performance in Colombia - Saber 11 Test," *Procedia Comput. Sci.*, vol. 198, no. 2020, pp. 512–517, 2021, doi: 10.1016/j.procs.2021.12.278.
- [37] C. Schröer, F. Kruse, and J. M. Gómez, "A systematic literature review on applying CRISP-DM process model," *Procedia Comput. Sci.*, vol. 181, no. 2019, pp. 526–534, 2021, doi: 10.1016/j.procs.2021.01.199.
- [38] R. A. Casonatto, T. D. P. G. Souza, and A. M. Mariano, "Quality and Risk Management in Data Mining: A CRISP-DM Perspective," *Procedia Comput. Sci.*, vol. 242, pp. 161–168, 2024, doi: 10.1016/j.procs.2024.08.257.
- [39] I. Kolyshkina and S. Simoff, "Interpretability of Machine Learning Solutions in Public Healthcare: The CRISP-ML Approach," *Front. Big Data*, vol. 4, no. May, 2021, doi: 10.3389/fdata.2021.660206.
- [40] F. Martinez-Plumed *et al.*, "CRISP-DM Twenty Years Later: From Data Mining Processes to Data Science Trajectories," *IEEE Trans. Knowl. Data Eng.*, vol. 33, no. 8, pp. 3048–3061, Aug. 2021, doi: 10.1109/TKDE.2019.2962680.
- [41] A. P. K. Mahapatra, A. Nanda, B. B. Mohapatra, A. K. Padhy, and I. Padhy,

- “Concept of Outlier Study: The Management of Outlier Handling with Significance in Inclusive Education Setting,” *Asian Res. J. Math.*, no. September, pp. 7–25, 2020, doi: 10.9734/arjom/2020/v16i1030228.
- [42] M. R. Phillips *et al.*, “The clinician’s guide to p values, confidence intervals, and magnitude of effects,” *Eye*, vol. 36, no. 2, pp. 341–342, 2022, doi: 10.1038/s41433-021-01863-w.
- [43] Q. Wei, P. Wang, and P. Yin, “Confidence interval estimation for vaccine efficacy against COVID-19,” *Front. Public Heal.*, vol. 10, no. Ci, 2022, doi: 10.3389/fpubh.2022.848120.
- [44] M. Elkins, “Research Note: Interpreting confidence intervals,” *J. Physiother.*, vol. 70, pp. 319–323, 2024, doi: 10.1016/j.jphys.2024.08.010.
- [45] K. Guo, S. Song, L. Qiu, X. Wang, and S. Ma, “Prediction of Red Blood Cell Demand for Pediatric Patients Using a Time-Series Model: A Single-Center Study in China,” *Front. Med.*, vol. 9, no. May, pp. 1–10, 2022, doi: 10.3389/fmed.2022.706284.
- [46] F. Putri and D. B. Arianto, “PERBANDINGAN PERFORMA RANDOM FOREST DAN GRADIENT BOOSTING DALAM PREDIKSI PADA DATASET CUSTOMER SHOPPING TRENDS,” vol. 5, no. 10, pp. 1–9, 2024, doi: <https://doi.org/10.3785/kohesi.v5i11.9030>.
- [47] G. W. Cha, H. J. Moon, and Y. C. Kim, “Comparison of random forest and gradient boosting machine models for predicting demolition waste based on small datasets and categorical variables,” *Int. J. Environ. Res. Public Health*, vol. 18, no. 16, 2021, doi: 10.3390/ijerph18168530.
- [48] R. van de Kamp, “A hybrid approach of extreme gradient boosting and random forest to nowcast US GDP,” 2022, [Online]. Available: <https://thesis.eur.nl/pub/62057>
- [49] P. Alfisky, S. Nadiyah, R. Puspita, R. Ariani, dan H. Pratomo, "Pengaruh Masa Transisi COVID-19 Tahun 2022-2023 Terhadap Jumlah Pendorong Darah Sukarela Berdasarkan Jenis Kelamin dan Usia di SMA Negeri 1 Semarang," *Medika Trada: Jurnal Teknik Elektromedik Polbitrada*, vol. 5, no. 1, pp. 46-51, 2024.
- [50] “Korlantas Rilis Data Kecelakaan Lalu Lintas 2024: Naik Nyaris 8 Kali Lipat, Korban Jiwa 27 Ribu | tempo.co.” <https://www.tempo.co/hukum/korlantas-rilis-data-kecelakaan-lalu-lintas-2024-naik-nyaris-8-kali-lipat-korban-jiwa-27-ribu-1181721> (accessed Jun. 16, 2025).