


DAFTAR PUSTAKA

- [1] J. Togelius, E. Kastbjerg, D. Schedl, and G. N. Yannakakis, "What is procedural content generation? mario on the borderline," *ACM International Conference Proceeding Series*, 2011. [Online]. Available: <https://dl.acm.org/doi/10.1145/2000919.2000922>
- [2] E. Guardiola, "The gameplay loop: a player activity model for game design and analysis," in *ACM International Conference Proceeding Series*. Association for Computing Machinery, 11 2016.
- [3] A. S. Arnoldsson, "A study on controllability for automatic terrain generators," 6 2017. [Online]. Available: <https://www.diva-portal.org/smash/record.jsf?pid=diva2%3A1479992&dswid=2517>
- [4] H. Kim, S. Lee, H. Lee, T. Hahn, and S. Kang, "Automatic generation of game content using a graph-based wave function collapse algorithm," in *IEEE Conference on Computational Intelligence and Games, CIG*, vol. 2019-August, 2019.
- [5] Y. Punia, Priyanka, and T. P. Sharma, "Enhancing wave function collapse algorithm using bitwise operations," in *2023 International Conference on Computer, Electronics and Electrical Engineering and their Applications, IC2E3 2023*. Institute of Electrical and Electronics Engineers Inc., 2023.
- [6] Y. Nie, S. Zheng, Z. Zhuang, and X. Song, "Extend wave function collapse algorithm to large-scale content generation," in *IEEE Conference on Computational Intelligence and Games, CIG*. IEEE Computer Society, 2023.
- [7] A. Sandhu, Z. Chen, and J. McCoy, "Enhancing wave function collapse with design-level constraints," in *ACM International Conference Proceeding Series*, 2019.
- [8] K. Cobbe, C. Hesse, J. Hilton, and J. Schulman, "Leveraging procedural generation to benchmark reinforcement learning," in *Proceedings of the 37th International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, H. D. III and A. Singh, Eds., vol. 119. PMLR, 13–18 Jul 2020, pp. 2048–2056. [Online]. Available: <https://proceedings.mlr.press/v119/cobbe20a.html>
- [9] J. Liu, S. Snodgrass, A. Khalifa, S. Risi, G. N. Yannakakis, and J. Togelius, "Deep learning for procedural content generation," *Neural Computing and Applications*, vol. 33, pp. 19–37, 1 2021.
- [10] N. A. Barriga, "A short introduction to procedural content generation algorithms for videogames," <https://doi.org/10.1142/S0218213019300011>,

- vol. 28, 4 2019. [Online]. Available: <https://www.worldscientific.com/worldscinet/ijait>
- [11] A. Gellel and P. Sweetser, “A hybrid approach to procedural generation of roguelike video game levels,” *ACM International Conference Proceeding Series*, 9 2020. [Online]. Available: <https://dl.acm.org/doi/10.1145/3402942.3402945>
- [12] T. N. Møller, J. Billeskov, and G. Palamas, “Expanding wave function collapse with growing grids for procedural map generation,” *ACM International Conference Proceeding Series*, 9 2020. [Online]. Available: <https://dl.acm.org/doi/10.1145/3402942.3402987>
- [13] S. Alaka and R. Bidarra, “Hierarchical semantic wave function collapse,” in *ACM International Conference Proceeding Series*. Association for Computing Machinery, 4 2023.
- [14] C. E. Shannon, “A mathematical theory of communication,” *Bell System Technical Journal*, vol. 27, pp. 379–423, 1948.
- [15] D. Carpenter, J. T. Bacher, H. Crain, and C. Martens, “Casual creation of tile maps via authorable constraint-based generators,” North Carolina State University, Tech. Rep., 2021. [Online]. Available: <https://ceur-ws.org/Vol-3217/paper18.pdf>
- [16] P. B. Hansen, “Parallel divide and conquer,” Syracuse University, Tech. Rep., 12 1991. [Online]. Available: https://surface.syr.edu/eecs_techreports/131/
- [17] M. Yi, L. Xiaodong, Y. Xin, and M. N. Omidvar, “A competitive divide-and-conquer algorithm for unconstrained large-scale black-box optimization,” *ACM Transactions on Mathematical Software*, vol. 42, pp. 1–24, 6 2016.
- [18] E. Horowitz and A. Zorat, “Divide-and-conquer for parallel processing,” *IEEE Transactions on Computers*, vol. C-32, pp. 582–585, 1983.
- [19] S. Snodgrass and S. Ontanon, “A hierarchical mdmc approach to 2d video game map generation,” *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, vol. 11, pp. 205–211, 6 2021.
- [20] M. Fridh and F. Sy, “Settlement generation in minecraft,” 10 2020. [Online]. Available: <https://www.diva-portal.org/smash/record.jsf?pid=diva2%3A1480297&dsid=5318>
- [21] T. Azarasi, “Building new worlds: A deep dive into procedural generation for video games,” 2025. [Online]. Available: <https://tategotoazarasi.github.io/en/posts/building-new-worlds-a-deep-dive-into-procedural-generation-for-video-games/#infinite-continuous-planes>

- 
- [22] Z. A. Alfoor, M. S. Sunar, and H. Kolivand, "A comprehensive study on pathfinding techniques for robotics and video games," *International Journal of Computer Games Technology*, vol. 2015, 2015.
- [23] D. B. Stewart, "Measuring execution time and real-time performance," *Embedded Systems Conference (ESC SF)*, 2002.
- [24] C. Moreno and S. Fischmeister, "Accurate measurement of small execution times - getting around measurement errors," *IEEE Embedded Systems Letters*, vol. 9, 2017.
- [25] A. Georges, D. Buytaert, and L. Eeckhout, "Statistically rigorous java performance evaluation," *ACM SIGPLAN Notices*, vol. 42, 2007.

UMN
UNIVERSITAS
MULTIMEDIA
NUSANTARA