

DAFTAR PUSTAKA

- [1] A. F. Kebede, "Histopathologic oral cancer detection using cnns," 2023, [Online]. Available: <https://www.kaggle.com/datasets/ashenafifasilkebede/dataset>. [Diakses: 11-Juli-2025].
- [2] I. Giovannacci, P. Vescovi, M. Manfredi, and M. Meleti, "Non-invasive visual tools for diagnosis of oral cancer and dysplasia: A systematic review," *Medicina oral, patologia oral y cirugia bucal*, vol. 21, no. 3, p. e305, 2016, [Online]. doi: <https://doi.org/10.4317/medoral.21158>. [Diakses: 11-Juli-2025].
- [3] D. Maleki, M. Ghojzadeh, S.-S. Mahmoudi, S.-M. Mahmoudi, F. Pournaghi-Azar, A. Torab, R. Piri, S. Azami-Aghdash, and M. Naghavi-Behzad, "Epidemiology of oral cancer in iran: a systematic review," *Asian Pacific journal of cancer prevention*, vol. 16, no. 13, pp. 5427–5432, 2015, [Online]. doi: <https://doi.org/10.7314/apjcp.2015.16.13.5427>. [Diakses: 11-Juli-2025].
- [4] D. Liu, X. Zhao, X. Zeng, H. Dan, and Q. Chen, "Non-invasive techniques for detection and diagnosis of oral potentially malignant disorders," *The Tohoku journal of experimental medicine*, vol. 238, no. 2, pp. 165–177, 2016, [Online]. doi: <https://doi.org/10.1620/tjem.238.165>. [Diakses: 11-Juli-2025].
- [5] C. Rivera, "Essentials of oral cancer," *International Journal of Clinical and Experimental Pathology*, vol. 8, no. 9, pp. 11 884–11 894, 2015, [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4637760/>. [Diakses: 11-Juli-2025].
- [6] P. Boffetta, S. Hecht, N. Gray, P. Gupta, and K. Straif, "Smokeless tobacco and cancer," *The lancet oncology*, vol. 9, no. 7, pp. 667–675, 2008, [Online]. doi: [https://doi.org/10.1016/S1470-2045\(08\)70173-6](https://doi.org/10.1016/S1470-2045(08)70173-6). [Diakses: 11-Juli-2025].
- [7] N. Rahadiani, M. Habiburrahman, M. Stephanie, D. R. Handjari, and E. Krisnuhoni, "Estimated projection of oral squamous cell carcinoma annual incidence from twenty years registry data: a retrospective cross-sectional study in indonesia," *PeerJ*, vol. 11, p. e15911, 2023, [Online]. doi: <https://doi.org/10.7717/peerj.15911>. [Diakses: 11-Juli-2025].
- [8] I. Gracia, T. Utoro, I. Astuti, D. S. Heriyanto, D. Pramono *et al.*, "Epidemiologic profile of oral squamous cell carcinoma in yogyakarta, indonesia," *Padjadjaran Journal of Dentistry*, vol. 29, no. 1, 2017, [Online]. doi: <https://doi.org/10.24198/pjd.vol29no1.13990>. [Diakses: 11-Juli-2025].
- [9] S. M. U. Rahaman and B. A. Mujib, "Histopathological correlation of oral squamous cell carcinoma among younger and older patients," *Journal of Oral and Maxillofacial Pathology*, vol. 18, no. 2, pp. 183–188, 2014, [Online]. doi: <https://doi.org/10.4103/0973-029X.140734>. [Diakses: 11-Juli-2025].

- [10] P. Pałasz, Ł. Adamski, M. Górską-Chrzastek, A. Starzyńska, and M. Studniarek, "Contemporary diagnostic imaging of oral squamous cell carcinoma—a review of literature," *Polish journal of radiology*, vol. 82, pp. 193–202, 2017, [Online]. doi: <https://doi.org/10.12659/pjr.900892>. [Diakses: 11-Juli-2025].
- [11] X.-H. Zhou, Y. Huang, C. Yuan, S.-G. Zheng, J.-G. Zhang, X.-M. Lv, and J. Zhang, "A survey of the awareness and knowledge of oral cancer among residents in beijing," *BMC Oral Health*, vol. 22, no. 1, p. 367, 2022, [Online]. doi: <https://doi.org/10.1186/s12903-022-02398-6>. [Diakses: 11-Juli-2025].
- [12] N. Coppola, M. D. Mignogna, I. Riviaccio, A. Blasi, M. E. Bizzoca, R. Sorrentino, L. Lo Muzio, G. Spagnuolo, and S. Leuci, "Current knowledge, attitudes, and practice among health care providers in oscc awareness: systematic review and meta-analysis," *International journal of environmental research and public health*, vol. 18, no. 9, p. 4506, 2021, [Online]. doi: <https://doi.org/10.3390/ijerph18094506>. [Diakses: 11-Juli-2025].
- [13] A. Esteva, B. Kuprel, R. A. Novoa, J. Ko, S. M. Swetter, H. M. Blau, and S. Thrun, "Dermatologist-level classification of skin cancer with deep neural networks," *Nature*, vol. 542, no. 7639, pp. 115–118, 2017, [Online]. doi: <https://doi.org/10.1038/nature21056>. [Diakses: 11-Juli-2025].
- [14] B. Süren and M. Akar, "Examination of resnet and densenet architectures in early diagnosis of oral cancer: An evaluation," *Gazi University Journal of Science*, vol. 38, no. 2, pp. 1006–1019, 2025, [Online]. doi: <https://doi.org/10.35378/gujs.1480477>. [Diakses: 11-Juli-2025].
- [15] S. Givony, "Oral squamous cell carcinoma (oscc) an overview," *J Med Sci*, vol. 8, pp. 67–74, 2020, [Online]. Available: <https://medicsciences.com/f/2020/ORAL-SQUAMOUS-CELL-CARCINOMA-OSCC-AN-OVERVIEW-shahaf-givony-2020.pdf>. [Diakses: 11-Juli-2025].
- [16] W. Jerjes, T. Upile, A. Petrie, A. Riskalla, Z. Hamdoon, M. Vourvachis, K. Karavidas, A. Jay, A. Sandison, G. J. Thomas *et al.*, "Clinicopathological parameters, recurrence, locoregional and distant metastasis in 115 t1-t2 oral squamous cell carcinoma patients," *Head & neck oncology*, vol. 2, pp. 1–21, 2010, [Online]. doi: <https://doi.org/10.1186/1758-3284-2-9>. [Diakses: 11-Juli-2025].
- [17] R. A. Schoop, M. H. Noteborn, and R. J. Baatenburg de Jong, "A mouse model for oral squamous cell carcinoma," *Journal of molecular histology*, vol. 40, pp. 177–181, 2009, [Online]. doi: <https://doi.org/10.1007/s10735-009-9228-z>. [Diakses: 11-Juli-2025].

- [18] P. V. Centelles, J. M. Seoane-Romero, I. Gómez, P. Diz-Dios, N. S. de Melo, and J. Seoane, "Timing of oral cancer diagnosis: Implications for prognosis and survival," *Oral Cancer*, pp. 173–188, 2012, [Online]. Available: <https://books.google.co.id/books?hl=id&lr=&id=sByaDwAAQBAJ&oi=fnd&pg=PA173>. [Diakses: 11-Juli-2025].
- [19] R. Dumache, "Early diagnosis of oral squamous cell carcinoma by salivary micrnas." *Clinical laboratory*, 2017, [Online]. doi: <https://doi.org/10.7754/Clin.Lab.2017.170607>. [Diakses: 11-Juli-2025].
- [20] F. N. Cahya, N. Hardi, D. Riana *et al.*, "Klasifikasi penyakit mata menggunakan convolutional neural network (cnn)," *SISTEMASI*, vol. 10, no. 3, pp. 618–626, 2021, [Online]. doi: <https://doi.org/10.32520/stmsi.v10i3.1248>. [Diakses: 11-Juli-2025].
- [21] R. Yohannes and M. E. Al Rivan, "Klasifikasi jenis kanker kulit menggunakan cnn-svm," *Jurnal Algoritme*, vol. 2, no. 2, pp. 133–144, 2022, [Online]. doi: <https://doi.org/10.35957/algoritme.v2i2.2363>. [Diakses: 11-Juli-2025].
- [22] J. Obando-Ceron *et al.*, "Impoola: The power of average pooling for image-based deep reinforcement learning," *arXiv preprint arXiv:2503.05546*, 2024, [Online]. doi: <https://doi.org/10.48550/arXiv.2503.05546>. [Diakses: 11-Juli-2025].
- [23] S. Singh, "Diving deep into pooling: The backbone of cnn efficiency," *Medium*, 2024, [Online]. Available: <https://medium.com/@thedeeplearning-intern322/diving-deep-into-pooling-the-backbone-of-cnn-efficiency-75d6b300025a>. [Diakses: 11-Juli-2025].
- [24] S. Kılıçarslan, K. Adem, and M. Çelik, "An overview of the activation functions used in deep learning algorithms," *Journal of New Results in Science*, vol. 10, no. 1, pp. 29–40, 2021, [Online]. doi: <https://doi.org/10.54187/jnrs.1011739>. [Diakses: 11-Juli-2025].
- [25] Y. Bai, "Relu-function and derived function review," in *SHS Web of Conferences*, vol. 139. EDP Sciences, 2022, p. 02006, [Online]. doi: <https://doi.org/10.1051/shsconf/202214402006>. [Diakses: 11-Juli-2025].
- [26] R. Kumar, "Aptx: Better activation function than mish, swish, and relu's variants used in deep learning," *International Journal of Artificial Intelligence and Machine Learning*, vol. 12, pp. 56–61, 2023, [Online]. doi: <https://doi.org/10.48550/arXiv.2209.06119>. [Diakses: 11-Juli-2025].
- [27] Y. S. Hariyani, S. Hadiyoso, and T. S. Siadari, "Deteksi penyakit covid-19 berdasarkan citra x-ray menggunakan deep residual network," *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, dan Teknik Elektronika*,

vol. 8, no. 2, p. 443, 2020, [Online]. doi: <https://doi.org/10.26760/elkomika.v8i2.443>. [Diakses: 11-Juli-2025].

- [28] R. Erwandi and S. Suyanto, “Klasifikasi kanker payudara menggunakan residual neural network,” *Indonesian Journal of Computing*, vol. 5, no. 1, pp. 45–52, 2020, [Online]. doi: <https://doi.org/10.34818/INDOJC.2020.5.1.373>. [Diakses: 11-Juli-2025].
- [29] R. R. E. Prasetyo and M. Ichwan, “Perbandingan metode deep residual network 50 dan deep residual network 152 untuk deteksi penyakit pneumonia pada manusia,” *MIND Journal*, vol. 6, no. 2, pp. 168–182, 2021, [Online]. doi: <https://doi.org/10.26760/mindjournal.v6i2.168-182>. [Diakses: 11-Juli-2025].
- [30] J. Heo, J. H. Lim, H. Lee *et al.*, “Deep learning model for tongue cancer diagnosis using endoscopic images,” *Scientific Reports*, vol. 12, no. 1, p. 3894, 2022, [Online]. doi: <https://doi.org/10.1038/s41598-022-10287-9>. [Diakses: 11-Juli-2025].
- [31] A. Peryanto, A. Yudhana, R. Umar *et al.*, “Klasifikasi citra menggunakan convolutional neural network dan k fold cross validation,” *Journal of Applied Informatics and Computing*, vol. 4, no. 1, pp. 45–51, 2020, [Online]. doi: <https://doi.org/10.30871/jaic.v4i1.2017>. [Diakses: 11-Juli-2025].
- [32] I. Loshchilov and F. Hutter, “Decoupled weight decay regularization,” *arXiv preprint arXiv:1711.05101*, 2017, [Online]. doi: <https://doi.org/10.48550/arXiv.1711.05101>. [Diakses: 11-Juli-2025].
- [33] I. M. K. Karo, J. A. K. Karo, M. Ginting, Y. Yunianto, H. Hariyanto, N. Nelza, and M. Maulidna, “Comparison of activation functions on convolutional neural networks (cnn) to identify mung bean quality,” *Sinkron: jurnal dan penelitian teknik informatika*, vol. 7, no. 4, pp. 2757–2764, 2023, [Online]. doi: <https://doi.org/10.33395/sinkron.v8i4.13107>. [Diakses: 11-Juli-2025].
- [34] P. Renata Adisti, “Pendeteksian penyakit diabetic retinopathy melalui citra fundus menggunakan model cnn inceptionresnet-v2,” 2025, [Online]. doi: <https://doi.org/10.34151/prosidingsnast.v1i1.5120>. [Diakses: 11-Juli-2025].

UNIVERSITAS
MULTIMEDIA
NUSANTARA