

DAFTAR PUSTAKA

- [1] “Diabetes.” [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- [2] IDF, *IDF Diabetes Atlas. In IDF Diabetes Atlas*, vol. 11th editi. 2025. [Online]. Available: <https://www.idf.org/aboutdiabetes/type-2-diabetes.html>
- [3] C. Dewi, A. Santoso, N. A. Dewi, Y. K. Arbawa, F. I. Komputer, and U. Brawijaya, “EVALUASI PERFORMASI RUANG WARNA PADA KLASIFIKASI DIABETIC PERFORMANCE EVALUATION OF COLOR SPACE IN CLASSIFICATION OF DIABETIC RETINOPATHY USING CONVOLUTIONAL NEURAL NETWORK,” vol. 8, no. 3, pp. 619–624, 2021, doi: 10.25126/jtiik.202184459.
- [4] A. Halim *et al.*, “Prevalence and Associated Factors of Diabetic Retinopathy in People with Type 2 Diabetes Attending Community Based Diabetic Retinopathy Screening in Greater Bandung, Indonesia,” *International Journal of Retina; Vol 5 No 1 (2022): International Journal of Retina (IJRetina) - INAVRSDO* - 10.35479/ijretina.2022.vol005.iss001.172, Feb. 2022, [Online]. Available: <https://ijretina.com/index.php/ijretina/article/view/172>
- [5] S. A. Soelistijo, D. Ardiany, R. D. Adiwinoto, A. Pranoto, and S. A. Widjaja, “Albuminuria as a risk factor for diabetic retinopathy in indonesian type 2 diabetes mellitus patients,” *Rom J Diabetes Nutr Metab Dis*, vol. 31, no. 2, pp. 170–175, 2024, doi: 10.46389/rjd-2024-1446.
- [6] T. R. Athira and J. J. Nair, “Diabetic Retinopathy Grading From Color Fundus Images: An Autotuned Deep Learning Approach,” *Procedia Comput Sci*, vol. 218, pp. 1055–1066, 2023, doi: <https://doi.org/10.1016/j.procs.2023.01.085>.
- [7] N. Tsiknakis *et al.*, “Deep learning for diabetic retinopathy detection and classification based on fundus images: A review,” *Comput Biol Med*, vol. 135, p. 104599, 2021, doi: 10.1016/j.compbimed.2021.104599.
- [8] K. Srividya and K. L. Joshitha, “ShLSTM: Shepard long short-term memory for early detection of diabetic retinopathy using color fundus image,” *Biomed Signal Process Control*, vol. 110, p. 108261, 2025, doi: <https://doi.org/10.1016/j.bspc.2025.108261>.
- [9] T.-W. Wang, W.-T. Luo, Y.-K. Tu, Y.-B. Chou, and Y.-T. Wu, “Prospective validation of deep-learning algorithms for diabetic retinopathy screening: A systematic review and meta-analysis,” *Surv Ophthalmol*, 2025, doi: <https://doi.org/10.1016/j.survophthal.2025.11.012>.

- [10] V. Gulshan *et al.*, “Development and Validation of a Deep Learning Algorithm for Detection of Diabetic Retinopathy in Retinal Fundus Photographs,” *JAMA*, vol. 316Gulshan, no. 22, pp. 2402–2410, Dec. 2016, doi: 10.1001/jama.2016.17216.
- [11] Muhammad Nur Ihsan Muhlashin and A. Stefanie, “Klasifikasi Penyakit Mata Berdasarkan Citra Fundus Menggunakan YOLO V8,” *JATI (Jurnal Mahasiswa Teknik Informatika)*, vol. 7, no. 2, pp. 1363–1368, 2023, doi: 10.36040/jati.v7i2.6927.
- [12] “Guidebook Lomba Karya Tulis Ilmiah,” 2025.
- [13] S. Yuliansari Asril, “Carbon 5.0 Jurusan KIMIA FST UNJA,” Universitas Jambi. [Online]. Available: <https://himkfst.unja.ac.id/>
- [14] S. Govindu, O. R. Devi, M. Sitharam, V. Koreddi, M. K. Kumar, and M. Sunitha, “Cutting-edge CNN-based skin cancer detection with batch normalization and advanced imbalance learning for superior medical image classification,” *Biomed Signal Process Control*, vol. 113, p. 108929, 2026, doi: <https://doi.org/10.1016/j.bspc.2025.108929>.
- [15] S. Pavithra, D. Jaladi, and K. Tamilarasi, “Optical imaging for diabetic retinopathy diagnosis and detection using ensemble models,” *Photodiagnosis Photodyn Ther*, vol. 48, p. 104259, 2024, doi: <https://doi.org/10.1016/j.pdpdt.2024.104259>.
- [16] C. Sen, S. Doganay, and G. Ozcan, “New accurate deep learning model for Diabetic Retinopathy detection utilizing sequential pre-processing and transfer learning,” *Biomed Signal Process Control*, vol. 109, p. 108060, 2025, doi: <https://doi.org/10.1016/j.bspc.2025.108060>.
- [17] A. F. Mat Raffei, H. Asmuni, R. Hassan, and R. M. Othman, “A low lighting or contrast ratio visible iris recognition using iso-contrast limited adaptive histogram equalization,” *Knowl Based Syst*, vol. 74, pp. 40–48, 2015, doi: <https://doi.org/10.1016/j.knosys.2014.11.002>.
- [18] M. M. Hassan and H. R. Ismail, “Bayesian deep learning applied to diabetic retinopathy with uncertainty quantification,” *Heliyon*, vol. 11, no. 2, p. e41802, 2025, doi: <https://doi.org/10.1016/j.heliyon.2025.e41802>.
- [19] P. Rayavel, S. Aiswarya Priyadharshini, G. Midhunadharshini, and G. Divyedharshini, “Detection and classification of diabetic retinopathy in retinal fundus images using deep spiking Q Network optimized with partial reinforcement optimizer,” *Comput Biol Med*, vol. 196, p. 110863, 2025, doi: <https://doi.org/10.1016/j.compbimed.2025.110863>.

- [20] H. Li *et al.*, “A deep learning system for predicting time to progression of diabetic retinopathy,” *Diabetes Res Clin Pract*, vol. 230, p. 112561, 2025, doi: <https://doi.org/10.1016/j.diabres.2025.112561>.

