

DAFTAR PUSTAKA

- [1] F. A. Acheampong, H. Nunoo-Mensah, and W. Chen, "Transformer models for text-based emotion detection: a review of bert-based approaches," *Artificial Intelligence Review*, vol. 54, pp. 5789–5829, 12 2021.
- [2] L. P. Hung and S. Alias, "Beyond sentiment analysis: A review of recent trends in text based sentiment analysis and emotion detection," pp. 84–95, 1 2023.
- [3] P. Nandwani and R. Verma, "A review on sentiment analysis and emotion detection from text," 12 2021.
- [4] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," *CoRR*, vol. abs/1706.03762, 2017. [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [5] J. Devlin, M.-W. Chang, K. Lee, K. T. Google, and A. I. Language, "Bert: Pre-training of deep bidirectional transformers for language understanding," Google, Tech. Rep., 6 2019. [Online]. Available: <https://github.com/tensorflow/tensor2tensor>
- [6] Y. Liu, M. Ott, N. Goyal, J. Du, M. Joshi, D. Chen, O. Levy, M. Lewis, L. Zettlemoyer, and V. Stoyanov, "Roberta: A robustly optimized bert pretraining approach," 7 2019. [Online]. Available: <http://arxiv.org/abs/1907.11692>
- [7] A. Conneau, K. Khandelwal, N. Goyal, V. Chaudhary, G. Wenzek, F. Guzmán, E. Grave, M. Ott, L. Zettlemoyer, and V. Stoyanov, "Unsupervised cross-lingual representation learning at scale," *CoRR*, vol. abs/1911.02116, 2019. [Online]. Available: <http://arxiv.org/abs/1911.02116>
- [8] B. Wilie, K. Vincentio, G. I. Winata, S. Cahyawijaya, X. Li, Z. Y. Lim, S. Soleman, R. Mahendra, P. Fung, S. Bahar, and A. Purwarianti, "Indonlu: Benchmark and resources for evaluating indonesian natural language understanding," *CoRR*, vol. abs/2009.05387, 2020. [Online]. Available: <https://arxiv.org/abs/2009.05387>
- [9] E. I. Setiawan, L. Kristianto, A. T. Hermawan, J. Santoso, K. Fujisawa, and M. H. Purnomo, "Social media emotion analysis in indonesian using fine-tuning bert model," in *3rd 2021 East Indonesia Conference on Computer and Information Technology, EICoN CIT 2021*. Institute of Electrical and Electronics Engineers Inc., 4 2021, pp. 334–337.
- [10] K. S. Nugroho, F. A. Bachtiar, and W. F. Mahmudy, "Detecting emotion in indonesian tweets: A term-weighting scheme study," *Journal of Information Systems Engineering and Business Intelligence*, vol. 8, pp. 61–70, 4 2022.

- [11] Dhendra and V. G. Utomo, "Benchmarking indobert and transformer models for sentiment classification on indonesian e-government service reviews," *Jurnal Transformatika*, vol. 23, pp. 86–95, 7 2025.
- [12] M. S. Saputri, M. Adriani, and R. Mahendra, *Emotion Classification on Indonesian Twitter Dataset*. IEEE, 2018.
- [13] Riccosan, K. E. Saputra, G. D. Pratama, and A. Chowanda, "Emotion dataset from indonesian public opinion," *Data in Brief*, vol. 43, 8 2022.
- [14] P. Ekman, "Are there basic emotions?" *Psychological Review*, vol. 99, pp. 550–553, 07 1992.
- [15] R. Plutchik, "A psychoevolutionary theory of emotions," *Social Science Information*, vol. 21, pp. 529–553, 1982.
- [16] K. S. Nugroho and F. A. Bachtiar, "Text-based emotion recognition in indonesian tweet using bert," in *2021 4th International Seminar on Research of Information Technology and Intelligent Systems, ISRITI 2021*. Institute of Electrical and Electronics Engineers Inc., 2021, pp. 570–574.
- [17] N. A. Salsabila, A. A. Septiandri, Y. A. Winatmoko, and A. Jamal, *Colloquial Indonesian Lexicon*. IEEE, 2018.
- [18] Y. Wu, M. Schuster, Z. Chen, Q. V. Le, M. Norouzi, W. Macherey, M. Krikun, Y. Cao, Q. Gao, K. Macherey, J. Klingner, A. Shah, M. Johnson, X. Liu, L. Kaiser, S. Gouws, Y. Kato, T. Kudo, H. Kazawa, K. Stevens, G. Kurian, N. Patil, W. Wang, C. Young, J. Smith, J. Riesa, A. Rudnick, O. Vinyals, G. Corrado, M. Hughes, and J. Dean, "Google's neural machine translation system: Bridging the gap between human and machine translation," *CoRR*, vol. abs/1609.08144, 2016. [Online]. Available: <http://arxiv.org/abs/1609.08144>
- [19] T. Kudo and J. Richardson, "Sentencepiece: A simple and language independent subword tokenizer and detokenizer for neural text processing," Google, Inc, Tech. Rep., 2018. [Online]. Available: <http://www.statmt.org/moses/>
- [20] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient estimation of word representations in vector space," 2013. [Online]. Available: <https://arxiv.org/abs/1301.3781>
- [21] J. Pennington, R. Socher, and C. Manning, "Glove: Global vectors for word representation," vol. 14, 01 2014, pp. 1532–1543.
- [22] S. J. Pan and Q. Yang, "A survey on transfer learning," *IEEE Transactions on Knowledge and Data Engineering*, vol. 22, no. 10, pp. 1345–1359, 2010.

- [23] J. Howard and S. Ruder, "Universal language model fine-tuning for text classification," *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (ACL)*, pp. 328–339, 2018.
- [24] C. Sun, X. Qiu, Y. Xu, and X. Huang, "How to fine-tune bert for text classification?" in *Chinese Computational Linguistics*, M. Sun, X. Huang, H. Ji, Z. Liu, and Y. Liu, Eds. Cham: Springer International Publishing, 2019, pp. 194–206.
- [25] Y. Chen, X. Song, C. Lee, Z. Wang, Q. Zhang, D. Dohan, K. Kawakami, G. Kochanski, A. Doucet, aurelio Ranzato, S. Perel, and N. de Freitas, "Towards learning universal hyperparameter optimizers with transformers," *NeurIPS*, 2022. [Online]. Available: <https://github.com/google-research/optformer>.
- [26] L. Seraydarian, "What is a confusion matrix and how do you interpret it?" Feb 2024. [Online]. Available: <https://plat.ai/blog/confusion-matrix-in-machine-learning/>
- [27] D. M. W. Powers and Ailab, "Evaluation: From precision, recall and f-measure to roc, informedness, markedness & correlation," *ArXiv*, vol. abs/2010.16061, 2011.
- [28] P. Govi, "Emotions dataset for nlp," <https://www.kaggle.com/datasets/praveengovi/emotions-dataset-for-nlp>, 2020, accessed: 2025-02-26.
- [29] R. Kohavi, "A study of cross-validation and bootstrap for accuracy estimation and model selection," vol. 14, 03 2001.
- [30] C. Sun *et al.*, "How to fine-tune bert for text classification?" *China National Conference on NLP*, 2019.
- [31] A. Iskoko, I. Tahyudin, and P. Purwadi, "Hyperparameter optimization of indobert using grid search, random search, and bayesian optimization in sentiment analysis of e-government application reviews," *Jurnal Teknik Informatika (Jutif)*, vol. 6, pp. 3430–3444, 10 2025.

U N I V E R S I T A S
M U L T I M E D I A
N U S A N T A R A