



Hak cipta dan penggunaan kembali:

Lisensi ini mengizinkan setiap orang untuk menggubah, memperbaiki, dan membuat ciptaan turunan bukan untuk kepentingan komersial, selama anda mencantumkan nama penulis dan melisensikan ciptaan turunan dengan syarat yang serupa dengan ciptaan asli.

Copyright and reuse:

This license lets you remix, tweak, and build upon work non-commercially, as long as you credit the origin creator and license it on your new creations under the identical terms.

DAFTAR PUSTAKA

- Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., ... & Kudlur, M. (2016, November). TensorFlow: A System for Large-Scale Machine Learning. In *OSDI* (Vol. 16, pp. 265-283).
- Adelson, E. H., Anderson, C. H., Bergen, J. R., Burt, P. J., & Ogden, J. M. (1984). Pyramid methods in image processing. *RCA engineer*, 29(6), 33-41.
- Beleznai, C., Frühstück, B., & Bischof, H. (2006). Human Tracking by Fast Mean Shift Mode Seeking. *Journal of Multimedia*, 1(1), 1-8.
- Bishop, C. (n.d.). *Pattern recognition and machine learning*. Springer Verlag.
- Cawley, G. C., & Talbot, N. L. (2003). Efficient leave-one-out cross-validation of kernel fisher discriminant classifiers. *Pattern Recognition*, 36(11), 2585-2592.
- Chaudhary, A., Raheja, J., Das, K., & Raheja, S. (2011, Februari). Intelligent Approaches to interact with Machines using Hand Gesture Recognition in Natural way: A Survey. *International Journal of Computer Science & Engineering Survey*, 2(1), 122-133. doi:10.5121/ijcses.2011.2109
- Chen, T., Wu, M., Hsieh, Y., & Fu, L. (2016, Desember). Deep learning for integrated hand detection and pose estimation. *2016 23rd International Conference on Pattern Recognition (ICPR)*. doi:10.1109/icpr.2016.7899702
- Chen, Q., Georganas, N. D., & Petriu, E. M. (2007, Mei). Real-time Vision-based

Hand Gesture Recognition Using Haar-like Features. 2007 *IEEE Instrumentation & Measurement Technology Conference IMTC 2007*.
doi:10.1109/imtc.2007.379068

Cunningham, P., Cord, M., & Delany, S. J. (2008). Supervised learning. *Machine learning techniques for multimedia*, 21-49.

Dahl, G. E., Sainath, T. N., & Hinton, G. E. (2013, Mei). Improving deep neural networks for LVCSR using rectified linear units and dropout. *Acoustics, Speech and Signal Processing (ICASSP), 2013 IEEE International Conference on*(pp. 8609-8613). IEEE.

Deng, L., & Yu, D. (2014). *Deep learning: Methods and applications*. Now.

Dunne, R. A., & Campbell, N. A. (1997). On the pairing of the softmax activation and cross-entropy penalty functions and the derivation of the softmax activation function. *Proc. 8th Aust. Conf. on the Neural Networks, Melbourne, 181* (Vol. 185).

Fan, J., Xu, W., Wu, Y., & Gong, Y. (2010). Human tracking using convolutional neural networks. *IEEE Transactions on Neural Networks*, 21(10), 1610-1623.

Graham, B. (2015). Sparse 3D convolutional neural networks. *arXiv preprint arXiv:1505.02890*.

Haykin, S. (1999). *Neural networks a comprehensive introduction*.

- Hasan, H., & Abdul-Kareem, S. (2014). RETRACTED ARTICLE: Static hand gesture recognition using neural networks. *Artificial Intelligence Review*, 41(2), 147-181.
- Jalab, H. A., & Omer, H. K. (2015, Februari). Human computer interface using hand gesture recognition based on neural network. In *Information Technology: Towards New Smart World (NSITNSW), 2015 5th National Symposium on* (pp. 1-6). IEEE.
- Kheng, L. W. (2011). Mean shift tracking. Technical report, School of Computing, National University of Singapore.
- Koh, K., Kim, S. J., & Boyd, S. (2007). An interior-point method for large-scale l_1 -regularized logistic regression. *Journal of Machine learning research*, 8(Jul), 1519-1555.
- Kohavi, R. (1995, August). A study of cross-validation and bootstrap for accuracy estimation and model selection. *Ijcai*(Vol. 14, No. 2, pp. 1137-1145).
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). Imagenet classification with deep convolutional neural networks. In *Advances in neural information processing systems* (pp. 1097-1105).
- Kroese, D. P., Rubinstein, R. Y., Cohen, I., Porotsky, S., & Taimre, T. (2013). Cross-entropy method. In *Encyclopedia of Operations Research and Management Science* (pp. 326-333). Springer US.
- Kurt, I., Ture, M., & Kurum, A. T. (2008). Comparing performances of logistic

regression, classification and regression tree, and neural networks for predicting coronary artery disease. *Expert systems with applications*, 34(1), 366-374.

LeCun, Y., Boser, B., Denker, J. S., Henderson, D., Howard, R. E., Hubbard, W., & Jackel, L. D. (1989). Backpropagation applied to handwritten zip code recognition. *Neural computation*, 1(4), 541-551.

LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278-2324.

LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436-444.

Maung, T. H. H. (2009). Real-time hand tracking and gesture recognition system using neural networks. *World Academy of Science, Engineering and Technology*, 50(February), 466-470.

Mittal, A., Zisserman, A., & Torr, P. H. (2011, August). Hand detection using multiple proposals. In *BMVC* (pp. 1-11).

Moreno-Torres, J. G., Sáez, J. A., & Herrera, F. (2012). Study on the impact of partition-induced dataset shift on k -fold cross-validation. *IEEE Transactions on Neural Networks and Learning Systems*, 23(8), 1304-1312.

Nagi, J., Ducatelle, F., Caro, G. A., Ciresan, D., Meier, U., Giusti, A., . . . Gambardella, L. M. (2011, November). Max-pooling convolutional neural

networks for vision-based hand gesture recognition. *2011 IEEE International Conference on Signal and Image Processing Applications (ICSIPA)*.
doi:10.1109/icsipa.2011.6144164

Ng, Andrew (t.thn.). Dipetik 2018 dari Coursera: www.coursera.org/learn/deep-neural-network/lecture/hjgIA/learning-rate-decay.

Nguyen, T., Huynh, H., & Meunier, J. (2013). Static Hand Gesture Recognition Using Artificial Neural Network. *Journal of Image and Graphics, 1*(1), 34-38. doi:10.12720/joig.1.1.34-38

Nielsen, M. A. (2015). *Neural Networks and Deep Learning*. Determination Press.

Ning, J., Zhang, L., Zhang, D., & Wu, C. (2012). Robust mean-shift tracking with corrected background-weighted histogram. *IET computer vision, 6*(1), 62-69.

Nowlan, S. J., & Platt, J. C. (1995). A convolutional neural network hand tracker. *Advances in Neural Information Processing Systems*, 901-908.

Oikonomidis, I., Kyriazis, N., & Argyros, A. A. (2011, Agustus). Efficient model-based 3D tracking of hand articulations using Kinect. In *BmVC* (Vol. 1, No. 2, p. 3).

Raschka, S., & Olson, R. S. (2016). *Python machine learning: Unlock deeper insights into machine learning with this vital guide to cutting-edge predictive analytics*. Packt Publishing.

Savaris, A., & Wangenheim, A. V. (2010, Juni). Comparative evaluation of static

gesture recognition techniques based on nearest neighbor, neural networks and support vector machines. *Journal of the Brazilian Computer Society*, 16(2), 147-162. doi:10.1007/s13173-010-0009-z

Sermanet, P., Eigen, D., Zhang, X., Mathieu, M., Fergus, R., & LeCun, Y. (2013). Overfeat: Integrated recognition, localization and detection using convolutional networks. arXiv preprint arXiv:1312.6229.

Shan, C., Tan, T., & Wei, Y. (2007). Real-time hand tracking using a mean shift embedded particle filter. *Pattern recognition*, 40(7), 1958-1970.

Srivastava, N., Hinton, G. E., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: a simple way to prevent neural networks from overfitting. *Journal of machine learning research*, 15(1), 1929-1958.

Tompson, J., Stein, M., Lecun, Y., & Perlin, K. (2014). Real-time continuous pose recovery of human hands using convolutional networks. *ACM Transactions on Graphics (ToG)*, 33(5), 169.

Zeiler, M. D., & Fergus, R. (2013). Stochastic pooling for regularization of deep convolutional neural networks. *arXiv preprint arXiv:1301.3557*.